

46

www.biodiversityjournal.com

ISSN 2039-0394 (Print Edition)
ISSN 2039-0408 (Online Edition)


Biodiversity Journal

MARCH 2022, 13 (1): 187-280

MONOGRAPH

Ignazio Sparacio

**The contribution of the Sicilian naturalists
to the knowledge of circumsicilian islands
during the 19th century**



Ferdinandea Island, Sicilian Channel, Italy (Carlo Gemmellaro, 1831)

The contribution of the Sicilian naturalists to the knowledge of circumsicilian islands during the 19th century

Ignazio Sparacio

via Principe di Paternò 3, 90144 Palermo, Italy; e-mail: edizionidanaus@gmail.com

ABSTRACT

The 19th was a century of great cultural and scientific innovation. Sicily, despite the numerous political and social problems, was not found unprepared to accept and apply all the new demands that were spread from Europe throughout the world. The Sicilian scientific environment, in particular, had a great development and achieved excellent results in all sectors, weakening the original thrust, until it almost completely disappeared, in the early 20th century. In this work only one aspect of this cultural commitment is represented: the contribution of Sicilian naturalists to the study of the circumsicilian islands. Pietro Calcara, already in the early 19th century, began a preliminary and systematic study of all the circumsicilian islands. Other authors devoted themselves only to some topics that interested these islands: Carlo Gemmellaro, for example, who studied the phenomena related to the appearance of the Ferdinandea island and, in other fields of naturalistic research, Andrea Aradas, Francesco Minà Palumbo, Agostino Todaro, Monterosato, Antonio De Gregorio, Gaetano Platania and Giuseppe Zodda. In addition, Giuseppe Riggio, Teodosio De Stefani-Perez, Luigi Failla Tedaldi and Enrico Ragusa studied, from the entomological point of view, only some of these islands with excellent results. Luigi Benoit promoted a systematic exploration of the circumsicilian islands for the study of terrestrial molluscs - and, with the crucial help of Domenico Reina, he improved their malacological knowledge by also describing numerous new taxa; Michele Lo Jacono-Pojero, participating directly in the research, also described numerous new taxa of vascular plants for the Pelagic Islands and the Aeolian Islands and, finally, Enrico Pirajno devoted himself to the naturalistic study of the Aeolian Islands, failing to publish, however, a relevant part of the results obtained. Brief biographical notes and an annotated list of their works on the circumsicilian islands are provided for all these main authors. A specific “Appendix” also includes all the works on these islands carried out by other authors, Sicilian and non-Sicilian, throughout the 19th century. In the conclusions, brief considerations are exposed on the end of Sicilian naturalistic culture of the 19th century and observations on the current and future situation.

KEY WORDS

Circumsicilian islands; Sicilian naturalists; biodiversity; taxonomy; culture; Italy.

Received 12.11.2021; accepted 18.01.2022; published online 30.03.2022

INTRODUCTION

The 19th century represented, in the history of mankind, one of the periods of greatest development of scientific culture. All the knowledge acquired in the previous centuries were

used and amplified, in a few decades, to improve what was known until then and to realize new studies and discoveries. In 1877, Emanuele Paternò di Sessa, holder of the chair of General Chemistry at the University of Palermo, inaugurated the academic year with a report with the significant

title “Il Secolo della Scienza [The Century of Science]” (Ingraiti, 1987).

“*A questi movimenti la Sicilia, seppure a volte in ritardo, non rimane estranea* [To these movements Sicily, although sometimes late, does not remain extraneous]” (Liotta, 1987a). The 19th century, “*secolo dei Lamarck e dei Cuvier, esordi in Sicilia con grande operosità nelle scienze naturali* [(the) century of Lamarck and Cuvier, debuted in Sicily with great industriousness in the natural sciences]” (Doderlein, 1869–1874).

In fact, Sicily (Fig. 1) was not found unprepared to receive, assimilate and improve all the instances of the new scientific and naturalistic culture mostly coming from Europe. Numerous authors, such as Casini (1985), Liotta (1987a) and Buttitta (1987), retracing the history of Sicily in the centuries before 1800, point out how this was possible.

It began from the great cultural movement (philosophical, astronomical, naturalistic, mathematical, literary) created by Frederick II in the thirteenth century and continued, in the following centuries, with figures of great

international importance as the Brancas (father and son) who laid the foundations for modern plastic surgery in the fifteenth century, Francesco Maurolico (mathematician and astronomer) and Giovanni Filippo Ingrassia (doctor) in the sixteenth century. Of great importance is the experience of the University of Messina in the 17th century, one of the best centers for the spread of Italian Galileanism and where Pietro Castelli realized the first systematic Botanical Garden “Hortus Messanensis”. Borelli (between 1635 and 1670), Paolo Boccone, who published botanical works at Oxford (1674), and Malpighi (around 1670) made important scientific discoveries; Giovan Battista Odierna examined the eye of the fly through the microscope; Father Francesco Cupani (late 1600 early 1700) studied in the Hortus Catholicus of Misilmeri; Father Silvio Boccone (1633–1704) was in constant contact with the European scientific world and many others (see also the work of Domenico Scinà in Nastasi, 1987).

In addition to them, in those years, Academies, cultural institutions, scientific and literary



Figure 1. Geological map of Sicily (1877–1881). It was the first of the entire Geological Map of Italy, carried out by engineers L. Mazzetti, A. Di Stefano, R. Travaglia, E. Cortese, M. Anselmo, and, particularly, Luigi Baldacci (Baldacci, 1886) under the scientific direction of Gaetano Giorgio Gemmellaro.



Figure 2. Stagnone of Marsala and Aegadian Islands (by G. Martinon, 1812 in La Duca, 1975 and Agnesi et al., 1993).

magazines developed and contributed to spread and raise the cultural level in Sicily, even in a social context characterized by strong contradictions, which suffered the Spanish domination and the courts of the Inquisition.

Among the numerous magazines and journals, often of short duration, we should mention: *Il Giornale Letterario*, *Giornale di Scienze Lettere e Arti per la Sicilia*, *Gazzetta dei Saloni*, *L'Occhio*, *La Farfalla*, *Il Contemporaneo*, *Giornale della Commissione d'Agricoltura e Pastorizia in Sicilia*, *Effemeridi scientifiche e letterarie per la Sicilia*, *Il Maurolico*. Furthermore, even simple printing houses printed works and monographs on every subject: historical, philosophical, scientific, literary.

Numerous were the studies and the publications, between the end of 1700 and the early

1800, that described and told, sometimes with emphasis, everything about this environment and their protagonists (Sestini, 1776; Ferrara, 1813; Aradas, 1844–45; Gemmellaro, 1833a). Even new philosophical-scientific instances that occurred in this period such as ideologism and evolutionism (Massa, 2009; Pasta, 2009) were received by Sicilian naturalists without any particular difficulty, just like in the remaining parts of Italy and Europe (Sichel, 1987): a progressive acceptance after an initial distrust.

At the same time, Sicily was the object of studies and the privileged destination of numerous naturalistic expeditions by Italian and European scholars (i.e., Denon, 1788; Houël, 1782–1787; Rafinesque Schmaltz, 1810; Cockburn, 1815; Sayve, 1822; Lefebvre, 1827; Power, 1842;



Figures 3–5. Woodcut engravings by Leonardo Fea on photographs taken by Captain D’Albertis in 1876 (from book’s notes not included in the final version of the book of D’Albertis, 1878). Fig. 3 (above): Lipari. Fig. 4 (center): Pantelleria, Fig. 5 (below): Lampedusa (photos courtesy of R. Poggi).

Ghiliani, 1842; Mann, 1859; Bellier, 1860; Rottemberger, 1870; Steck, 1887, ...) (Figs. 2–5).

From the first decades of the 19th century, therefore, the Sicilian scientific and naturalistic world, at every level, began a period dense of studies and discoveries, in touch with the main cultural centers of Europe; this latter continued throughout the century and that will be studied and documented in the following years (and up to our days) in various conferences and initiatives (Rossitto, 1984; Nastasi ed., 1985; Liotta ed., 1987).

All this has also occurred in the contribution that Sicilian naturalists have given to the knowledge of the biodiversity heritage of the circumsicilian islands.

These minor islands have always been the object of studies and curiosity both in the scientific and literary field with several works realized even throughout the 18th century (for example Stagno, 1759; Pigonati, 1762; Dolomieu de, 1783).

However, only during the 19th century the circumsicilian islands were systematically studied. It should be considered how most of the naturalistic studies of that time, starting with Darwin (1859), valued islands, even small ones, as laboratories of evolutionism and of important phenomena of speciation.

In the present paper are synthesized the main works of Sicilian authors concerning these islands (see also Baccetti et al., 1995). Other works on the same subject, equally useful to the knowledge of these localities, together with those realized by non-Sicilian authors, are listed below (Appendix).

The period of reference remains the whole 19th century, except for some works published in the early 20th century and reported here for continuity of study.

THE SICILIAN NATURALISTS AND THE STUDY OF THE CIRCUMSICILIAN ISLANDS

CARLO GEMMELLARO

Carlo Gemmellaro (Fig. 6) was born in Nicolosi, on November 4 (or 14), 1787 from a family of scholars, mainly dedicated to the study of volcanic phenomena of Etna, which included his uncle Raimondo Gemmellaro (1738–1792) and his brothers Giuseppe and Mario. In fact, as Fabiani

(1933) writes: “[I Gemmellaro erano] *noti nel mondo scientifico non soltanto per le descrizioni di varie eruzioni dell’Etna e per le loro vedute geniali sul meccanismo eruttivo e sulla genesi e struttura del grande vulcano, ma anche per la signorile ospitalità che esercitavano verso gli studiosi che si recavano a visitare la celebre montagna* [The Gemmellaros were known in the scientific world not only for the descriptions of various eruptions of Etna and for their ingenious views on the eruptive mechanism and on the genesis and structure of the great volcano, but also for the distinguished hospitality they exercised towards the scholars who went to visit the famous mountain]”.

Carlo will follow the scientific and naturalistic tradition of the family followed by his son Gaetano Giorgio (Catania, 25.2.1832 - Palermo, 16.3.1904), scholar of international level and one of the greatest exponents of geology and paleontology of Sicily, and his nephew Mariano (1879–1921), which was professor of Geology and also Director of the Institute and Museum of Geology of Palermo (1918).

Carlo Gemmellaro studied at the University of Catania and, as soon as he graduated in Medicine and Surgery (1808), he was hired as surgeon of the British Army stationed in Messina. He took



Figure 6. Carlo Gemmellaro.

advantage of this assignment to make numerous naturalistic visits in almost all the Mediterranean Sea, including the volcanic islands of the Aeolian Archipelago. He also knew the English scientific environment improving his studies in Medicine in London and was friends geologists and volcanologists such as James Hutton, John Playfair, Humphry Davy and James Hall or the botanist James Edward Smith.

As Carapezza M. (1988) reports “... *La quantità di cognizioni di Carlo in botanica, in zoologia, in geologia, in medicina è impressionante. E' proprio una sorta di enciclopedia, viaggiò tutta la sua vita* [The amount of Carlo's knowledge in botany, zoology, geology and medicine is impressive. It is really a kind of encyclopedia, he traveled all his life]”.

From 1813 to 1817 he is still a doctor on board of the English military vessels of the fleet serving on the Atlantic Ocean and in the Mediterranean Sea, participating also in the battle of Waterloo (18 June 1815) and improving his naturalistic knowledge in the many European places he visited.

Returned to Catania, practiced medicine and continued his naturalistic studies applied mainly to the territory of Etna and Monti Iblei succeeding in creating an important school of Geology. He was the founder in 1824 of the Academy Gioenia of Natural Sciences and was appointed professor of Natural Sciences, then of Geology and Mineralogy in 1830 and, since 1852, only of Geology. He also contributed to the realization of the University Botanical Garden, a Cabinet of Natural History and established, in 1832, the Meteorological Observatory, providing it with a rain gauge of his own invention. He was commissioned to study the phenomena related to the appearance of Ferdinandea Island in the Sicilian Channel (1831b, 1834) (Fig. 7). He became rector of the University of Catania in 1847.

Carlo Gemmellaro also created his own museum with naturalistic finds, a collection of coins, paintings, prints and an important library (Aradas, 1870).

He studied above all geology (Gemmellaro, 1833b, 1840) and volcanology of the Etna (Gemmellaro, 1858, 1859–1860) reaching important observations on this territory, like those on the Valle del Bove (together with his brother Mario) originated from the collapse of an ancient volcanic

cone (Gemmellaro, 1836, 1837). He argued that fossils could be used to distinguish and date the geological formations (Gemmellaro, 1833b) but was also a convinced creationist and anti-evolutionist (Gemmellaro, 1857).

He was engaged in various sectors of public life and wrote also on agriculture, art, literature, local history, on the Risorgimento and on the social and economic development of Catania thanks to the realization of a new port (Gemmellaro, 1835a).

Gemmellaro believed that many problems of his land were due to the bad political management of the Bourbons, thus going from a detached disinterest towards the government to progressively distancing from it to support the Revolutionary Committee of 1848 that took office in his University and supporting his sons Ferdinando and Gaetano Giorgio who fought with Garibaldi in Sicily. Gaetano Giorgio, who graduated in medicine like his father and specialized in ophthalmology in Naples, was at that time in the Canary Islands to chart the geological map of those islands on behalf of the British government. As soon as he knew that his brother Ferdinand was organizing a military militia to support Garibaldi, he left everything and returned to Catania to fight. He was full professor and rector of the Palermo university and created the first university collection of geology and paleontology by founding, in 1866, the museum which today bears his name (Agnesi, 2018).

Carlo Gemmellaro died in Catania on October 22, 1866. There are numerous biographies and various eulogies made on the life of Carlo Gemmellaro (see for example Aradas, 1870; Brancaleone, 1866; Di Franco, 1933; Ogniben, 1967; Cristofolini, 1987, 2005, 2017; Bentivegna, 1989; Cucuzza Silvestri S., 1989; Corsi, 2000). As Cristofolini (2017) summarizes very well: “*Carlo Gemmellaro visse ben inserito nel contesto sociale e culturale del suo tempo: non propugnò idee rivoluzionarie, considerando quasi con disgusto le prime intuizioni evoluzioniste ... Tuttavia non le rigettò in blocco ... Si dedicò con passione, tenacia e sacrificio (anche economico), da borghese colto e illuminato, alla ricerca.... Di lui oggi resta, oltre ad un patrimonio di osservazioni originali e di intuizioni e interpretazioni su fenomeni geologici tuttora attuali, l'esempio di un ricercatore di grande onestà intellettuale, come traspare da tutta la sua opera e in particolare dall'Addio* [Gemmellaro,

**RELAZIONE
DEI
FENOMENI DEL NUOVO VULCANO**

**SORTO DAL MARE FRA LA COSTA DI SICILIA
E L' ISOLA DI PANTELLERIA
NEL MESE DI LUGLIO 1831**

LETTA

**NELLA GRAN SALA DELLA R. UNIVERSITA'
DEGLI STUDI IN CATANIA
IL DI' 28 AGOSTO 1831**

DAL

DOTT. CARLO GEMMELLARO

**PROFESSORE DI STORIA NATURALE
NELLA STESSA UNIVERSITA'
SEGRETARIO GENERALE DELL' ACCADEMIA GIOENIA
SOCIO CORRISPONDENTE
DELL' ACCADEMIA SENKENBERGIANA DI FRANKFORT SUL MENO
DELLA REALE PELORITANA DI MESSINA
DELLA VETERAVIANA DI HANAU
E DELL' AGRARIA DI PESARO**

**CATANIA
NE' TORCHI DELLA REGIA UNIVERSITA'
CARMELO PASTORE impresse**

1831

Figure 7. Title page of Carlo Gemmellaro's paper on Ferdinandea Island (Gemmellaro, 1831b, modified).

1865: Un addio al maggior vulcano d'Europa] *che può essere considerato come il suo testamento spirituale* [Carlo Gemmellaro lived well included to the social and cultural context of his time: he didn't advocate revolutionary ideas, considering almost with disgust the first evolutionist intuitions... However, he didn't reject them as a whole... He devoted himself with passion, tenacity and sacrifice (also economical), as a cultured and enlightened bourgeois, to the research.... Of him today remains, in addition to many of his original observations, insights and interpretations of geological phenomena still relevant, the example of a researcher of great intellectual honesty, as reflected in all his work and in particular by the Farewell (Gemmellaro, 1865: A farewell to the largest volcano in Europe) that can be considered as his spiritual testament]".

Sopra l'isola vulcanica di Pantelleria e sopra le osservazioni ivi fatte dal socio corrispondente Conte F. Beffa Negrini (1831a)

[Above the volcanic island of Pantelleria and above the observations made there by the corresponding partner Count F. Beffa Negrini (1831a)]

In this work, Carlo Gemmellaro, in the session of the Gioenia Academy of Natural Sciences in Catania on 23 April 1829, reports some geological and volcanological observations made by Count F. Beffa Negrini on the island of Pantelleria (Gemmellaro, 1831a). Gemmellaro, after a general introduction on the scientific value of volcanic islands and a summary of the main circum-sicilian islands of volcanic nature, reports the rocks collected on the island of Pantelleria by Count F. Beffa Negrini and illustrates their main morphological and chemical characteristics.

Relazione dei fenomeni del nuovo vulcano sorto dal mare fra la costa di Sicilia e l'isola di Pantelleria nel mese di luglio 1831 (1831b, 1834)
[Report of the phenomena of the new volcano risen from the sea between the coast of Sicily and the island of Pantelleria in July 1831 (1831b, 1834)]

In 1831, the island Ferdinandea, preceded by intense seismic activity, appeared on July 19 above the surface of the sea in the Channel of

Sicily. It reached an area of about 4 km² and 65 m in height. With the end of the initial underwater eruptive episode, and due to being composed mainly of tephrite, an eruptive rock sensitive to waves, the Ferdinandea island suffered a rapid erosion and disappeared on December 16 of that year.

The interest of the scientific world for this phenomenon was considerable in those years (see also Prévost, 1831). However, with the disappearance of the Ferdinandea Island (Graham Island in English and île Julia in French) waned the international disputes and political controversies caused by the appearance of these new territories.

Currently, a volcanic platform remains located 16 nautical miles (30 km) from the coast of Sciacca and 29 nautical miles (55 km) from the island of Pantelleria (37°10' N 12° 43' E) and 6–7 meters below sea level.

Carlo Gemmellaro, by direct will of the Bourbon government, was tasked with going to such places to verify and study this phenomenon (Figs. 8–10). In the detailed report that he compiled, Gemmellaro (1831b, 1834) carries out an extensive introduction on the phenomenon of marine volcanic eruptions citing numerous similar cases that occurred in the Mediterranean Sea and since antiquity (Pliny, Aristotle, Seneca) as well as in other parts of the world and in more recent times. Then, Gemmellaro summarizes the information received from citizens and fishermen of Sciacca about this event. He talks about the experiences of other witnesses such as Mr. Swinburne, captain of the English bastion the Rapid, and Captain Senhouse of the English cutter Hind. He reports what he saw at the place of the phenomenon by his "*amico e collega*" [friend and colleague]" Prof. Hoffmann of Halle, who was by chance in Palermo and went immediately to the place and met Gemmellaro in Agrigento on August 8.

On the base of these testimonies, the beginning of all the volcanic activities that have given place to the birth of this island was established in the day 28 June 1831 at 21:15 hours.

The night of August 10, Gemmellaro with his brother Antonino and the Dominican Father Gallo went with a sailing boat to the Secca del Corallo, 55 miles from Sciacca. On the place of the eruption ("*Finalmente questa isoletta...*[Finally this little island]), Gemmellaro begins all the technical



Original drawings by C. Gemmellaro (1831b) showing the activity (Fig. 8) and the morphology (Fig. 9) of the Ferdinandea Island. Figure 10 drawing by Constant Prévost.

observations of the case, observing how the topography of the new island is destined to change in relation to the scoriae that accumulate and naming it “Island of Ferdinand II”.

Gemmellaro also cited in the work other testimonies of people who saw the island after his trip and the work of Prevost (1831) who, in October, found the island of different shape from the initial one. At the end of the work, in the appendix, he reports letters, documents and various news about the formation of the new island.

Successively, Gemmellaro (1834) indicates in December 16, 1831 the date of the final disappearance of the island Ferdinandeia of which will remain only a “*secca pericolosa a poche braccia sotto il livello del mare* [dangerous shoal a few fathoms below sea level]”.

Sul basalto decomposto dell'isola dei Ciclopi (1845)
[On the decomposed basalt of the island of Cyclopes (1845)]

In this publication, Gemmellaro examines the volcanic soils that forms the island of Ciclopi. He gives the name of cyclopite to this type of decomposed basalt (see also Ferrara, 1813).

The protected marine area of “Isole dei Ciclopi” (Acitrezza, Catania) is a small archipelago consisting of three bigger islands (Lachea, Faraglione Grande e Faraglione Piccolo) and four rocks. According to the legend, the cyclops Polyphemus threw these rocks during the escape of Ulysses.

PIETRO CALCARA

Pietro Calcara (Fig. 11), was born in Palermo on February 16, 1819 and got, very young, a degree in Medicine. In 1838, he was appointed substitute conservator of the “Cabinet of Natural History of Palermo” devoting himself to the reorganization and expansion of geological collections university.

He also occupied numerous administrative positions as Secretary of the Commission of Agriculture and Livestock, “Guardia Generale Sopranumero di Acque e Foreste” (1844), Director of the first class of the Institute of Encouragement and Director of the Schools of Mutual Teaching (1850). In 1842 he was appointed Professor of Zoology and Mineralogy, and in 1854, the year of

his death, he was appointed Director of the Cabinet of Natural History.

He made multiples studies in zoology, botany, geology, paleontology and mineralogy, exploring vast areas of Sicily, such as the Madonie, the coast between Marsala and Trapani, the surroundings of Nicosia, the mountains of Palermo. He also made study trips to almost all the circumsicilian islands such as Ustica, Aeolian Islands, Lampedusa, Linosa and Pantelleria, at that time almost unknown from the naturalistic point of view, providing the first scientific basis for a better knowledge of them (Figs. 12–22).

Calcara was one of the first and major representatives of the so-called “Sicilian encyclopedism” which characterized the whole 19th century and which found in Francesco Minà Palumbo of Castelbuono, his friend and colleague, another of its greatest representatives.

Pietro Calcara died in Villabate, near Palermo, on August 24, 1854 at the age of thirty-five years. Lancia (1854), in his excellent biography, describes Calcara, in the last year of his life, as having grave pulmonary problems (from the description it would seem tuberculosis). While he was convalescing in the countryside, a cholera epidemic broke out and “*in lui fu sì rapido e atroce, non trovando virtù di reazione, da spegnerlo in poche ore la sera del dì 24 agosto, in che ben altri 230 perivano* [in him it was so rapid and atrocious, finding no virtue of reaction, to extinguish him in a few hours on the evening of August 24, when 230 others perished]”.

Descrizione dell'isola di Ustica (1842)
[Description of the island of Ustica (1842)]

Calcara, already from this first work, sets as complete as possible the description of “his” circumsicilian islands. The study (Figs. 12, 13) is divided into six main chapters, in which is minutely described the topography, geognosy, geology, vegetation, animals and anthropology. In particular, a list of fossil species and the physical description of all the rocks with their places of discovery is provided.

In the chapter on the flora of Ustica is provided a list of about 224 vascular plants with their topographic indications.

For the fauna, Calcara reports a long list of terrestrial and marine molluscs, several insects (26



Figure 11. Pietro Calcara.

species), crustaceans (18 species), fish (20 species) and birds (18 species). For crustaceans, fish and birds, in addition to the scientific name, the ones in dialect are also provided. For marine molluscs, Calcara specifies they were collected on the beaches of Cala S. Maria, of the Spalmatore and in that of the “scaro di barca”.

Talking about the inhabitants of Ustica (three thousand inhabitants) Calcara describes the main anatomical and medical characteristics; he reports the main cultivations that they carry out for the alimentary uses that are the wheat, beads, beans, peas, lentils, broad beans, grapes and prickly pears. Moreover, he reports how in Ustica the inhabitants are dedicated to the extraction of the soda after combustion of the plants of *Salsola soda* (family Chenopodiaceae, sub *Salsola sativa*) and use the resinous gum obtained from the lentisk as oil for illumination.

Calcara found in Ustica some new species reported below.

Ranunculus calcarae Tineo ex Guss.

In a note in the margin of the work, Calcara writes how this new species would be described later by V. Tineo (Gussone, 1844). The locality of discovery was

indicated as “*presso mezzogiorno nella strada che porta all'Oleastrolo* [near noon in the road leading to Oleastrolo]”. This taxon is currently considered synonymous with *R. trilobus* Desf. (Ranunculaceae) (Conti et al., 2005; Pignatti et al., 2017–2019).

Helix Usticensis Calcara, 1842

This species (Figs. 17, 19) is believed to be endemic to the island of Ustica and is currently known as *Cernuella (Xeroamanda) usticensis* (Calcara, 1842) (Gastropoda Geomitridae) (Bodon et al., 2021). The morphological study demonstrates (Manganelli et al., 2001) that *C. usticensis* can be distinguished from all the other *Cernuella* species (and similar genera) by the presence of a dart sac complex with basal vaginal outgrowth, inner sac with thin walls and large lumen, and a less-developed “dart-gun”. These authors, although they believe further study is needed, place it in the genus *Ichnusomunda* Giusti et Manganelli, 1998 (Welter-Schultes, 2012; Bank & Neubert, 2017; MolluscaBase, 2021). Populations morphologically similar to those of Ustica are reported for archipelago of La Galita off the northern coast of Tunisia (Pavon & Abbes, 2014).

Helix Nortoni Calcara, 1843

Endemic species of Ustica (Figs. 16, 18), described by Calcara (1843) after his trip to Ustica, locus typicus: Ustica (“*presso il mulino a vento* [near the windmill]) and Boschi di Calatafimi. In the latter locality actually lives a related species: *Oxychilus (Hyalocornea) canini* (Benoit, 1857). Current systematic position: *Oxychilus (Hyalocornea) nortoni* (Calcara, 1843) (Gastropoda Oxychilidae) (Riedel, 1973, 1980; Bank & Neubert, 2017; Bodon et al., 2021).

Buccinum granulatum Calcara, 1839

Calcara (1839) had previously described this species of marine mollusk as *Fusus granulatum*, which is currently considered synonym with *Chauvetia lefebvreii* (Maravigna, 1840) (Gastropoda Chauvetiidae) (WoRMS, 2021).

Osservazioni critiche al catalogo ornitologico del Gruppo di Malta, ed al quadro geografico ornitologico di Ant. Schembri, stampato nel 1843 in Malta (1844)

[Critical observations to the ornithological catalog of the Malta Group, and to the geographic ornithological framework of Ant. Schembri, printed in 1843 in Malta (1844)]

Critical observations to the ornithological catalog of the Malta (Schembri, 1843). This work (Calcara, 1844) is also cited by Doderlein (1869–1874).

Rapporto del viaggio scientifico eseguito nelle isole di Lampedusa, Linosa e Pantelleria ed in altri punti della Sicilia (1846a)

[Report of the scientific journey made in the islands of Lampedusa, Linosa and Pantelleria and in other points of Sicily (1846a)]

In this work, published in the journal “Il Contemporaneo”, Calcara reports on his long journey that took him to the islands of the Sicily Channel.

He left from Palermo with the Brigantine “Gandolfo” on May 24, 1946 and after “118” hours of favorable journey he reached Lampedusa. The 8th of June he went to Linosa with a small boat (“leuto”) whose sole purpose was to transport the correspondence. He returned to Lampedusa, with a sailing boat (“sciabbecco Pantellaresco”), the 15th of June at 21:00 p.m. He would leave for, and reach, Pantelleria due to tailwind about 24 hours later. In Pantelleria he stayed until the 8th of July when, with the boat used for the correspondence, he goes to Trapani. Here, he would go on excursions in the outskirts of the city, to Erice and Marsala, returning in Palermo the 20th of July.

Calcara describes the main anthropologic, geologic and botanical characteristics. At the end of the paper, he specifies that these descriptions are a brief summary, promising to provide in further detailed papers his observations, as he would do with the three monographs dedicated to each island visited.

Notizie sul Catalogo manoscritto dei Molluschi terrestri e fluviatili della Sicilia e descrizione di Helix Frivaldsky, Helix Linosae, Clausilia Lopedusae Calcara (1846b)

[News about the manuscript Catalogue of the terrestrial and fluviatile mollusks of Sicily and description of Helix Frivaldsky, Helix Linosae, Clausilia Lopedusae Calcara (1846b)]

This work was presented by Calcara (1846b) on the occasion of the 8th Meeting of Italian Scientists held in Genoa from September 14 to 29, 1846. In addition to some brief and generic information about the Catalogue itself, three new taxa collected by Calcara during his trip to the islands of Lampedusa, Linosa and Pantelleria are described (Calcara, 1846a).

Helix Frivaldsky Calcara, 1846

After the description in Latin, Calcara (1846b) notes: “*Abita nell’isola di Pantelleria. - Ho voluto dedicare questa specie al chiar. sig. dott. Emerico Frivaldsky distinto zoologo, e direttore del gabinetto di storia naturale in Ungheria* [It lives in the island of Pantelleria. - I wanted to dedicate this species to the distinguished zoologist Dr. Emeric Frivaldsky, and director of the cabinet of natural history in Hungary]” (Fig. 20). Current systematic position: *Marmorana (Murella) muralis frivaldskyi* (Calcara, 1846) (Gastropoda Helicidae) (Alzona, 1971; Beckmann, 1992; Bank & Neubert, 2017; Molluscabase, 2021) or *Murella muralis* (Bodon et al., 2021).

Helix linosae Calcara, 1846

Calcara (1846b) cites this new species for the volcanic cliffs of Linosa and Pantelleria (Fig. 23). Currently, in the absence of recent studies, this taxon is considered synonym with *Eobania vermiculata* (Müller, 1774) (Gastropoda Helicidae) (Beckmann, 1992; Cianfanelli, 2002; Bank & Neubert, 2017; Bodon et al., 2021) although it has also been considered its subspecies (Alzona, 1971).

Clausilia lopadusae Calcara, 1846

Discovered in the first voyage performed in the islands of the Sicilian Channel (Calcara, 1846a), *Clausilia lopadusae* was described in this work by Calcara (1846b) who notes: “*Questa distintissima specie abita in abbondanza nell’isola di Lampedusa* [This very distinct species lives in abundance in the island of Lampedusa]”. Calcara (1846b) correctly and intentionally uses the term “*distintissima*” to highlight the peculiar morphological characteristics of this new insular endemism (Fig. 21).

Clausilia lopadusae is type species of the genus *Lampedusa* Boettger, 1877 (Gastropoda Clausiliidae) endemic to the Pelagian and Maltese



Figure 12 (above). Calcara, 1842: title page of the work on Ustica Island (modified).

Figure 13 (below). Map of Ustica Island from Calcara (1842).

Islands with *L. lopadusae nodulosa* (Monterosato, 1892) endemic subspecies from Lampione Island, *L. imitatrix* (O. Boettger, 1879) from Filfla and Malta and *L. melitensis* (Caruana Gatto, 1892) from Malta. Recent molecular studies reaffirm the taxonomic and biogeographic value of this interesting group of species (Colomba et al., 2019).

Descrizione dell'isola di Lampedusa (1847a)
[Description of the island of Lampedusa (1847a)]

The description of the island of Lampedusa made by Calcara (1847a, b) is quite complete and detailed, divided into 15 chapters: Physical Geography, Meteorology, Hydrology, Oryctology, Paleontology, Geognosy, Geogony, Florula, Botanical Geography, Woods, Agriculture, Invertebrate Animals, Vertebrate Animals, Dominant Diseases, Civil History. The work concludes with a map of Lampedusa where drawings of *Helix cumiae*, *Clausilia lopadusae* and *Stapelia europaea* Guss are included (Fig. 14). In addition to the main information on Lampedusa reported in the various chapters, Calcara (1847a) describes the production of lime for local use (Oryctology: applications and uses of the minerals of Lampedusa), provides a list of six fossil marine molluscs (Paleontology), reports on the use of plants of Lampedusa, especially for medical purposes, of which he would later produce another work (Calcara, 1848b).

The vegetation of Lampedusa (Florula Lopadusana) is one of the most extensive chapters, which provides a list of about 280 species. With an asterisk are highlighted the species reported by Gussone in his previous works (Gussone, 1832–1834; 1839; 1844), while without an asterisk the plants found only by Calcara and with two asterisks those found by both authors. In the following chapter (Botanical Geography), Calcara makes an analysis of the biogeographical affinities of the flora of Lampedusa, citing *Diploaxis scaposa* DC. (Brassicaceae) one of the first plants reported for Lampedusa (La Billardièrre, 1791–1812) present in Malta and Gozo according to Bartolucci et al. (2018), endemic to Lampedusa according to Pignatti et al. (2017–2019) and Brullo C. & Brullo S. (2020), *Crucianella rupestris* Guss. typical of maritime calcareous rocks, rare, with SE-Mediterranean distribution, Sicily, Lampedusa,

Malta and Libya (Pignatti et al., 2017–2019; Bartolucci et al., 2018), and many other plants including *Limonium intermedium* Guss. halophyte currently extinct in nature due to urbanization (Pasta, 2001; Bartolucci et al., 2018), surviving only in cultivation in the botanical gardens of Catania (Domina et al., 2015; Pignatti et al., 2017–2019).

Calcara also reports the characteristics of *Stapelia europaea* described by Gussone (1839), currently known as *Caralluma europaea* (Guss.) N.E.Br. subsp. *europaea* (Asclepiadaceae). This plant is a low perennial stem succulent forming mats by means of long stolons running underground distributed in South-eastern Spain, southern Italy (Linosa?, Lampedusa), Morocco, Tunisia, Libya, Egypt to Jordan. Bartolucci et al. (2018) consider it a valid species and also Pignatti et al. (2017–2019) but with a SW-Mediterranean range, in Italy limited only to Lampedusa. For this species, the most updated name would be *Apteranthes europaea* (Guss.) Plowes (Murbeck, 1898).

Also in the two following chapters (Boschi, Agricoltura), Calcara describes Lampedusa as a rather green island, covered with “*bassa e densa boscaglia ... più folta nella regione di ponente, e nei valloni* [low and dense brushwood ... thicker in the western region, and in the valleys]”.

For Invertebrates, he mentions 9 species of marine Crustaceans and 16 species of very common Insects. He provides a catalog of living marine and terrestrial mollusks among which he describes *Helix cumiae* and redescribes *Clausilia lopadusae*. Calcara put the drawing of these shells in the margin of the topographic map of Lampedusa.

Helix cumiae Calcara, 1847

Species endemic to Lampedusa where it is quite widespread (see also Giusti et al., 1995 and Cianfanelli, 2002). Calcara (1847a) gives a detailed description of the shell, describing the main morphological differences with related species and explaining the dedication of the name to “*Marcello Fardella Duca di Cumia Regio delegato per la colonizzazione delle isole di Lampedusa e Linosa*” (Fig. 22).

Current systematic position: *Trochoidea cumiae* (Calcara, 1847) (Gastropoda Geomitridae) (Cianfanelli, 2002; Bank & Neubert, 2017; Bodon et al., 2021).

Among the vertebrates, Calcara (1847a) reports several interesting presences in Lampedusa such as the sea turtle *Caretta caretta* (Linnaeus, 1758) and the terrestrial *Testudo graeca* “la quale mangia le foglie della Scilla maritima con sorprendente avidità [which eats the leaves of the *Scilla maritima* with surprising greed]”, but it is almost certainly *Testudo hermanni* Gmelin, 1789 (Corti et al., 1998; Masseti, 2002a). In addition, he reports as resident on the island the Crane (sub *Grux cinerea*), but it is almost certainly the Demoiselle Cranes, *Anthropoides virgo* (Linnaeus, 1758) (see La Mantia, 2001; Masseti, 2002b, 2016a, b), and, among mammals, the Deer, *Cervus elaphus* (probably introduced by humans, see Masseti & Zava, 2002) and the Monk Seal, *Monachus monachus* Hermann, 1779 (sub *Phoca vitulina*).

Applicazioni ed usi delle piante spontanee di Lampedusa (1848a)

[Applications and uses of the spontaneous plants of Lampedusa (1848a)]

Observations on the use of the spontaneous plants of Lampedusa.

Sulle condizioni geognostiche dell'isola di Ustica (1848b)

[On the geognostic conditions of the island of Ustica (1848b)]

Brief observations on the geognostic conditions of the island of Ustica.

Descrizione dell'isola di Linosa (1851a)

[Description of the island of Linosa (1851a)]

The description of Linosa (Calcara, 1851a, b) is divided into 11 main chapters, described in detail:




Figure 14. Lampedusa Island map from Calcara (1847a).

Physical Geography, Meteorology, Hydrology, Oryctology, Catalogue of rocks, Geognosy, Geogony, Florula of Linosa, Woods and Agriculture, Zoology and Civil History.

In particular, in the description of the flora of Linosa, Calcara provides a list of 101 species. As already done for Lampedusa (Calcara, 1847a), also in this list with an asterisk are highlighted the species reported only by Gussone (1832–1834; 1839; 1844), without an asterisk the plants found only by Calcara, with two asterisks those found by both authors.

In the map at the end of the work (Fig. 15), Calcara shows also *Castellia tuberculata* Tineo (Poaceae). This taxon is a synonym of *C. tuberosa* (Moris) Bor, species of the genus *Castellia* described by Tineo (1846) and widespread in African and Eurasian region. Bartolucci et al. (2018) and Pignatti et al. (2017–2019) consider it a valid species.

For zoology, he reports a few species of marine mollusks, crabs, reptiles, 3 species of beetles, 26 species of birds, of which he also reports the vernacular names, three species of mammals including the presence of a hundred wild goats.

Calcara (1851a sub *Procellaria cinerea*) devotes more observations also to the presence and nesting on the island of the Cory's shearwater, *Calonectris diomedea* (Scopoli, 1769), actually occurring in Linosa with one of the largest colonies of the Mediterranean area (Ientile & Massa, 2008).

For terrestrial mollusks he reports the description of his *Helix linusae*, which was discovered in his first trip to Linosa (Calcara, 1846a) and described soon after (Calcara, 1846b). Calcara reiterates that this is a well-differentiated population and not simply a variety of *Eobania vermiculata* (O.F. Müller, 1774) and depicts it on the geological map of the island attached to this paper.

Breve cenno sulla geognosia ed agricoltura dell'isola di Pantelleria (1853–1854)
[Brief mention of geognosy and agriculture of the island of Pantelleria (1853–1854)]

Calcara (1853–54) in the first lines clarifies how this work was written when he visited Pantelleria in 1846 (Calcara, 1846a). It is divided into 4 initial chapters on the main characteristics of Pantelleria on Physical Geography, Hydrology,

Geognosy, and Spontaneous Vegetation (with the list of plants found and the corresponding vernacular names used on the island). In the second part, the main agrarian characteristics of Pantelleria are examined. It describes the lands used for agriculture, the pastures, the main cultivations such as cereals, legumes, cotton, olive trees, vines. As for viticulture, Calcara (1853–54) provides a list of the different varieties of grapes cultivated in the island both for the production of wine and for alimentary use. He describes how harvesting takes place in the island, the diseases of these plants and the production of wine and raisins. He also examines the cultivation and use of the main varieties of figs (*Ficus carica*), prickly pears (*Opuntia ficus-indica*) and capers (*Capparis spinosa*). Lastly, Calcara (1853–1854) describes the woods of Pantelleria, with the list of the trees and the shrubs found, and of the sheep farming in the island (“*fanno uso degli asini la cui razza per sveltezza, forza e movimento è la migliore di quante se ne conoscano in Sicilia* [they make use of the donkeys whose race is the best for speed, strength and movement in Sicily]”).

Breve cenno sulla Geognosia ed Agricoltura delle Isole Lipari e Vulcano (1853 con A. Prestandrea)
[Short note on Geognosy and Agriculture of Lipari and Vulcano Islands (1853 with A. Prestandrea)]

The Authors make a detailed description of the main geographical and geological characteristics of the islands of Lipari and Vulcano.

For Lipari, they listed six species of fossil plants and, in the list of rocks and minerals, they highlight the characteristics of the “liparite”, a light-coloured, igneous rock made of quartz. The main characteristics of vegetation and agriculture are reported in the final chapter for both islands. The first with a list of plants found by them (of particular importance is the presence of *Cytisus aeolicus* Guss. in Lipari, which was not confirmed later) and the latter with the description of the main crops of these islands such as capers, grapes (wine production and raisins), and olive trees.

Descrizione dell'isola di Pantelleria (1853)
[Description of the island of Pantelleria (1853)]

As Calcara himself (1853) explains in the



Figure 15. Linosa Island map from Calcara (1851a).



Figures 16, 17, 20. Type material of the P. Calcara collection (Museum of Zoology "Pietro Doderlein" of Palermo, Italy). Fig. 16: *Oxychilus (Hyalocornea) nortoni* (Ustica Island). Fig. 17: *Cernuella (Xeroamanda) usticensis* (Ustica Island). Fig. 20: *Marmorana (Murella) muralis frivaldszkyi* (Pantelleria Island). Figures 18, 19. *Oxychilus (H.) nortoni*, to the left (Fig. 18), and *Cernuella (X.) usticensis*, to the right (Fig. 19), from Ustica Island (Calcara, 1845, modified).



Figures 21–23. Type material of the P. Calcara collection (Museum of Zoology “Pietro Doderlein” of Palermo, Italy). Fig. 21: *Lampedusa lopadusae lopadusae* (Lampedusa Island). Fig. 22: *Trochoidea cumiae* (Lampedusa Island). Fig. 23: *Eobania vermiculata* “*linosae*” (Linosa Island).

introduction, the method he used to describe Pantelleria was similar to that used for the other circumsicilian islands. The work was then divided into nine chapters: Physical Geography, Hydrology, Oryctology, Geognosy, Geogeny, Botany, Zoology, Agriculture, and Civil History of the island to be followed by the topographical map of the island. With the usual educated and detailed style, however, Calcara would write only the first part of this work with the description of the first five chapters.

In this volume of the Acts of the Academy of Sciences, Letters and Arts of Palermo, a few articles after this first contribution on Pantelleria, his obituary, written by Federico Lancia (1854), would appear instead of the second part.

FRANCESCO MINA' PALUMBO

He was born, lived and died in Castelbuono (14.3.1814–12.3.1899). He graduated in Medicine in Palermo and he specialized for other two years in Naples. After returning permanently to Castelbuono, he was both doctor and naturalist, working in all fields of human and scientific culture that the Madonie territory made available to him:




Figure 24. Francesco Minà Palumbo.

veterinary, agricultural, anthropology, archaeology, paleontology, botany.

There are several biographies about this great and illustrious Sicilian naturalist (Alfonso, 1899; Aloï, 1899; Caruso, 1899; Failla Tedaldi, 1899; Mazzola, 1997) while the publications made are more than a thousand (Genchi, 2012). Minà Palumbo (Fig. 24) was able to reconcile and enhance, without any apparent effort, his territorial and regional vocation with a more national and international dimension, his studies of simple citizen with those of academic level. He managed to put, in a few words, his territory and Castelbuono at the center of the world and of his human and cultural vision.

Among his numerous works, he also managed to publish one about the circumsicilian islands.

Cenno topografico delle isole adiacenti alla Sicilia (1851)


[Topographical outline of the islands adjacent to Sicily (1851)]

Since the beginning, Minà Palumbo clarified what sources have been used in the description of each island, reporting the exhaustive literature. The bibliography consulted is, therefore, cited immediately at the beginning of each island. For Ustica, Pantelleria, Lampedusa, Lampione and Linosa, Minà Palumbo mainly makes a summary of Calcara's works (1842, 1846a, 1847a, 1851a) which is supplemented by the botanical observations of Gussone (1832–1834; 1839; 1844) and other general works such as that of Power (1842). Calcara, to whom Minà was bound by respect and friendship, is then praised for these studies in a long note at the end of the first part of the work. For the Aegadian Islands are reported mainly historical news and only little information about fauna and flora. On the contrary, the Aeolian Islands are treated more extensively, also thanks to a larger bibliography consulted.

However, Minà Palumbo does not stop only at the main islands, but in his own style, provides information on many small satellite islands.

VIII. Isola Ferdinanda [Ferdinandea]

Minà Palumbo reports on the appearance of this volcanic island emerged from the sea between Pantelleria and Sciacca, mainly on the basis of the memory of Gemmellaro (1831b, 1834) and Scinà (1832).



Figures 25–30. Volcanic phenomena in Pantelleria Island (Riccò, 1892). Fig. 25: Pantelleria Island map. Fig. 26: Favara Grande. Fig. 27: volcanic bombs. Fig. 28: the double lifting of the coast at the “Balate”. Figs. 29, 30: photos and drawing of an underwater eruption.

The submarine volcanic phenomena that were the basis of the emersion and destruction of the Ferdinandea Island (Mazzarella, 1984) were quite frequent in those years.

Some years later, for example, between May 24, 1890 and the end of November 1891, Pantelleria was again affected by intense seismic and volcanic activity. All the phenomena were studied by Annibale Riccò, geophysicist of Modenese origins but transplanted in Catania where he also held the position of Rector of the University. The most striking finding of all these new phenomena was the uplift of a section of the northeastern coast of Pantelleria by 75 centimeters (Riccò, 1891, 1892; Mattia et al., 2007; Spampinato et al., 2017; Marafon Pecoraro, 2019) (Figs. 25–30).

Riccò also studied volcanic phenomena in the Aeolian Islands, especially Stromboli (Riccò & Mercalli, 1892).

IX. Isola Longa - X. Isola Burrone

The Isola Lunga (or Isola Grande) today is a protected natural area as “Riserva Naturale Orientata Isole dello Stagnone di Marsala”. The reserve, of great historical, naturalistic and landscape interest, extends off the western coast of Sicily, between Capo San Teodoro and Capo Boeo or Lilibeo, and includes the four islands of San Pantaleo (Mozia), Isola Grande, La Scuola and Santa Maria, the coastal salt pans San Teodoro, Genna and Ettore Infera and the “Stagnone” a lagoon characterized by low water. The island Burrone was located to north of the previous one.

For a complete historical account of the transformations and historical vicissitudes of these islets over the centuries, see Donato (2013) (Figs. 31, 32).

XI. Li Porcelli - XII. Li Asinelli - XIII. Le Formiche - XIV. Isola del Ronciglio - XV. Isola della Colombara

Small islets or rocks situated in the sea in front of Trapani today known as Scogli Porcelli, Isola Asinelli, Isola Formica, Isola della Colombara. The island of the Ronciglio today is connected to the mainland from the salt pans and falls within the boundaries of the “Riserva Naturale Orientata Saline di Trapani e Paceco”. It is one of the classic localities of the endemic plant *Calendula maritima* Guss.


XVI. Isole delle Femine

Islet in front of the town of Isola delle Femmine, near Palermo, also known as Isola di Fuori. Minà Palumbo reports how it abounds in game and serves as a refuge for waterfowl.

Today, it is managed as “Riserva Naturale Orientata Isole delle Femmine” and “Area naturale marina protetta Capo Gallo - Isola delle Femmine”, and it is subject of botanical and faunal studies (Caldarella et al., 2010; Di Dio, 2011; Sparacio et al., 2021).

XXIII. Vulcanello - XXV. Bottaro - XXVI. Lisca Bianca - XXVII. Dattolo - XXVIII. Basiluzzo - XXIX. Lisca Nera - XXXI. Strombolicchio

All these small islands are satellites of the Aeolian Islands of which the Minà Palumbo supplies mainly historical news. Vulcanello even then was connected to Vulcano, Dattolo is now called Dattilo (see also Lo Cascio, 2017).



Figures 31, 32. The islands (above) that formed the Isola Lunga of Marsala (below): “the island that was not there” according to Donato (2013; see also Spannocchi, 1596 and Dufour, 1992).

XXXII. Isola dei Ciclopi - XXXIII. Faraglioni

Minà Palumbo provides historical informations even on these islands (Islands of the Cyclops, Acitrezza, Catania) dwelling, for example, on the myth of the Cyclops and Polyphemus. The more scientific part is deduced from works mainly geological like those of Gemmellaro (1835b) or Maravigna (1837).

ANDREA ARADAS

He was born in Catania in 1810 and died in Viagrande on 10.11.1882 (Fig. 33).

He followed the studies of his father Ferdinand, head physician at the Santa Marta Hospital in Catania, and graduated in Medicine at a very young age. He devoted himself to the study of Zoology and, in 1852, he was appointed first professor of Zoology and, immediately after, also of Comparative Anatomy at the University of Catania. He was director of the “Accademia Gioenia of Catania” and of the “Museum of Natural History of the University” to which he donated his naturalistic collections (Necrologio, 1882–1883; Alberghina, 2005). Some parts of this collection are also preserved in that of the Marquis of Monterosato (Zoological Museum of Rome) and in that of O. Priolo (Civic Museum of Natural History of Milan).

In his naturalistic studies, he dealt mainly with the conchiferous Molluscs and Echinoderms, living and fossil, of which he published fifty works including the “*Catalogo ragionato delle conchiglie viventi e fossili di Sicilia*” (1839–1843 with G. Maggiore) and the “*Monografia degli Echinidi viventi e fossili della Sicilia*” (1850–1853). He also compiled a useful and interesting “*Prospetto della storia zoologica della Sicilia nel secolo XIX*” (1844–50), where are reported in detail the works of all those, often unknown, who studied the Sicilian fauna until then, and other malacological works as the description of *Charonia seguenzae* Aradas et Benoit, 1872 (Aradas & Benoit, 1871; Russo et al., 1990; WoRMS, 2021).

Aradas’ contribution on the circumsicilian islands is mainly due to his work on Living Marine Molluscs (Aradas & Benoit, 1872–1876), which is also an important contribution on various topics of marine biology (Cattaneo-Vietti & Russo, 2019).

Conchigliologia vivente marina della Sicilia e delle isole che la circondano (con L. Benoit 1872–1876)
[Living marine shells of Sicily and its surrounding islands (with L. Benoit 1872–1876)]

In this catalog (Figs. 34, 35), the Authors provide the systematic part, reporting and description of several new species such as *Coralliophila sofiae* (Aradas et Benoit, 1876) (Gastropoda Coralliophidae), *Setia sciutiana* (Aradas et Benoit, 1874) and *Alvania peloritana* (Aradas et Benoit, 1874) (Gastropoda Rissoidae), etc. In addition, they provide numerous indications on the biology and distribution of the mentioned species, including those common.

In the introductory pages of this catalog, the Authors start from the observation of the remarkable progresses reached until then by the malacological studies, showing the necessity to provide for each cited species further biological and geonemical data, which can contribute to realize “*più esatti confronti tra le specie conosciute in rapporto ai luoghi in cui vivono, e alle condizioni varie sotto le quali la loro vivenza si manifesta, svolgesi e conservasi* [more exact comparisons among the known species in relation to the places where they live, and to the various conditions under which their living is manifested, carried out and preserved]”.



Figure 33. Andrea Aradas.

CONCHIGLIOLOGIA
VIVENTE MARINA
DELLA SICILIA
E DELLE ISOLE CHE LA CIRCONDANO
OPERA

LETTA IN PIÙ SEDUTE ALL'ACCADEMIA GIOENIA DI SCIENZE NATURALI

DAL 1.^o DIRETTORE DI ESSA

PROF. CAV. ANDREA ARADAS

E DAL SOCIO CORRISPONDENTE

CAV. LUIGI BENOIT



CATANIA

STABILIMENTO TIPOGRAFICO DI C. GALATOLA

NEL R. OSPIZIO DI BENEFICENZA

—
1870

Figure 34. Title page of Aradas & Benoit (1872–1876 “1870”).




Figure 35. Aradas & Benoit (1872–1876) plates 5: some living marine shell from Sicily and circumsicilian islands.

In this context, they also give great prominence to the reports of species living in the circumsicilian islands. They basically follow two indications: the first one is general, referring mainly to the most common species or to those with a wide distribution, pointing out how they are widespread in “*Sicilia e isole adiacenti* [Sicily and adjacent islands]”; the other one, more specific, where they mention the species with reference to the island or islands where they have been found.

The most cited islands are Pantelleria, the Aeolian Islands, especially Lipari, Ustica and, to a lesser extent, Lampedusa. There are also several citations for the island of Malta.

The Authors add, also, an “Appendix to the Work” of 10 pages with new reports just published by the Marquis of Monterosato, “*nostro diligente e solerte amico* [our diligent and industrious friend] (Monterosato, 1874a, b, 1875), with some mentions also for the circumsicilian islands such as *Gibbula drepanensis* (Brugnone, 1873) (Gastropoda Trochidae) for Pantelleria and *Mathilda retusa* Brugnone, 1873 (Gastropoda Mathildidae) found “*tra Palermo ed Ustica 60 m* [between Palermo and Ustica at 60 m]”.

Some of the species mentioned for the circumsicilian islands by Aradas & Benoit (1872–1876) are reported below.

Globivenus effossa (Philippi, 1836) (Bivalvia Veneridae). “126. Venus effossa”. Reported for Palermo and Lampedusa collected by Calcara. It is considered rare.

Arca tetragona Poli, 1795 (Bivalvia Arcidae). “166. Arca tetragona”. Palermo, Catania, Pantelleria, Malta in the holes and crevices of rocks and among groups of *Balanus*, *Vermetus*, etc.

Limea crassa (Forbes, 1844) (Bivalvia Limidae). “213. Lima Sarsii (*Limea*), Lovèn”. The authors report how this shell from the North Seas was found by Abbot Brignoni on the island of Alicudi and in the beaches of Palermo.

Similipecten similis (Laskey, 1811) (Bivalvia Propeamussiidae). “227. Pecten similis, *Lashey*”. Rare in Sicily, found by Monterosato in Palermo, but also present in Malta and Pantelleria.

Cadulus subfusiformis (M. Sars, 1865) (Scaphopoda Gadilidae). “294. Cadulus subfusiformis, *Sars*”. It is considered a very rare

species, dredged in the seas of Syracuse, found by Monterosato in Ustica and Palermo and by General Destefanis in the Gulf of Naples.

Patella ferruginea Gmelin, 1791 (Gastropoda Patellidae). “295. Patella ferruginea *Gmelin*. *Frequente su tutte le coste della Sicilia, e delle Isole circostanti*”. Common species in Sicily and surrounding islands according to Aradas & Benoit (1872–1876), *Patella ferruginea* is, today, at serious risk of extinction in the western Mediterranean Sea. The species is extinct on mainland Italy and Sicily but isolated individuals can be found on Aegadian Islands and Pantelleria Island. Populations on Corsica and Sardinia have declined dramatically during the last years (Espinosa et al., 2014; La Mesa & Tunesi, 2019).

Steromphala divaricata (Linnaeus, 1758) (Gastropoda Trochidae). “441. Trochus divaricatus, *Linnèo*. *Tav. 3 Fig. 7*”. Frequent in the littoral of Palermo, southern Sicily, Catania, and adjacent islands.

Danilia tinei (Calcara, 1839) (Gastropoda Chilodontidae). “462. Trochus Tinei (Monodonta)”. Cited for Catania, Palermo and Pantelleria, rare.

Eatonina fulgida (J. Adams, 1797) (Gastropoda Cingulopsidae). “549. Rissoa fulgida (*Helix*), *Adams*. *Tav. 5 Fig. 2*”. The Authors report it for Palermo, Trapani, Mondello, Ognina di Catania, Penisola Magnisi, Island of Pantelleria, common in the port of Messina on marine plants attached to the rocks near the Lanterna.

Seila trilineata (Philippi, 1836) (Gastropoda Cerithiopsidae). “643. Cerithium trilineatum, *Philippi*”. Ognina in Catania and Pantelleria. Considered very rare, it is always found with a broken shell.

Metaxia metaxa (Delle Chiaje, 1828) (Gastropoda Triphoriidae). “636. Cerithium angustissimum *Forbes*”. Trapani and Pantelleria, rare.

Leufroyia leufroyi (Michaud, 1828) (Gastropoda Raphitomidae). “665. Pleurotoma Leufroy, *Michaud*”. Common in Aci Trezza, Palermo, Messina, Ustica and Malta Islands.

Bivetiella cancellata (Linnaeus, 1767) (Gastropoda Cancellariidae). “687. Cancellaria cancellata, *Lamarck*”. Species considered rare in the

seas of Aci-Trezza and Ustica. Reported for Taranto, Corsica, Spain, France, Algeria, and the Atlantic Ocean, on the coasts of Africa.

Hirtomurex squamosus (Bivona et Bernardi, 1838) (Gastropoda Muricidae). “711. Murex squamulosus (Fusus), *Philippi. Tav. 5 Fig. 10*”. Rare species found in Palermo, Aci-Trezza and Ustica.

LUIGI BENOIT

He was born in Avola (Siracusa) the 8.2.1804 from Gaetano and Marianna Tirone, barons of the Tipo, died in Messina the 19.12.1890 at the age of 86 years. After having attended very young the military school “Nunziatella” in Naples, Benoit moved to Messina where he worked in the Customs Agency and married the Duchess of Belviso. In 1828 he was arrested and sentenced to 18 years of imprisonment in Palermo for allegedly belonging to the political sect “Veri Patriotti” against Francesco I of Bourbon. Successively, Ferdinand II reviewed this process and released him in 1832.

He returned to live in Messina, where he was respected and sought after. In his biography, Amenta (1894) writes: “...esercitò per moltissimi anni le sue funzioni di Amministratore del Gran Priorato Gerosolimitano di Messina ...venne nominato Consigliere del Consiglio generale degli Ospizii di Messina; fu deputato per molti istituti di beneficenza...esercitò anche l'ufficio di Assessore e finse da Sindaco... Il Ministro Giuseppe Natoli che lo conosceva e apprezzava, lo fece nominare Cavaliere dell'Ordine dei Santi Maurizio e Lazzaro. Amato da tutta Messina [he exercised for many years his functions of Administrator of the Gran Priorato Gerosolimitano of Messina... he was appointed Counsellor of the General Council of the Hospices of Messina; he was deputy for many charitable institutes... he also exercised the office of Counsellor and acted as Mayor... The Minister Giuseppe Natoli who knew and appreciated him, had him appointed Knight of the Order of Saints Maurizio and Lazzaro. Beloved by all of Messina]”.

In addition, on a personal level: “*si diletto anche di musica; gradito pel canto, ed amò la pittura... Fu socio di molte accademie italiane, in moltissime altre francesi; conoscitissimo in Russia* [he also dabbled in music, liked by his singing, and loved

painting... He was a member of many Italian and many French academies, well known in Russia]”.

The naturalistic life saw an initial and prevailing interest for the study of the birds that culminated with the publication of the “*Ornitologia siciliana*” in 1840. This work constitutes the first reliable study on avifauna of the island recording 270 species.

With Andrea Aradas he published instead the catalog on marine mollusks: “*Conchiologia vivente marina della Sicilia e delle isole che la circondano*” (Aradas & Benoit, 1870).

He also was interested in entomology, although in his later years (Amenta, 1894; Vitale, 1908) but his important collection, kept at to the Botanical Garden of Messina, was destroyed.

Only those sectors that were given to other entomologists were saved (Romano, 2006). The Coleoptera Cerambycidae (Ragusa, 1924), for example, joined the collection of the French coleopterologist Henri Tournier (1834–1904), later acquired by Maurice Pic (1866–1857), whose collection is now kept at the National Museum of Natural History in Paris.

Benoit mainly studied the land and fresh water molluscs of Sicily publishing three catalogs in which he described many new species (Benoit, 1857–1862; 1875; 1882). The captions of the beautiful plates, with drawings of these mollusks included in the catalog of 1857–1862 (Figs. 36, 37), were later published by De Gregorio (1895). These works are fundamental for the study of land and fresh-water molluscs of Sicily and surrounding islands in which Benoit tried to bring together all the knowledge known until then providing for each species numerous synonymous, taxonomic, geographical and biological indications, starting or promoting the exploration of many little known Sicilian localities.

In his three catalogs devoted to the land and fresh water molluscs of Sicily, Benoit gave particular importance to the study of the circumsicilian islands, since they appear directly in the title of these works, as well as in the catalog on marine molluscs (Aradas & Benoit, 1872–1876). In many of these islands, Benoit became active by commissioning other naturalists or collectors on his own account, including Domenico Reina, a great connoisseur of Sicilian localities and expert collector to whom we owe the merit of having found several new species (see below).

The following is a list of the species described for the circumsicilian islands by Benoit and their current taxonomic position. The list also includes the many species that Benoit identified as new and sent to other scholars who, by publishing them earlier, became the authors, as reported by Benoit himself (1875): “qualche autore però che ha ricevute direttamente da noi, o da altri, tali specie, le ha descritte, cambiandone il nome, ed attribuendosene il vanto della scoperta [some authors, however, who have received such species directly from us, or from others, have described them, changing their name, and claiming the credit of their discovery].

Illustrazione sistematica critica iconografica de' testacei estramarini della Sicilia Ulteriore e delle isole circostanti (1857–1862)

[Iconographic systematic critical illustration of testacei estramarine of Ulterior Sicily and surrounding islands (1857–1862)]

In this first work, Benoit (1857–1862) begins with a preface in which summarizes the historical knowledge on Sicilian malacology and indicates how his catalog would come to be. He continues with two chapters dedicated to the scientific terms of shell morphology and on the characters that distinguish the species from each other. These two chapters were translated and adapted from the work of Rossmäslar (1835–1844).

These chapters are followed by the catalog with the list of species. Unfortunately, the delay in publication will nullify some discoveries, as mentioned above. Benoit (1875) said that this was due to the political and social upheavals of southern Italy and to other causes beyond his control.

Helix vermiculata var. *Linusiana* Benoit, 1857

Island of Linosa. Benoit (1857: 82, Pl. 1, Fig. 17) reports the species described by Calcara (1846a) for this island and confirms, overall, the morphological peculiarities of this population. However, he describes this new taxon to highlight its systematic position as a simple variety.

Synonym of *Eobania vermiculata* (Müller, 1774) (Gastropoda Helicidae) (Cianfanelli, 2002; Bank & Neubert, 2017; Bodon et al., 2021) or its insular subspecies as in Alzona (1971).

Helix alicurensis Benoit, 1857

Found by Domenico Reina (Benoit, 1857: 99, Pl. 3, Fig. 15), it is an endemic species of Alicudi (Aeolian Islands) as *Oxychilus (Hyalocornea) alicurensis* (Benoit, 1857) (Gastropoda Oxychilidae) (Giusti, 1973; Riedel, 1973, 1980; Bank & Neubert, 2017; Bodon et al., 2021).

Helix De Natale Benoit, 1857

Found by Domenico Reina (Benoit, 1857: 100, Pl. 4, Fig. 17), it is an endemic species of Marettimo Island as *Oxychilus (Hyalofusca) denatale* (L. Pfeiffer, 1856) (Gastropoda Oxychilidae) (Riedel, 1973, 1980; Fiorentino et al., 2004; Bank & Neubert, 2017; Bodon et al., 2021).

Helix serpentina var. *insularis* Benoit, 1857

An endemic species to the island of Marettimo (Benoit, 1857: 109) reported as *Marmorana insularis* (Benoit, 1857) (Gastropoda Helicidae) by Fiorentino et al. (2004). Thanks to molecular genetic studies carried out by Fiorentino et al. (2008a, b; 2010), the genus *Murella* Pfeiffer, 1877 has been confirmed as a polytypic group, originally endemic to Sicily. Bank & Neubert (2017) accept, however, the genus *Marmorana* W. Hartmann, 1844 with *Murella* considered as a subgenus: *Marmorana (Murella) muralis insularis* (Benoit, 1857). Bodon et al. (2021) reported this species as *Marmorana (Ambigua) insularis*.

Helix provincialis var. *unicolor* Benoit, 1857

Taxon described for Levanzo Island (Benoit, 1857: 118, Pl. 2, Fig. 14). It disappeared from the later malacological bibliography (see Pfeiffer, 1931) and could be considered an insular subspecies. *Helix provincialis* (Benoit, 1842) is considered a subspecies of *Marmorana (Murella) muralis* by Alzona (1971), Bank & Neubert (2017) and MolluscaBase (2021).

Helix globularis var. *cosurensis* Benoit, 1859

Benoit himself (1859: 122) recalled that the populations of this taxon from Pantelleria had already been distinguished by Calcara (1846: sub *H. Frivaldskyi*) (see also Benoit, 1875, 1882).

As reported also for *Helix vermiculata* var. *Linusiana*, Benoit redescrives as varieties these




Figure 36. Illustrations of some new taxa described by Benoit (1857–1862) from the circumsicilian islands (for explanations see the text): *Helix vermiculata* var. *Linusiana* (Tav. I f. 17), *Helix provincialis* var. *unicolor* (Tav. II f. 14), *Helix dormiens* (Tav. III f. 4), *Helix striata* var. *depressior* (Tav. III f. 8), *Helix alicurensis* (Tav. III f. 15), *Helix De Natale* (Tav. IV f. 17).

insular populations “*in opposizione* [in opposition]” to the taxonomic considerations of Calcara (1846a). Taxon endemic to Pantelleria synonym with *Marmorana* (*Murella*) *muralis frivaldskyi* (Calcara, 1846) (Gastropoda Helicidae) (Alzona, 1971; Bank & Neubert, 2017; MolluscaBase, 2021).

Helix striata var. *depressior* Benoit, 1859

Benoit (1859: 133, Pl. 3, Fig. 8) describes it for Marettimo Island. Alzona (1971: 172) considers it a valid species as *Helicella* (*Xerotranga*) *depressior* Benoit, 1857 (Gastropoda Geomitridae) (Sicily). Fiorentino et al. (2004) report it as *Cernuella depressior* for Favignana and Levanzo and, as allochthonous, also for Marettimo (see Bodon et al., 2021: sugenus *Xeroamanda* Monterosato, 1892).

Helix dormiens Benoit, 1859 - “var. *unicolor*” and “*rugosula*”.

Taxon found by Domenico Reina in Marettimo (Benoit, 1859: 137, Pl. 3, Fig. 4), of uncertain systematic collocation and of which recent contributions are lacking. Reported by Alzona (1971) as *Helicella* (*Xeromaesta*) *dormiens*, it is not mentioned by Fiorentino et al. (2004) for the Aegadian Islands. Beckmann (1987) reported this taxon for the Maltese Islands.

Clausilia confinata Benoit, 1859

Endemic species of Marettimo in the Aegadian Islands (Benoit, 1859: Pl. 6, Fig. 6) as *Siciliaria scarificata* (L. Pfeiffer, 1856) (Gastropoda Clausiliidae) (Nordsieck, 2007; Fiorentino et al., 2004; Liberto et al., 2015).

Luis Pfeiffer (1856) published this species (“*Habitat in Sicilia*”) on shells received from Benoit. Successively, L. Pfeiffer (1859) specified the distribution as “*In insula Maretima Siciliae*”. Benoit (1875) renamed it as “*sacrificata*”, then (1882) resigns it with its original name “*confinata*”.

Helix calcarata Benoit, 1862

Described only for the island of Malta (Benoit, 1862: 203, Pl. 5, Fig. 11), it is mentioned for the Maltese Islands by Beckmann (1987), considered synonym with *Trochoidea* (*Trochoidea*) *spratti* (Pfeiffer, 1846) (Gastropoda Geomitridae) by Giusti et al. (1995) and reported as *Trochoidea*

(*Trochoidea*) *spratti calcarata* (Benoit, 1862) by Bank & Neubert (2017).

Achatina emiliana Benoit, 1862

Described by Benoit (1862: 234, Pl. 5, Fig. 29) for the island of Favignana “*nella grotta ivi detta del Consiglio* [in the cave there called the Consiglio]”, this species is an endemic species of the Aegadian Islands (Favignana and Marettimo) as *Gomphroa emiliana* (Bourguignat, 1859) (Gastropoda Azecidae) (Fiorentino et al., 2004). The genus *Gomphroa* Westerlund, 1903 (of great biogeographical interest: see Giusti & Manganelli, 1984) in Sicily is represented by three endemic species: *G. emiliana* from the Aegadian Islands, *G. incerta* (Bourguignat, 1859) from the Aeolian Islands and *G. cylindracea* (Calcara, 1840) from N-W Sicily.

Achatina incerta Benoit, 1862

New species identified by Benoit (1862: 232, Pl. 5, Fig. 31) for the island of Lipari (Aegadian Islands): “*contrada Renella o monte della fossa*”. It is endemic to the Aeolian Islands (Lipari, Salina, Stromboli, Filicudi, Panarea) as *Gomphroa incerta* (Bourguignat, 1859) (Gastropoda Azecidae) (Giusti, 1973; Bank & Neubert, 2017).

Catalogo delle conchiglie terrestri e fluviatili della Sicilia e delle Isole circostanti (1875)
[***Catalog of the terrestrial and fluviatile shells of Sicily and the surrounding islands (1875)***]

Clausilia Adelina Benoit, 1859

Küster (1847–1862) described *Clausilia adelina* on specimens received by Benoit (type locality “*Inseln Sicilien*”). This taxon “*trovasi nell’isola di Favignana e nella montagna di Bonagio presso Calatafimi* [found on the island of Favignana and in the mountain of Bonagio near Calatafimi] (Benoit: 1859: Pl. 6, Fig. 16, Pl. 12, Fig. 9). Synonym of *Siciliaria calcarae calcarae* (Philippi, 1844) (Gastropoda Clausiliidae) (Bank & Neubert, 2017) or its insular subspecies as in Alzona (1971).

Pomatias pirayni Benoit, 1859

Taxon first depicted by Benoit (1859: Pl. 6, Fig. 26) and then mentioned as a distinct species in this work (1875). This population (locus typicus: “*Isola*




Figure 23. Illustrations of some new taxa described by Benoit (1857–1862) for the circumsicilian islands (for explanations see the text): *Achatina Emiliana* (Tav. V f. 29), *Achatina cylindracea* Calcara (Tav. V f. 30), *Achatina incerta* (Tav. V f. 31), *Clausilia confinata* (Tav. VI f. 6), *Clausilia adelina* Kuster, 1847 from Favignana e Calatafimi (Tav. VI f. 16, Tav. XII f. 9), *Pomatias pirayni* (Tav. VI f. 26), *Pomatias Paladilhianum* Saint-Simon (Tav. VI f. 27).

di Favignana... presso il Castello di S. Caterina”) is considered an insular subspecies by Alzona (1971, sub *Cochlostoma turriculatum pirajnoi*) and attributed to *C. cf. paladilhianum* St. Simon, 1869 (Gastropoda Megalomastomatidae) by Fiorentino et al. (2004). Bank & Neubert (2017) and MolluscaBase (2021) attribute this taxon to Paulucci (1879) who gives a description on material and name indication that Benoit sent her.

Nuovo catalogo delle conchiglie terrestri e fluviatili della Sicilia o continuazione alla illustrazione sistematica critica iconografica de' testacei estramarini della Sicilia Ulteriore e delle isole circostanti (1882)

[*New catalog of the terrestrial and fluviatile shells of Sicily or continuation of the systematic critical iconographic illustration of Mollusca extramarina of Ulterior Sicily and surrounding islands (1882)*]

Caecilianella maretima Benoit, 1882

Taxon endemic to the island of Marettimo (Benoit, 1882: 91), synonym of *Hohenwarthiana hohenwarthi* Rossmässler, 1839 (Gastropoda Ferussaciidae) (Alzona, 1971).

Fauna Maltese. Indice dei molluschi terrestri ed acquatici (con Gulia G. 1872)

[*Maltese Fauna. Index of terrestrial and aquatic mollusks (with Gulia G. 1872)*]

This is a list of marine, terrestrial and freshwater molluscs of the Island of Malta. Brief faunal information and Maltese vernacular names are given. For marine molluscs, mainly common species found along the coast or at shallow depths are reported. Among these, it is mentioned the *Pinna nobilis* Linnaeus, 1758 (Bivalvia Pinnidae) common in the port of Malta. Among terrestrial species, *Helix calcarata* Benoit, 1862 is synonymized with *Trochoidea (Trochoidea) spratti* (Pfeiffer, 1846) (see above) and *Helix melitensis* A. Férussac, 1821, common on the roofs of old houses and fortifications, is considered a valid species as *Marmorana (Murella) melitensis* (Marmorana Helicidae) (Giusti et al., 1995; Bank & Neubert, 2017; MolluscaBase, 2021).

Among the fresh water species, a *Physa melitensis* is reported for the Fontana del Maglio, attributed to *Physa (Physella) acuta* (Draparnaud,

1805) (Gastropoda Physidae) by Beckmann (1987) and Giusti et al. (1995). Currently, it is cited as *Physella (Acutiana) acuta* by Bodon et al. (2021).

DOMENICO REINA

Domenico Reina (Fig. 37) lived in Boccadifalco, a hamlet on the southern outskirts of Palermo in 1800, a “villaggio [village]” defined by Benoit (1857), a district of the city in our days. He was janitor at the Zoological Museum of Palermo, at least since 1862, under the direction of Pietro Doderlein (Massa et al., 2018). He did not write works, but was a great expert of Sicily and collected specimens for numerous authors, including foreigners, who cited him repeatedly in their works. His findings led to the description of several new Sicilian species. News of his life and his activities are reported by Benoit, especially in his first two catalogs (1857–1862, 1875).

In the first catalog, Benoit (1857) speaks of Reina, especially on the occasion of the dedication that the author makes to him of a new species he discovered: *Helix reinae* Benoit, 1857 (Fig. 38). Despite the fact that Reina was of humble origins, Benoit recognizes his great ability as a naturalist and an excellent researcher, admits that he is responsible for their best discoveries, not only malacological, recommends him to all foreign naturalists with words of great respect: “guida diligente, onorata, e discreta [diligent guide, honorable, and discreet]”.

Helix reinae, found in the woods of Calatafimi, is a Sicilian endemic species, inserted in the genus *Schileykiella* Manganelli, Sparacio et Giusti, 1989 (Manganelli et al., 1989) and attributed, as author, paradoxically, to L. Pfeiffer. In fact, as unfortunately happened other times (see above), Pfeiffer, having received the species already named by Benoit, included it in a work that was published before (Pfeiffer, 1856) the actual description of Benoit (1857). This genus includes another classic species of Sicilian malacology, *Helix parlatoris* Bivona, 1839 endemic to Sicily and Malta, and two other recently described endemic species from Sicily: *S. bodoni* Cianfanelli, Manganelli et Giusti, 2004 from Marettimo and *S. mariarosariae* Viviano R., Viviano A., Liberto, Reitano et Sparacio, 2019 from NW-Sicily.

In his second catalog, in the preface, Benoit (1875) confirms the task given to Reina to seek, on his behalf, land molluscs (“*Fummo secondati in tali ricerche dal solerte e diligente Domenico Reina, peritissimo nel raccogliere oggetti di storia naturale* [We were helped in such research by the diligent and meticulous Domenico Reina, expert in collecting objects of natural history]”) and expands on all the places he visited, in practice all of Sicily, from the surroundings of Palermo, the Aegadian Islands, Agrigento, Syracuse and surroundings, Catania, Etna, Messina; besides the Caronie and the Madonie that Reina “*visitò replicata volte, ed in differenti stagioni* [visited multiple times, and in different seasons]”.

For the Aeolian Islands, Benoit (1875) says that ... “*breve dimora vi fece però il Reina, perché in una di tali isole, gli abitanti sospettando che fosse propagatore di veleno, con pronta fuga dovette abbandonare quelle inospite contrade* [Reina didn't stay long there, however, because in one of these islands, the inhabitants suspected that he was a spreader of venom, and he promptly had to abandon those inhospitable districts]”.

A misunderstanding in the behavior of Reina, dedicated to his research in the countryside, was probably at the basis of what Benoit said about this single episode. Giusti (1973), many years later, would confirm, fortunately, that those islands are not inhospitable as said but the positive judgment of Lojacono Pojero (1878), who visited the Aeolian Islands in those same years, appears more exhaustive.

For the circumsicilian islands, in addition to the Aeolian and Aegadian Islands, where he found several new species of land molluscs described by Benoit (see above), Reina was also in Ustica as reported by Riggio (1885) who considers him a “*coscienziosa ed intelligente ...nel 1883 vi fece una escursione di alcuni giorni per espresso desiderio del nostro Direttore Prof. Doderlein* [conscientious and intelligent ... in 1883 he made an excursion of a few days following the wishes of our Director Prof. Doderlein]”.

Among the quotations of foreign authors, the Swiss entomologist Delaharpe (1860) published a contribution on the lepidopterological fauna of Sicily in which 168 species are reported, some of which were new to science. The study was possible because two of his friends, who stayed in Sicily

from the winter of 1857 to the beginning of 1858, bought these insects from Domenico Reina, whom Delaharpe himself defines “*zélé et intelligent collecteur d'histoire naturelle* [zealous and intelligent collector of natural history]”.

Another foreign author, Seidlitz (1896), describes a new species of Melandryidae (Coleoptera) from Sicily, *Phloiorthrya granicollis*, discovered “*in Sicilien bei Palermo vom verstorbenen Domenico Reina gesammelt* [in Sicily near Palermo, collected by the late Domenico Reina]”.

The following year Enrico Ragusa (1897), dealing with this species in his “*Catalogo ragionato*



Figure 24. Domenico Reina
(by Massa et al., 2018, modified).




Figure 25. *Helix reinae* Benoit, 1857: 96,
tav. IV, f. 11 (for explanations see the text).

dei Coleotteri di Sicilia”, pointed out: “*specie descritta sopra esemplari raccolti da Domenico Reina, il compagno di escursioni di Ghiliani e di quanti vennero da noi per iscopo entomologico. Egli gode perfetta salute e non è morto, per come lo crede il signor Seidlitz...* [species described on specimens collected by Domenico Reina, the hiking companion of Ghiliani and of those who came to us for entomological purposes. He enjoys perfect health and is not dead, as Mr. Seidlitz believes]”.

AGOSTINO TODARO

He was born in Palermo on 14.1.1818 where he lived, worked and died on 18.4.1892 (Fig. 39). He graduated in Law in 1841 and he devoted himself as a lawyer. He also cultivated a passion for botany as an assistant at the Botanical Garden of Palermo in 1848. He graduated in Physics and Mathematics in 1856 and, in the same year, he became Director of the Botanical Garden, a position he held until his death.



Figure 39. Agostino Todaro (photo courtesy of R. Poggi).

Todaro succeeded Vincenzo Tineo (1791–1856). They were different in culture, character and education, but both had a fundamental role in the contribution they gave to the knowledge of Sicilian botany and in the development, expansion and prestige of the Botanical Garden that they directed from 1813 to 1892. This was possible thanks to the positive synergy and succession of events, unique in its kind, that the two naturalists were able to realize along almost all the 19th century (Ottonello, 1987).

Todaro participated as an administrator in the public life of Palermo, but this did not prevent him from defending the integrity of the lands annexed to the Botanical Garden from the new zoning plan that threatened its integrity. Skilled jurist and politician, he managed to solve this problem (Todaro, 1887: “*Reclamo del Real Orto Botanico a S.E. il Ministro dell’Interno contro il Piano Regolatore della Città di Palermo* [Complaint of the Royal Botanical Garden to H.E. the Minister of the Interior against the Master Plan of the City of Palermo]”) and lay the groundwork for a lasting expansion of the Garden itself. He was appointed senator of the Kingdom of Italy in 1879.

His botanical studies concerned mainly orchids (Todaro, 1842), the description of about 200 new taxa (Ottonello, 1987), the catalog of new plants of the “*Hortus Botanicus Panormitanus*” (1876–1892). He promoted the cultivation of cotton in Sicily and, like Tineo, of other food plants or, as alternative, of economic interest.

Todaro was preparing with Pirajno of Mandralisca a book on rare plants of the Aeolian Islands which was never published (Lo Cascio, 2014).

His contribution to the study of the circumsicilian islands is the following.

Synopsis plantarum acotyledonearum vascularium sponte provenientium in Sicilia insulisque adjacentibus (1866)

In this monograph (Fig. 40), Todaro (1866) draws up a very detailed list of the ferns present in Sicily and in the surrounding islands. For each species it is reported bibliography, systematics, morphology, biology, various observations and locations of discovery.



Figure 40. Paper on circumsicilian islands by Todaro (1866).

For example, the common maidenhair fern *Adiantum capillus-veneris* L. is found: “*Ad muros humidos, vel in rupibus humidis umbrosis ubique in Sicilia, et in insulis minoribus Filicuri, Lipari, Saline, Stromboli, Vulcano, Ustica, Maretimo, Pantelleria, Lampedusa. Fructificat ab Aprile in Junium*”.

From the systematic point of view, a new genus is described, *Cosentinia* Tod. (Pteridaceae), still considered valid species today, which also includes the species *C. vellea* (Aiton) Tod. present in Pantelleria. The new genus is dedicated to Ferdinando Cosentini (1769–1840), professor of Botany in Catania, and is found in Sicily: “*Ad rupes vulcanicas vel calcareas meridiem spectantes Catania (Cosentini, Tineo) Caltanissetta, S. Giuseppe (Tin.); Castellammare a Fraginisi, Palermo a Monte Pellegrino, a Caltafano, alla Rocca, ac etiam in insula minore Pantelleria. Fructificat a Novembri ad Majum*”.

Also the new genus *Matteuccia* is an accepted genus name, dedicated to the famous physicist professor Carlo Matteucci, while a new species described in this work is *Isoetes sicula* Tod. currently synonym with *Isoetes subinermis* (Durieu) Cesca & Peruzzi (Rizzo, 2021).

LUIGI FAILLA TEDALDI

Luigi Failla Tedaldi is one of the most emblematic and representative figures among the Sicilian naturalists of 1800. He was born in Castelbuono on 8.11.1853, and was a fellow citizen and pupil of Francesco Minà Palumbo (Mogavero Fina, 1968; Carapezza, 1987; Sparacio et al., 2011). However, compared to the great cultural and moral

stature of his master, which had an “encyclopedic” vision of almost all the medical, naturalistic and anthropological activities he undertook, Failla Tedaldi was mainly an entomologist. They belonged to two distinct cultural generations but in direct continuity (Carapezza, 1987) and of equal dignity.

He wrote about twenty works between 1877 and 1890, almost all on Sicilian Lepidoptera of which, with F. Minà Palumbo, he published in the *Naturalista Siciliano* the “*Materiali per una fauna lepidotterologica della Sicilia*” one of the most important works on this subject (Minà Palumbo & Failla Tedaldi, 1887–1889).

He also wrote on edible, sacred, medicinal, industrial, ornamental and luminous insects (Failla Tedaldi, 1882; 1891a), on Neolithic necropolis in the Grotte del Fico (Failla-Tedaldi, 1891b) and of the Chiusilla near Isnello (Failla Tedaldi, 1896). Moreover, he wrote an emotional and respectful obituary for F. Minà Palumbo (1899) and an important “*Glossario di Entomologia*” (Failla Tedaldi, 1900), for many years a reference point for all Italian entomologists. This work was “...la prima opera del genere ad apparire in Italia e la sua concezione dovette certamente avere un sapore di sfida, proponendo all’intera cultura scientifica italiana una così importante codificazione nomenclatoriale formulata da un oscuro dilettante in un remoto paese dell’interno della Sicilia [the first work of its kind to appear in Italy and its conception certainly had to have the taste of challenge, proposing to the entire Italian scientific culture such an important nomenclatorial codification formulated by an obscure amateur in a remote town in the interior of Sicily]” (Fig. 41) (Carapezza, 1987).

Failla Tedaldi had a wide knowledge of the places where he lived and was a great observer and collector, which he also carried out as a profession. He was in direct contact with almost all the greatest naturalists of the time, both Italian and European, who asked him for material and advice. He was also a friend of Enrico Ragusa and Teodosio De Stefani with whom he shared, with commitment and enthusiasm, the long “spring” of Sicilian naturalists of the nineteenth century.

The last period of his life was, however, particularly difficult. As Carapezza (1987) writes: “*Ragusa subisce un grave rovescio finanziario e nel ‘13 scrive addirittura di volere abbondare*

l'entomologia. Nello stesso anno Failla, a seguito di un lungo periodo di crisi, prende la decisione di emigrare in America, e a prenderla è un uomo che ha già superato i sessanta anni. La decisione non verrà attuata e Failla continuerà ad occuparsi di entomologia, ma a farlo è un anziano disilluso e senza entusiasmo, che ha visto mutarsi in indifferenza il fervore che circondava le ricerche in cui aveva creduto [Ragusa underwent a serious financial setback and in '13 he even wrote that he wanted to give up on entomology. In the same year Failla, following a long period of crisis, takes the decision to emigrate to America, a decision taken when he was over sixty years old. However, he would not follow through with it and Failla would continue to concern himself with entomology, but it is a disillusioned and unenthusiastic old man who has seen the fervor that surrounded the research in which he had believed change into indifference].

Failla Tedaldi died on 21.6.1933 one year after the publication of the last issue of "*Il Naturalista siciliano*" on whose pages he had been one of the main protagonists.

Escursione entomologica all'isola di Lampedusa (1887)

[Entomological excursion to the island of Lampedusa (1887)]

Failla Tedaldi (1887) talks about his entomological excursion (Fig. 42), starting from the departure from Castelbuono, the trip by train Cerdara-Agrigento-Porto Empedocle and, from there, the departure for Lampedusa by steamboat, after waiting 4 days for the sea to calm down.

He tells of the "*ajuti morali e materiali* [moral and material support]" of his "*amico sig. Enrico Ragusa* [friend Mr. Enrico Ragusa]" for making this journey happen and describes physically of the island of Lampedusa, also adding information on its recent history and several references to Calcara's work on this island (Calcara, 1847a). This is followed by a description of the entomological collections and a list of the species surveyed for Coleoptera, Lepidoptera, Hymenoptera, Hemiptera and Arachnida.

Failla Tedaldi, as an expert naturalist, immediately understood that in Lampedusa "*la fauna non è relativamente povera, come a prima*



Figure 41. Landscape of Castelbuono and the Madonie Mountains (late 1800s), where Luigi Failla Tedaldi was born and lived.

giunta potrebbe credersi [the fauna is not relatively scarce, as at first sight one might believe]”, collecting and reporting for the first time on the island many new and interesting species. Among these, he discovered some North African species that have in Lampedusa their only Italian and, sometimes, European station, such as the buprestid beetle *Julodis onopordi lampedusanus* Tassi, 1966 (Sparacio & Ratti, 1995; not synonymous of *J. onopordi splichali* Obenberger, 1917 sensu Kuban, 2006), the mutillid hymenopteran *Dasylabris atrata* (Linnaeus, 1767), sub *Mutilla arenaria*, widespread in North Africa, Spain, and Portugal (Petersen, 1988; Arnone & Romano, 1995), the cicindelid beetle *Lophiridia lunulata* (Fabricius, 1781): sub *Cicindela littoralis* v. *Ragusae*, “comune al Porto [common in the Port]”, the carabid beetle *Dixus interruptus* (Fabricius, 1775), sub *Aristus opacus*, a species with N-African range extended to the Canary Islands with doubtful presence in the Iberian Peninsula (Vigna Taglianti, 1995 sub *Ditomus opacus*), already reported for Lampedusa by Ragusa (1885) on specimens had just by Failla Tedaldi.

While *Julodis onopordi lampedusanus* and *Dasylabris atrata* are still present, *L. lunulata*, widespread also in nearby Tunisia (Korell & Cassola, 1987) must currently be considered extinct from the island (see Vigna Taglianti, 1995), the only Italian and European known locality.

Failla-Tedaldi also found and described local populations of the tenebrionid beetle “*Erodius* v. *Destefani*” (Fig. 43) dedicating them to his “amico [friend] Teodosio De Stefani. This taxon is considered a valid subspecies as *Erodius* (*Erodius*) *audouini destefanii* endemic to Lampedusa. *Erodius audouini* Solier, 1834 is a North African species (locus typicus: Algeria) present also in Sardinia with the ssp. *peiroleri* Solier, 1834 (Aliquò & Soldati, 2010).

Failla Tedaldi reported for the first time on the island also the large beetle Histeridae *Pactolinus major* (Linnaeus, 1767), sub *Hister major* (Vienna, 1995), several species of spiders, such as *Nemesia caementaria* (Latreille, 1799), *Argiope lobata* (Pallas, 1772), *Hogna radiata* (Latreille, 1817) (Pesarini, 1995) and hemipterans (Carapezza, 1995).

In the same article, Desbrochers described the *Sitones Faillae* collected by Failla Tedaldi in Lampedusa, now considered synonymous of *Sitona*



Figure 42 (above). Il Naturalista siciliano, title of the paper on Lampedusa (Failla Tedaldi, 1887). Figure 43 (below). Type material of the L. Failla Tedaldi collection (Museum of Zoology “Pietro Doderlein” of Palermo, Italy): *Erodius* (*E.*) *audouini destefanii* endemic to Lampedusa.

(*Sitona*) *virgatus* (Fåhræus, 1840) a species of the western Mediterranean (Osella & Riti, 1995).

ENRICO RAGUSA

Enrico Ragusa (Fig. 44) was born in Palermo on 28.8.1849 where he died on 19.12.1924 (Liotta, 1985, 1987b; Romano, 2004, 2006). He began to cultivate his passion for entomology since he was a boy in Berlin, where he studied. Returning to Sicily in 1869, he continued and improved his entomological studies becoming one of the greatest figures in this field. He produced numerous publications where he described new taxa and reported many new species for Sicily. Ragusa studied Coleoptera (Figs. 45–47), Lepidoptera and Hemiptera as testified by his main works: *Catalogo*

ragionato dei Coleotteri di Sicilia (1883–1912), *Catalogo dei Lepidotteri esistenti nella collezione di Enrico Ragusa* (1905), *Emitteri di Sicilia* (1907).

Deeply linked to his city of Palermo, he lived with his family at the “Grand Hotel et des Palmes” one of the hotels he owned whose management represented his main work activity (Fig. 48).

Friend to almost all the Sicilian naturalists of his time, he was very close in particular to Luigi Failla Tedaldi and Teodosio De Stefani. He was also in contact with many Italian and European scholars. In this positive environment of intense intellectual work for the whole Sicilian scientific environment, he founded in 1881 the scientific journal “*Il Naturalista siciliano*” (Fig. 49).

His kind personality, his ability to collect and study insects, his capacity to be a proudly “regional” entomologist while at the same time giving his studies an international dimension, the social commitment that he put in all his initiatives, made Enrico Ragusa, between the end of 1800 and the beginning of 1900, the best and most representative link between civil society and the university world and, more generally, between the Sicilian scientific environment, Palermo in particular, and the Italian and the European.

Among his works, two are dedicated to the circumsicilian islands of Pantelleria and Lampedusa. Riggio (1885) also speaks of a brief trip of Ragusa in Ustica of which there are no other records.

Gita entomologica all’Isola di Pantelleria (1875) [*Entomological trip to the island of Pantelleria* (1875)]

As in almost all of his major works, it is written as a long story and the places visited are admired, explored and described not only from an entomological point of view but also cultural and affective (Ragusa, 1871, 1873, 1874, 1908). In the account of his voyage on the work on Pantelleria (Fig. 44) he talks about his emotions (and fears) felt at sea during the navigation, the description of the landscapes visited, in particular when he climbed the Montagna Grande, and the various collections made.

It begins with a great act of sincerity: “*Uno dei miei sogni più grandi era visitare Pantelleria ...ed ogni anni mi promettevo di andarvi* [One of my greatest dreams was to visit Pantelleria ... and every



Figure 44 (above). Enrico Ragusa, 1849–1924 (by Carapezza, 2020 modified). Figure 45 (below). The paper on Pantelleria (Ragusa, 1875) with the author’s dedication.


year I promised myself to go there]”. However, only the news that Giacomo Doria of the Museum of Genoa wanted to send one of his explorers to the island convinced him to leave. Ragusa writes: “Essere tanto vicino a quest’isola e vedere che altri dovesse in vece mia attuare un disegno da me per lo innanzi vagheggiato (dirollo franco) m’ispirava tal gelosia e dispiacenza [Being so close to this island and see that others, instead of me, realized such a plan that I did organize (let’s be frank) brought forth such jealousy and sorrow]”.

So, on May 1, 1875 Ragusa left for Pantelleria. He arrived in the island on May 3 and would leave on May 11. After the vicissitudes of the journey, Ragusa speaks briefly about the history of Pantelleria and its geographical and environmental peculiarities, describes the places visited and provides information on the collections made, creating the basis for all future entomological catalogs of the island.

Among these, there are many new species collected in Pantelleria for the first time, especially Coleoptera Carabidae and Curculionidae (Vigna Taglianti, 1995; Osella & Riti, 1995), Lepidoptera (Romano & Romano, 1995), Homoptera (D’Urso & Guglielmino, 1995; Rapisarda, 1995), Heteroptera (Carapezza, 1995). Ragusa speaks at length of the *Rhizotrogus Gerardi* (Coleoptera Melolonthidae),

common in Pantelleria and well known to the local inhabitants as “*Tarterucheddi di la vigna*” who considered them harmful to the vineyards (Fig. 45). This species is now considered an endemic subspecies of the island, *Pseudoapterogyna euphytus lamantiai* Sparacio, 2014, with the nominal subspecies widespread in Algeria and Tunisia (Sparacio, 2014a).

Ragusa also describes very well the entomofauna of the pond the Bagno dell’Acqua or Venus Lake, reporting two species of Odonata as *Sympetrum fonscolombei* (Sélys, 1840) (sub *Diplax fonscolombi*) and *Orthetrum cancellatum* (Linnaeus, 1758) (sub *Libellula cancellata*) (Pavesi & Utzeri, 1995), numerous species of riparian and hygrophilous beetles such as Carabidae (Vigna Taglianti, 1995) and the Pselafidae *Batrissodes oculatus* (Aubé, 1833), *Brachygluta simplex hipponensis* (Saulcy, 1876) and *B. globulicollis aubei* (Tournier, 1867) (Poggi, 1995), the ditiscids *Hydroglyphus signatellus* (Klug, 1834) (sub *Hydroporus thermalis*) and *Nebrioporus (Zimmermannius) cerisyi* (Aubé, 1836) (so later determined in Ragusa, 1882: sub *Hydroporus baeticus* and var. *acuminatellus*) characteristic of the thermal waters of this pond (Sparacio, 1995), and the palpicorns *Coelostoma hispanicum* (Kuster 1848), *Paracymus aeneus* (Germar 1824),



Figures 46, 47. Entomological collection of E. Ragusa (Museo di Zoologia University of Catania, Italy): *Pseudoapterogyna euphytus lamantiai* from Pantelleria (Fig. 46) and *Lophiridia lunulata* from Lampedusa (for explanation see text).

Enochrus politus (Küster 1849) and *Berosus affinis* (Brullé 1835) (Ferro, 1995).

At the end of the work, Ragusa provides a list of Coleoptera (120 species), Lepidoptera (21 species) and Hemiptera (30 species) collected with the description of 5 new species of which two described by Ragusa himself and three by other authors to whom he had sent the material collected.

Pachychile cossyrensis Ragusa, 1875

“Questa specie tanto elegante, vive sotto le pietre in compagnia della *Tentyria grossa* fra le aride lave fino al mare, ove la rinvenni in tre soli esemplari [This elegant species, lives under the stones in company of the *Tentyria grossa* among the arid lavas up to the sea, where I found only three specimens]”.

Taxon valid as *Pachychila* (*P.*) *crassicolis cossyrensis* (Ragusa, 1875) (Coleoptera Tenebrionidae) (Aliquò & Soldati, 2010). *Pachychila* (*P.*) *crassicolis crassicolis* (Kraatz, 1865) lives in eastern Algeria while ssp. *cossyrensis* lives in Tunisia and Pantelleria.

Tachys insularis Ragusa, 1875

“Trovai questa graziosa specie in quattro solo esemplari, sotto pietre, sulla riva del lago [I found only four specimens of this pretty species, under stones, on the shore of the lake]”.

Taxon believed to be a synonym of *Paratachys bistriatus* (Duftschmid, 1812) (Coleoptera Carabidae), a species widely distributed in the W-Palearctic. Ragusa (1887) synonymizes his species with *T. bistriatus* var. *elongatus* Dej. but notes that the specimens of Pantelleria differ from the others for “il suo colorito ferruginoso, invece di bruno o nero-bruno [its ferruginous coloration, instead of brown or black-brown]”.

Vigna Taglianti (1995) states that *P. bistriatus* is a highly variable species, worthy of further taxonomic research and reiterates that, indeed, the populations of Pantelleria are recognizable from the others by their color.

Eupithecia pantellata Millière, 1875

Valid taxon as *Eupithecia pantellata pantellata* Millière, 1875 (Lepidoptera Geometridae).

It is widespread in Western Mediterranean are (Spain, Portugal, Sicily, North Africa and the Canary Islands) with two subspecies: *E. pantellata*



Figure 48. Ingham-Whitaker house bought by Enrico Ragusa and later transformed into the “Grande Albergo delle Palme” in Palermo.




Figure 49. *Il Naturalista siciliano*, first issue (1881) of the magazine created by Enrico Ragusa.

andalusica Wehrli, 1926 and *E. pantellata canariata* Pinker, 1965.

Eupithecia cossurata Millière, 1875

Taxon considered synonymous with *Idaea seriata* (Schränk, 1802) (Lepidoptera Geometridae) according to Okyar & Mironov (2008).

Dieuches ragusae Puton, 1875

Taxon considered synonymous with *Dieuchesus armatipes* (Walker, 1872) (Heteroptera Lygaeidae), a species with a wide Afrotropical-Mediterranean distribution (Carapezza, 1995).

Breve gita entomologica all'Isola di Lampedusa (1892)

[Short entomological trip to the island of Lampedusa (1892)]

“*Quattro o cinque specie interessanti trovate dal Failla a Lampedusa nel maggio 1886, mi avevano fatto nascere vivissimo il desiderio di visitarla pure* [Four or five interesting species, found by Failla in Lampedusa in May 1886, had given me a very vivid desire to visit it as well”. Thus, Ragusa also undertook a journey to Lampedusa but, as he was already in the surroundings of Porto Empedocle, he began to collect beetles while waiting to leave for the island.

In Lampedusa, Ragusa arrived at nine o'clock in the morning of the 5th of July 1892 but the late season, the excessive heat and the few species collected, prompted him to make a quick return with the same steamer, Gorgona, returning to Sicily on the 6th of July: “*essendo impossibile ... restare otto interi giorni a Lampedusa* “[being impossible ... to stay eight whole days in Lampedusa].

In the work on this short excursion, a list of the collected species of 10 Lepidoptera and 43 Coleoptera is provided.

Among the Coleoptera, 30 are new to the island. It is also confirmed again the presence of *Lophiridia lunulata* at Wilgia (Fig. 46) and *Julodis onopordi lampedusanus* found by Failla-Tedaldi (1887).

Among the Lepidoptera, 5 are new for the island including a specimen of *Argyresthia* (Ypomeutidae) that Ragusa sent for description to M.F. Wocke but of which there were no further news (Romano & Romano, 1995).

MICHELE LOJACONO POJERO

Born in Palermo in 1853 (Fig. 50), he formed at the botanical school of Agostino Todaro of which he became assistant and student at the “*Regio Orto Botanico*” of his own city. In 1881, he is part of the editorial staff of “*Il Naturalista siciliano*” and became director of “*Il Giornale del Comizio Agrario di Palermo*”. In 1883, he obtains the free teaching at the Faculty of Physical and Mathematical Sciences at the University of Palermo, course of Cryptogamy and Taxonomy.

Lojacono Pojero carried out numerous travels and explorations in all Sicily and in the adjacent islands, combining the taxonomic aspect with numerous observations on the environmental and ecological characteristics of the species collected; he also made the drawings of the plants shown in his work. As reported by Domina et al. (2014a), Lojacono Pojero, for Sicily alone published 579 new names of higher



Figure 50. Lojacono Pojero from Domina et al. (2014) (photo by Library of the Botanical Garden of Padua, Italy).

plants, corresponding to 306 species, 267 varieties and 6 forms (Lojacono Pojero, 1878a; 1878b, 1878c, 1881–1883, 1882, 1883, 1883–1884, 1886–1887, 1888–1909, 1906a, b) (Figs. 51–53).

He dedicated himself to the study of cryptogamic flora (mosses and lichens) but also described numerous taxa of phanerogams such as the endemic *Abies nebrodensis* (Lojac.) Mattei. Lojacono Pojero was the only Sicilian botanist who published a regional catalog of the Sicilian flora: the “*Flora Sicula*” (Lojacono Pojero, 1888–1909). In this catalogue he adds his knowledge to the study of the material kept at the Herbarium Siculum, constituted mainly with the collections of Vincenzo Tineo and Agostino Todaro.

Towards the end of 1800, relations with Agostino Todaro soured (Aghababayan et al., 2012) and his studies slowed down, only to resume in full swing with Antonino Borzì, who succeeded in the direction of the Garden upon Todaro’s death in 1892; these studies were interrupted again around 1913 when he left Palermo definitely.

All these events had a negative impact on his collection, partly sold at modest prices to major European herbaria (Aghababayan et al., 2012) then, probably, lost (Domina et al., 2014a).

He died in Messina in 1919 where he had moved to teach Natural Sciences at the Regio Istituto Tecnico (Dörfler, 1909; Dia, 1987).

Numerous biographies and obituaries are dedicated to Lojacono Pojero (De Gregorio, 1923; Stafleu & Cowan, 1981; Dia, 1987; Nardi, 1988; Troia & Raimondo, 2007) and all his scientific production is the subject of numerous and continuous works (Domina & Mazzola, 2007; Aghababayan et al., 2008; Domina et al., 2014a, b). For contributions to the knowledge of the circumsicilian islands, Aeolian Islands in particular, see also Lo Cascio & Navarra (2003) and Lo Cascio (2014).

Le isole Eolie e la loro vegetazione con enumerazione delle piante spontanee vascolari (1878)

[*The Aeolian Islands and their vegetation with enumeration of spontaneous vascular plants (1878)*]

In this work, Lojacono Pojero studies, from a botanical point of view, the Aeolian islands on behalf

of his “*maestro*” Agostino Todaro. He went on multiple excursions in all of these islands and several smaller islands, except Alicudi and Filicudi that, as he said, are more distant and difficult to reach.

In the long introduction, he describes all these islands, often following the work of Salino (1874). He emphasizes, among other things, as the basis of the economy of these populations is the cultivation of vineyards, with the production of “Passolina” and “Malvasia”, and of the caper. He also talks about the difficulties of these populations due to the bad connections between the islands and with Sicily in terms of services and health care. Words of praise are reserved to the people, and especially to the women of these communities, able to work the land and to fish like men and to show a greater emancipation than Sicilian women.

He examines in detail Lipari, Vulcano, Salina, Panarea (“*Panaria*”), Basiluzzo, Dattolo (Dattilo), Lisca nera, Lisca bianca, Bottaro and Stromboli.

The whole catalogue of collected plants included 499 species. Among these, he mentions *Kleinia mandraliscae* Tin. species described by Tineo (1855) and dedicated to Pirajno of Mandralisca who collected it in Vulcano (see below). Lojacono Pojero did not find this plant in Vulcano but he got some specimens from the Reverend Canon Vincenzo Amendola who cultivated it in a garden in Piano Conte in Lipari.

He reports several interesting species, some already known, such as *Prasium majus* Lin. Var. *villosus* = *Stachys major* (L.) Bartolucci & Peruzzi, which had been called *P. liparitanum* by Mandralisca and Todaro. He also provides useful indications on the occurrence of some plants such as the dwarf palm, *Cytisus aeolicus* and the strawberry tree that is becoming less and less frequent due to the deforestation that they were already suffering at that time, and on the holm oak and chestnut groves. Regarding the changed environmental conditions, it appears that in the 19th century the Aeolian Islands were richer in water springs, water points and humid areas, nowadays lost, that harboured unique flora and fauna (Lo Cascio, 2014).

In this first work on the Aeolian Islands, the young Lojacono Pojero does not describe any new species but many of the collections and observations made will be developed later with the



Figures 51, 52. *Anthemis aeolica* Lojac. and *A. lopadusana* Lojac.; lithography by A. Fecarotta (Lojacono Pojero, 1888–1909).

description of new Aeolian taxa starting with *Orobanche todari* Lojac. (Lojacono Pojero, 1881–1883). Many of them would be included in his “*Flora Sicula*” (Lojacono Pojero, 1888–1909) but, often, they have been ignored by other Authors. Lojacono Pojero was aware of his choice, writing that it is better to point out the morphological differences found in the various populations in nature rather than “*fondere tutto in un unico fascio senza alcuna logica naturale, e poi senza alcun vantaggio reale per la scienza* [merge everything together without any natural logic, and thus without any true advantage for science]”. For example, comparing the brooms of Vulcano with those of Sicily, Lojacono Pojero (1906) noticed some morphological differences between the two populations and placed those of Vulcano in the variety “*spartioides*”. After many years (Valsecchi, 1986), these brooms would actually be attributed to a new species, *Genista thyrrrena* Vals.



Figure 53. *Onopordon “mandraliscae”* Lojac.
(Lojacono Pojero, 1888–1909).

Lo Cascio & Navarra (2003) report a table showing the taxa described by Lojacono Pojero on specimens from the Aeolian Islands or from these islands and other localities in Sicily are marked.

Una escursione botanica in Lampedusa (1883–1884)

[*A botanical excursion in Lampedusa (1883–1884)*]

Lojacono Pojero left Palermo, in the company of his zoologist friend Baron F. von Zwierlein of Wiesbaden, at dawn on April 5 with the train that would take him to Porto Empedocle continuing then by boat to Lampedusa.

In the first part of the work, Lo Jacono-Pojero describes the different landscapes he observed along the train journey. He tells how he managed to retrieve some papers for the herbariums (which had not arrived from Palermo) just before he left at 6 p.m. on the boat Tortoli, which made weekly trips to Lampedusa. After passing quickly through Linosa, whose landscape observed from the boat impressed Lo Jacono favorably, they arrived in Lampedusa the following morning, welcomed by the local authorities but also by a multitude of prisoners serving their sentences on the island, who crowded the quays of the port.

For the general description of Lampedusa, Lo Jacono refers to the works of Calcara (1846a, 1847a) whose first observations on the island are not positive. Lo Jacono, emphasizing the North African affinities of Lampedusa, comes to the conclusion that the island is “*brutta, sterile e improduttiva*” [ugly, sterile and unproductive]” and that, for this reason, the name derives from “*Lapidosa*” in reference to the generally stony ground.

Probably the almost forty years of difference from the first observations of Calcara (1846a) have been determinant for an overall worsening of the Lampedusa landscape.

The same Lojacono Pojero, in fact, would personally realize how this territory has been intensely deforested: “... *i coloni in cerca di una merce rarissima in Lampedusa, quale si è la legna da ardere, l’hanno sin da lungo tempo denudato* [the settlers in search of a very rare commodity in Lampedusa, such as firewood, have been stripping the island for a long time]. On the other hand, he emphasized with greater emphasis how, during his

stay, Lampedusa hosted more than 50 boats and numerous people dedicated to fishing and salting sardines and “*alaccia*”.

Lo Jacono-Pojero's journey to Lampedusa lasted 10 days, three more than expected, because the Tortoli boat, which had just left, was forced to return to port due to bad weather conditions. This delay forced Lo Jacono to return directly to Palermo and “*a sacrificare Linosa ai sentimenti di marito e di padre* [to sacrifice Linosa to the feelings of husband and father]” that he could study thanks to the samplings of von Zwielerlein who, instead, stayed there.

In the list of vascular plants that he provides, Lo Jacono marks with an asterisk the plants observed for the first time by him in Lampedusa or by von Zwielerlein in Linosa. He left unmarked those surveyed by Gussone (Gussone, 1832–1834; 1839; 1844) and by Calcara (1847a). Others, marked with an “o” are those mentioned only by other authors.

The catalog would include, according to the calculations of Lo Jacono himself, 390 species (368 in Lampedusa and 22 in Linosa). For those of Lampedusa, he calculated that about 290 were already reported by Gussone and Calcara (who added 22). In total, including those recorded in Linosa, Lo Jacono-Pojero reported about a hundred new species. Among these, 5 species are described for the first time.

Cistus skanbergii Lojac.

Very common species according to Lo Jacono Pojero, collected in the eastern part of the island of Lampedusa, now practically extinct (Domina et al., 2015). This plant (Fig. 54) was originally described as a species but it is now considered to be a natural hybrid (*Cistus* x *skanbergii* Lojac.) between *Cistus parviflorus* and *C. monspeliensis* (Pignatti et al. 2017–2019). Lo Jacono-Pojero himself speculated that this taxon, already reported by Gussone (1839) as *C. incanus* β., might be a hybrid.

Carduus pseudo-syriacus Lojac.

Collected on small trails and uncultivated places near the town of Lampedusa.

Synonymous with *Carduus pycnocephalus* subsp. *marmoratus* (Boiss. & Heldr.) P.H. Davis (Conti et al., 2005; Pignatti et al., 2017–2019).

Amberboa lippii var. *subdiscolor* Lojac.

Found at Linosa in grassy places by von Zwielerlein. It is a synonym of *Volutaria tubiflora* (Murb.) Sennen (Conti et al., 2005). Pignatti et al. (2017–2019) report it as a synonym of *Volutaria tubiflora*, a species with a large South-Mediterranean-Saharan range, but in Italy it is present only in Linosa.

Linaria pseudolaxiflora Lojac.

This species also comes from Linosa and was found by von Zwielerlein.

Endemic species of Sicily and Malta (Conti et al., 2005; Pignatti et al., 2017–2019; Brullo C. & Brullo S., 2020). Taxon also considered valid by Bartolucci et al. (2018).

Sclerochloa zwielerleini Lojac.

Species collected in Linosa by von Zwielerlein. Also considered a synonym of *Catapodium rigidum* (L.) C.E. Hubb., this taxon is considered a valid



Figure 54. *Cistus skanbergii* (Lojacono Pojero, 1888–1909).

species as *Catapodium zwierleinii* (Lojac.) Brullo (Pignatti, 2017–2019; Bartolucci et al., 2018).

***Ancora sull'Isola di Lampedusa (1885a)*
[Still on the Island of Lampedusa (1885a)]**

This work and the following one represent an open criticism of the work of Lo Re (1885) who reported on behalf of the Ministry of Agriculture and Commerce on the agricultural development of Lampedusa. In this work, Lojacono Pojero disagrees point by point with all the optimistic forecasts of Lo Re which misled the Ministry, providing the inhabitants of Lampedusa with tools, such as ploughs and threshers, for crops which did not exist and could not have existed according to what Lojacono Pojero observed in his previous work on this island (Lojacono Pojero, 1883–1884). Lojacono Pojero reiterates that Lampedusa due to geological, pedological and botanical characteristics can never become like Pantelleria or the Aeolian Islands where agriculture is flourishing just by virtue of different soils and conditions (La Mantia, 2015). In the second part, Lojacono Pojero criticizes Lo Re on everything from a botanical point of view. He declares that his list of plants is wrong, and badly copied from that of Calcara, praising it again. He also reveals how the botanical work of Calcara has been viewed by Vincenzo Tineo, qualified proudly by Lojacono Pojero himself as “*Prof. di Botanica del nostro Ateneo*”. With the same pride he defines all the taxonomists as “*aspiranti seguaci di Papà Linneo* [aspiring followers of Father Linneo] and blames Lo Re for having not cited Calcara.

In the final lines, anticipating future times, he reveals all his aversion to the encroachments between similar sectors of the scientific world by quoting Aesop's fable about vanity: “*La Cornacchia e le piume del pavone*”. If you are a crow, it is not enough to put on beautiful feathers to become a peacock.

***Un'ultima parola su Lampedusa (1885b)*
[A final word on Lampedusa (1885b)]**

An article of only two pages in which Lojacono Pojero notes that the Ministry gave credit to the report of Lo Re (1885) and sent all the necessary equipment for crops and livestock that were not

there or that if implanted would have been destined to failure, as the following years have shown.

Lojacono Pojero, ironizing on the fact that a stallion was also sent to Lampedusa to procreate in the total absence of the other sex, closes his criticism on this episode of mismanagement of public money, without any benefit for the local populations and destined to be repeated in the years to come.

***Otto giorni alle Eolie (1904)*
[Eight days in the Aeolian Islands (1904)]**

In the month of August 1902, Lojacono Pojero, encouraged by a Russian friend who wanted to photograph the Aeolian Islands, organized a new trip to these islands in the company of Mr. Oro (secretary of the Club Alpino Siciliano), his son, and Francesco Damiani, student in Geology.

Once in Milazzo, they reached Lipari by steamer and, after a brief excursion to the Chirica and M. Pelato, departed the next day for Vulcano. The description of the crater of Vulcano is followed by botanical observations on this island, in particular on the *Ginestra ephedroides* (= *Genista tyrrhena*) and *Cytisus aeolicus* Guss. (on this species see also Lo Cascio, 2017).

From Vulcano, they returned to Lipari to travel to Salina and then Panarea. In Salina, Lojacono Pojero makes botanical observations, in particular on the presence of the fern *Pteris aquilina*, now known as *Pteridium aquilinum* (L.) Kuhn, on Mount Fossa delle Felci and some considerations on the effects of emigration to the Americas on the local populations.

In Panarea, the group arrived at night and landed in Caletta Dragutto, camping on the sandy beach. The next trip is to Stromboli, where they witnessed several episodes of volcanic activity, and then to Strombolicchio.

Lojacono Pojero describes in detail this islet with the lighthouse and the stairway dug in the rock to go up. Here, thanks to his son, Lojacono Pojero discovers the “*Kochia Saxicola* Guss.” (Fig. 55). This rare Chenopodiaceae had been described by Gussone (1855) for the rocks of S. Anna near Ischia and later found also on Capri (Migliorato, 1896). Lojacono communicated with particular emphasis this important report (Lojacono Pojero,



Figure 55. *Kochia saxicola* from Gussone (1855), see text.

1902) which, as it would be discovered later, had already been collected at Strombolicchio by Habsburg Lothringen (1896).

Currently, in the locus typicus of the station of Ischia, this species is considered extinct (Ricciardi et al., 2004) but, recently, it has been found also in two separate localities along the continental coast of Campania at Capo Palinuro (Santangelo, 2011). This is a relict species, currently reported as *Eokochia saxicola* (Guss.) Freitag et G. Kadereit (Santangelo et al., 2012).

Finally, Lojacono Pojero and his group returned to Stromboli where they embarked for Messina but, the ship, returning to Lipari to load pumice, took 12 hours to complete the trip.

Alicudi e Filicuri (Divagazione su temi eolici) (1906a)

[*Alicudi and Filicuri (Digression on Aeolian Issues) (1906a)*]

This trip to the Aeolian Islands too has been made by Lojacono Pojero in August, this time in 1905. The purpose is to reach Alicudi and Filicudi on which Lojacono Pojero had never visited. In the introductory part he provides brief historical notes on the exploration of these islands and dwells on the presence of *Kochia saxicola* in Strombolicchio, hoping it can also be found in these two islands.

The journey, started from Palermo, at night, aboard the torpedo boat N. 126S made available by the Ministry of the Navy and in excellent weather conditions, would bring Lojacono Pojero to Alicudi in the early hours of the next day. After, he did some research on this island and then departed for Filicudi, but not before noticing the lack of a doctor in Alicudi. From Filicudi he returned to Palermo after a brief stay in Vulcano and some digressions on the history of the Nunziante family that for many years has managed the island, which hosted a colony of prisoners on behalf of the Bourbons.

GIUSEPPE RIGGIO

Giuseppe Riggio (1848–1.11.1914) was assistant at the Institute of Zoology and Comparative Anatomy of the University of Palermo from 1875 to 1895 under the direction of Prof. Pietro Doderlein (Fig. 56). He was also a teacher of Science at the Technical Institute Filippo Parlatore and Vittorio Emanuele High School of Palermo. He contributed to the formation of the University Museum of Zoology, together with T. De Stefani-Perez who succeeded him (Riggio, 1889). Riggio prepared almost all the anatomical apparatuses, both skeletal and digestive (De Stefani-Perez, 1918; Massa et al., 2018).

For the museum, on behalf of Doderlein, he also made with T. De Stefani-Perez a collection of Sicilian Coleoptera of which they published a catalog (De Stefani-Perez & Riggio, 1882), later augmented with species of other Orders (Romano, 2006). His main works are on the exploration of Ustica Island (Riggio, 1885–1889), on Lepidoptera (Riggio, 1884), but,




Figure 56. Photo by Museum of Zoology Doderlein in Palermo (from Massa et al., 2018): P. Doderlein standing in the middle, on the left Domenico Reina (standing) and Giuseppe Riggio (seated), on the right Raffaele Gelarda (standing) and Giuseppe Modena (seated).

above all, on Sicilian Orthoptera (Riggio, 1887–1891, 1889; Riggio & Pajno, 1886–1887).

De Stefani-Perez (1918), who edited an affectionate obituary defining him as a “*galantuomo e appassionato cultore delle Scienze naturali*” [gentleman and passionate enthusiast of natural sciences]”, reports a total of 26 works published by Riggio.

Materiali per una fauna entomologica dell’isola di Ustica. Prima contribuzione (1885–1886)
[Materials for an entomological fauna of the island of Ustica. First contribution (1885–1886)]

Riggio made his first trip to Ustica from August 30 to September 6, 1885, and in three papers, from 1885 to 1886, he published the list of species collected. In the first contribution, he lists 41 species of Coleoptera, to which he adds 7 species collected by Domenico Reina who went to Ustica on behalf of P. Doderlein, director of the Institute of Zoology of Palermo, and 2 species present in the Ragusa

collection. Among them he reports *Vesperus luridus* (Rossi, 1794) (Cerambycidae) living on vines and *Acalles rolleti* (Germar, 1817) (Curculionidae). In the second contribution, he lists 17 species of Hymenoptera, including *Eurytoma atra* (Walker, 1832) (Eurytomidae), harmful to the caper (*Capparis spinosa* L.), 14 species of Lepidoptera, 4 species of Diptera, 19 species of Hemiptera, 3 species of Neuroptera, and 3 species of Odonata. In the third contribution, he lists 11 species of Orthoptera and in particular provides a lot of information on *Polyphaga aegyptiaca* (Linnaeus, 1758) (sub *Heterogamia aegyptiaca*) a large cockroach with a marked sexual dimorphism: the female is larger, atherical and almost circular in shape.

In the final pages, Riggio (1886) provides an updated list of the Insects collected in Ustica by Calcara (1842) and gives a summary of two works dedicated to this island. The first by Captain A. Arietti (Arietti, 1875) with an introduction by Doderlein (1875) and, the second by the then parish priest of Ustica, Giuseppe Tranchina (Tranchina, 1885).

Materiali per una fauna entomologica dell'isola di Ustica. Seconda contribuzione (1888–1889)
[*Materials for an entomological fauna of the island of Ustica. Second contribution (1888–1889)*]

In this occasion, Riggio went to Ustica with his whole family for a longer period: from September 9 to October 14, 1886.

The Hymenoptera were studied with T. De Stefani (Riggio & De Stefani-Perez, 1888, see below), and his work was published in three parts (Riggio, 1888–1889). In the lists provided, he reports only the new species collected and not those already reported, reserving the right to make a following work, more complete and conclusive of these researches that were not, however, realized.

In the first work, there are listed 86 species of Coleoptera, in the second 57 species of Hymenoptera of which 5 are new compared to the work with de Stefani-Perez (Riggio & De Stefani-Perez, 1888) because they were found in a forgotten test tube.

In the third contribution, he adds the remaining groups with 11 species of Lepidoptera, 15 species of Diptera, 35 species of Hemiptera, 2 species of Neuroptera, 3 species of Odonates and 16 species of Orthoptera.

Appunti e note di Ortoterologia siciliana VII. Ortoteri di Lipari (1891)
[*Notes of Sicilian Orthopterology VII. Orthoptera of Lipari (1891)*]

It is a short paper where Riggio provides a list of 7 species of Orthoptera received from the naturalist Gaetano Platania of Acireale who collected them in Lipari. The most interesting find, and of which Riggio provides a longer note than the whole article, is the report of *Brachycrotaphus trixalicerus* (Fischer, 1854) (Acrididae). This is a species distributed in the Mediterranean and in Africa, south of the Sahara, but which was described based on a specimen collected in Messina by Zeller in August 1844 (Fischer, 1853). The most abundant populations of this species in the Mediterranean area are found in the Aeolian Islands (Failla et al., 1973; Massa et al., 2012). Recently, it was found in Italian Peninsula (Viglioglia et al., 2020).

TEODOSIO DE STEFANI-PEREZ

Teodosio De Stefani-Perez was born in Santa Ninfa (Trapani) on February 6, 1853 and died in Giacalone (Monreale, Palermo) on February 25, 1935 (Fig. 57).

Riggio (1987) summarized in the following way the main characteristics of this family of Sicilian scholars, De Stefani or Di Stefano, to which Teodosio belonged: “...i De Stefani non mostrano una continuità nello stesso ramo scientifico ma sono al contrario eclettici, comparendo contemporaneamente come cultori di discipline diverse ma di statura scientifica equivalente ... non sono mai diventati una dinastia universitaria, non hanno accumulato potere, ma al contrario hanno gemmato studiosi anche in condizioni di estrema difficoltà [the De Stefanis do not show continuity in the same scientific branch



Figure 57. Teodosio De Stefani-Perez
 (photo courtesy of R. Poggi).

but on the contrary they are flexible. They appear at the same time as scholars of different disciplines but of equivalent scientific stature ... they have never become a university dynasty, they have not accumulated power, but on the contrary they have generated scholars even in conditions of extreme difficulty]”.

Teodosio De Stefani-Perez (see also Mariani, 1951; Caleca & Mineo, 1985, 1988; Riggio, 1987), compared to his brothers Carlo and Giovanni, in particular, devoted himself to zoological studies as professor of Entomology at the University of Palermo, delegate of Phytopathology for Sicily (1889) but, above all, at the University Museum of Zoology and Comparative Anatomy of Palermo working with Giuseppe Riggio under the direction of Pietro Doderlein.

He devoted himself mainly to the study of Hymenoptera Chalcididae and gall makers species, parasitic insects and phytopathological interest, hymenoptera of the island of Ustica with G. Riggio (Riggio & De Stefani-Perez, 1888), but also wrote on topics of ornithology, herpetology, and zoology in general. He published over 260 works (Caleca & Mineo, 1988; Sparacio et al., 2020) in which he covered not only the systematic aspect, as he described many new taxa, but he also took care of the biological and ecological observations of the species he studied.

Eclectic, generous, layperson, evolutionist, endowed with a sense of humor and, at the same time, of great intellectual and scientific depth, Teodosio De Stefani-Perez was one of the protagonists of the Sicilian scientific culture of 1800. Friend of Enrico Ragusa and Luigi Failla-Tedaldi, he took care of the Museum of Zoology after the death of Doderlein.

After 1920, the changed cultural and political climate marginalized him progressively at the edges of the context in which he had lived as a protagonist. His advanced age, family and economic problems led to his death, almost eighty years old, in total indifference (Riggio, 1987).

Sopra alcuni imenotteri dell'Isola di Ustica (con G. Riggio, 1888)

[Above some Hymenoptera of the island of Ustica (with G. Riggio, 1888)]

The Hymenoptera collected by Riggio during

his second naturalistic trip to Ustica in 1886, after the one made previously (Riggio, 1987), are here studied.

In particular, Riggio & De Stefani-Perez (1888), in addition to providing a list of 62 species collected, describe three new species, one of which is included in a new genus (Fig. 58).

Sclerogibba Riggio et De Stefani-Perez, 1888 (Family Sclerogibbidae)

Sclerogibba crassifemorata Riggio & De Stefani-Perez, 1888

This genus includes 15 species spread almost worldwide (Olmi, 2005; van Noort, 2020). In particular, *S. crassifemorata* lives in Central African Republic, Kenya, Namibia, Niger, South Africa, Zimbabwe, Indo-Australian and Palearctic regions. In Italy, it is reported for some peninsular regions, Sicily and Sardinia. It was described on a single female specimen found on 13.IX.1886 in locality Falconiera. It is a small species (4 mm), apterous, characterized by the shape of the thorax and by very enlarged femurs and anterior tibiae. Typical material lost, neotype from Rome (Olmi, 2005).

Exochus lucidus n. sp.

The genus *Exochus* Gravenhorst, 1829 (Ichneumonidae) includes more than 270 species distributed worldwide. *Exochus lucidus* was described on a female, 5 mm long, collected in Contrada Tramontana on 5.X.1986, characterized by the shortness of the spines and the color of the black head with reddish antennae.

Reported only in Sicily but considered as uncertain species; typical material lost (Scaramozzino, 1995).

Monodontomerus usticensis Riggio et De Stefani-Perez, 1888 (Family Torymidae)

Some thirty species belong to the genus *Monodontomerus* Westwood 1833 (Torymidae), distributed mainly in North America (van Noort, 2020).

Monodontomerus usticensis was described on a specimen, length 4.6 mm, found on 27.IX.2886 on Montagna Grande.




Figure 58. Some new Hymenoptera described by Riggio & De Stefani-Perez (1888) from Ustica Island (Il Naturalista siciliano, 7, Pl. 1, modified).

TOMMASO DI MARIA, MARQUIS OF MONTEROSATO

One of the greatest malacologists of all times was born in Palermo on 27.6.1841 from Casimiro di Maria, Baron of Alleri, and Carolina Natale (Figs. 59, 60). The grandfather, whose name he bears, is Tommaso Natale Marquis of Monterosato, great jurist and philosopher.

He always lived in Palermo where he carried out his studies and married first Bianca Milo of the Marquises of Campobianco, who died very young, and then with Teresa, daughter of Francesco Ferrara, politician and economist, hero of the Risorgimento and then Deputy, Senator and Minister of Finance of the Kingdom of Italy.

He was initiated to malacological studies by the abbot Brugnone and by Luigi Benoit. He had a good relationship with Aradas but had particularly bonds of esteem and friendship with Jeffreys of Ware (London) and Philippe Dautzenberg (Paris). In fact, Monterosato, while remaining deeply tied to his land, realized an



Figure 59. Tommaso di Maria Marquis of Monterosato (young) (photo courtesy of R. Poggi).

international vision of his passion for malacology, in continuous comparison with the greatest scholars of the time. He dedicated himself above all to the study of marine Molluscs and, to a lesser extent, of terrestrial and fossil Molluscs. He made numerous trips in Italy and Europe, always in the company of his wife Teresa, studying almost all the Italian and European malacological collections of the time.

His first work, completed at the age of 28 years, was published in the French journal “Journal de Conchyliologie” (Monterosato, 1869). A keen observer and skilled taxonomist, capable of correct and complex biogeographical and systematic syntheses, Monterosato described or introduced more than five hundred names as species, almost all for marine mollusks, many of which are still valid or available today (Appolloni et al., 2018).

Tomlin (1930) summarized his skills as a taxonomist thus: “*He was an extraordinarily accurate and careful observer; and it was very, very seldom that one could challenge his decision in the discrimination of a species; the smaller the shell, the more exact and reliable was his understanding of it*”.

Appolloni et al. (2018) list 82 scientific publications attributed to Monterosato based on what has also been investigated by other authors on both the total number and the actual date of printing (Fischer-Piette, 1937; Piani, 1981; Riccardo Giannuzzi-Savelli, 1982–1989; Beckmann, 2001; Manganelli and Cianfanelli, 2001; Evenhuis, 2003).

During his lifetime, Monterosato built up an impressive malacological collection, also by acquiring other collections such as Adami’s, Brugnone’s and Tiberi’s which, in turn, incorporated other collections. This large and valuable collection, where there are numerous syntypes or other published material received from numerous of his correspondents, is currently preserved at the Museum of Zoology in Rome (Appolloni et al., 2018) and, to a lesser extent, in other locations (Piani, 1984; Mienis, 2012; Reitano et al., 2019). However, Monterosato himself, in a moment of economic difficulty, was forced to sell his collection to Vito Beltrami of Palermo, around the age of 80.

He died a few years later, suddenly, in his bed, as reported by De Gregorio (1927) cared for by his

wife Teresa until the last moments of his life (see also Dautzenberg, 1928; Cipolla, 1928; Ryolo & Palazzi, 2008).

The contribution of Monterosato on the circumsicilian islands is due to a substantial work on terrestrial molluscs, paradoxically for those who, like him, dealt mainly with marine species. However, it must be underlined that almost all the Sicilian naturalists of 1800 reported new species or important signals for the minor islands also in many other works not exclusively dedicated to these territories. Thus, for example, Pantelleria is mentioned in the typical series of *Skenea catenoides* (Monterosato, 1877) and *Chauvetia affinis* (Monterosato, 1889), Lampedusa in that of *Raphitoma radula* (Monterosato, 1884), Lipari for *Raphitoma contigua* (Monterosato, 1884), *Ocenebra nicolai* (Monterosato, 1884) and *Chama circinata* (Monterosato, 1878 (Appolloni et al., 2018)).

Molluschi terrestri delle isole adiacenti alla Sicilia (1892)

[Terrestrial mollusks of the islands adjacent to Sicily (1892)]

In this work, Monterosato (1892) provides a brief general introduction on the circumsicilian islands confessing a certain apprehension for the subject he is about to deal with, unfamiliar to him, but comforted by the thought that the final synthesis may still be useful for subsequent malacological studies. Following is the list of taxa described or introduced by Monterosato. Many are morphological varieties but almost all are, however, valid names and available in consideration of further investigations on these island populations. Genus or sub-genera groupings are very useful. In conclusion, Monterosato is aware of having introduced an “*valanga* [avalanche]” of new names, but, far from regretting it, he will state that “*ve ne sono ancora molti da proporre* [there are still many to propose]”.

3. *Hyalina Rossmassleri*, Westerlund var. ex forma *plana*, *convexa*, *cornea* (typica), *albina*.

Abundant in Favignana.

Ridel (1973) reconstructs the synonyms of this group of species from the Aegadian Islands as follows. Monterosato (1892) acknowledges that what Westerlund (1886) reported for this species is wrong by stating that it is a species exclusive to



Figure 60. Tommaso di Maria Marchese di Monterosato (older) (photo from Giannuzzi Savelli, 1982–1989).

Favignana and not to other localities in Sicily. However, Monterosato does not assign another name to these populations but only reports morphological varieties. Thus, Riedel (1973) would describe them as *Oxychilus (Hyalocornea) egadiensis* (Gastropoda Oxychilidae).

Further in this work, Monterosato (1892) describes a “*Hyalina Aegusina*” of Favignana, but Riedel (1973), after examination of the types coming from the Benoit collection and preserved in the Monterosato collection, excludes that it could be the endemic species of Favignana or of other Aegadian Islands.

7. *Helix Aegusina*, Monts.

Favignana Island.

Oxychilus aegusinus Monterosato, 1892, Favignana, in Alzona (1971: 128). Taxon of uncertain systematic position (see above).

9. *Helix Sicula* Benoit var. *Vulcanica*, Monts.

Island of Lipari, slopes of Etna.

Taxon reported as *Oxychilus draparnaudi siculus* Westerlund, 1876 (Gastropoda Oxychilidae) by Alzona (1971) and considered synonym with *Oxychilus (Oxychilus) draparnaudi* (Beck, 1857) by Giusti (1973: *sicula* sensu Auctores not Benoit, 1857). Records from Sicily of *O. draparnaudi* belong to *O. fuscus* - *O. planellus* group (Bodon et al., 2021).

11. *Leucochroa* sp.

Monterosato observes that the populations of *Sphincterochila (Albea) candidissima* (Draparnaud, 1801) (Gastropoda Sphincterochilidae) from Favignana and other localities in Sicily are different from those of Algeria. Locus typicus of this species is France “*en Provence et dans le Comtat*” (Draparnaud, 1801).

Var. *conoidea*, Bourguignat. Favignana.

15. *Helix (Macularia) vermiculata* Mull. Var. *solidior*, Monts.

Favignana Island.

Var. *Usticensis* Adami mss., Island of Ustica. Varieties *alba* and *fasciata* for the Island of Lampedusa.

Alzona (1971) considers the taxon *solidior* synonyms with *Eobania vermiculata* (Müller, 1774) (Gastropoda Helicidae) while *usticensis* is reported as an insular subspecies: *Eobania vermiculata usticensis* Monterosato, 1892.

18. *Iberus florioi*, Monts.

Monterosato reports it as abundant on the island of Favignana and dedicates it to the memory of Ignazio Florio, member of the rich Florio economic dynasty (Fig. 61).

Alzona (1971) reports it as a subspecies, *Murella (Murella) platychela florioi* (Monterosato, 1892) (Gastropoda Helicidae) for Favignana and Levanzo, also as a fossil. Bank & Neubert (2017) and Molluscabase (2021) report it as *Marmorana (Murella) platychela florioi*.

19. *Iberus inglorius*, Monts.

Favignana and Marettimo Islands.

Reported as *Murella (Murella) muralis ingloria* (Monterosato, 1892) (Gastropoda Helicidae) in Alzona (1971) for limestone western Sicily.

Bank & Neubert (2017) and Molluscabase (2021) report it as *Marmorana (Murella) muralis ingloria*.

20. *Iberus albinosus*, Monts.

Monterosato describes this taxon without indicating the locality but stating that it comes from the Aegadian Islands with certainty. The description he gives and the reference to the work of Benoit (1857, Levanzo, Pl. 2, Fig. 14) point to the populations of Levanzo.

Alzona (1971) reports it as *Murella (Murella) muralis albinosa* (Monterosato, 1892) (Gastropoda Helicidae) for the Aegadian Islands. Bank & Neubert (2017) and Molluscabase (2021) report it as *Marmorana (Murella) muralis albinosa*. However, Benoit (1857) correctly described and illustrated populations on Levanzo (see above) so if the taxon “*albinosus*” were confirmed for this locality, as it seems, it would be a junior synonym for “*unicolor* Benoit, 1857”.

21. *Iberus indistinctus*, Monts.

Ustica Island.

Taxon reported by Alzona (1971) as *Murella (Murella) muralis indistincta* (Monterosato, 1892) (Gastropoda Helicidae) for Ustica and as *Marmorana (Murella) muralis indistincta* (Monterosato, 1892) by Bank & Neubert (2017) and Molluscabase (2021).

22. *Iberus muralis*, L. var. *propemuralis*, Monts.

Favignana Island. Also from Trapani at Mt. S. Giuliano or Erice (Fig. 62).

This taxon is reported by Alzona (1971) as *Murella (Murella) muralis propemuralis* (Monterosato, 1892) (Gastropoda Helicidae) for Favignana and as *Marmorana (Murella) muralis propemuralis* by Bank & Neubert (2017) and Molluscabase (2021).

24. *Helix (Euparypha) Pisana*, Müll.

Favignana Island.

Var. ex forma *Aegusina*, *spirolineata*, *sertum*, *rosalba*, *subconica*.

All of these varieties are considered as junior synonym with *Theba pisana pisana* (Müller, 1774) (Gastropoda Helicidae) in Alzona (1971), Giusti (1973), and Bank & Neubert (2017).

26. *Helix (Xerophila) edulis*, Monts.

Monterosato places this taxon near to *Helix rufolabris* Ben. and to *Helix variabilis* junior synonym of *Cernuella (Cernuella) virgata* (Da Costa, 1778) (Bank & Neubert, 2017) (Gastropoda Geomitridae).

It is reported for many localities in Sicily, including Ustica Island.

27. *Helix sanguinea*, Monts.

Favignana Island.

Taxon similar to previous one, belonging to the cycle of forms of *Cernuella (Cernuella) virgata*.

28. *Helix (Xerophila) metabola* West. Var. ex col. *Albina*, Monts., *subrostrata*

Lampedusa Island.

Cernuella (Xeroamanda) metabola (Westerlund, 1889) is a species endemic to the Lampedusa Island (Alzona, 1971 sub *virgata metabola*; Welter-Schultes, 2012; Bank & Neubert, 2017). It is restricted to Lampedusa Island and Pantelleria Island according to Welter-Schultes (2012) and Bodon et al. (2021).

The *subrostrata* taxon of Monterosato is considered a junior synonym of it (Beckmann, 1992; Bank & Neubert, 2017).

29. *Helix (Xerophila) rusticana*, Monts.

Lampedusa Island.

Synonym of *Cernuella (Xeroamanda) metabola* (Alzona, 1971 sub *virgata metabola*; Beckmann, 1992; Bank & Neubert, 2017).

30. *Helix (Xerophila) fraudulenta*, Monts.

Lampedusa Island, along with the previous two.

Same as the previous taxa, this one is synonym with *Cernuella (Xeroamanda) metabola* (Alzona, 1971 sub *virgata metabola*; Beckmann, 1992; Bank & Neubert, 2017).

31. *Helix (Xerophila) falsa*, Monts.

Levanzo Island (coll. Adami, sub *Helix Terverii*) (Fig. 63).

Monterosato considers the locality of Levanzo to be incorrect.

32. *Helix (Xerophila) Maretima*, Monts.

Marettimo and Favignana Islands. Monterosato reports it as a beautiful and distinct species exclusive of Marettimo.

Pollonera (1893), after examining of the type that Benoit sent to Monterosato with the name of “*Helix Terveri*” coming from the Island of Marettimo, realized that the reference to the plates of Benoit by Monterosato was not correct. Therefore, he depicted the specimen in question and described this taxon. Alzona (1971) reports this taxon as doubtful for *Helicella (Xeromagna) maretima* Pollonera, 1893 for Favignana and Marettimo.

34. *Helix (Xerophila) depressior*, Benoit var. *unicolor* and *zonata*

Favignana Island.

Color varieties of *Cernuella (Xeroamanda) depressior* (Benoit, 1857) (Gastropoda Geomitridae) (Alzona, 1971; Fiorentino et al., 2004; Bodon et al., 2021).

36. *Helix (Xerophila) dormiens*, Benoit - var. *unicolor*, var. *rugosula*, Ben.

Marettimo. Found in Favignana Island (Monts.).

Alzona (1971) considers it a valid taxon as *Helicella (Xeromaesta) dormiens* (Benoit, 1859) from Favignana and Marettimo. Fiorentino et al. (2004) do not mention it.

37. *Helix (Xerophila) amanda*, Rossm. Var. *Benoiti*, Monts.

Marettimo Island: “*Esemplari di colore piuttosto scuro e a fascie, mentre che quella di Calatafimi è costantemente sbiadita come in Algeria. Questa varietà si potrà distinguere con il nome di obscura* [Specimens rather dark-colored and banded, whereas that of Calatafimi is consistently faded as in Algeria. This variety will be able to be distinguished by the name of *obscura*]”.

Alzona (1971) mentions it as *Helicella (Xeroamanda) amanda benoiti* Monterosato, 1892 (Gastropoda Hygromiidae) for Marettimo Island. Fiorentino et al. (2004) report *Cernuella amanda* (Rossmässler, 1838) for Marettimo also as fossil.

Name available for Marettimo populations ascribed to *Cernuella (Xeroamanda) amanda*.

39. *Helix (Xerophila) Liparota*, Monts.

Lipari Island.

Alzona (1971) reports it as *Helicella (Cernuella) subprofuga liparota* (Monterosato, 1892) for the Aeolian Islands. Giusti (1973) reports it as a synonym of *Cernuella (Cernuella) subprofuga* (Stabile, 1864), Bank & Neubert (2017) sub *liparotica* (Monterosato, 1892) as a synonym of *Cernuella (Cernuella) cisalpina* (Rossmässler, 1837) (Gastropoda Geomitridae).

41. *Helix (Xerophila) pyramidata*, Drap. Var. *minor* "Small undecided form from Lipari."

Not reported by Alzona (1971) nor by Giusti (1973). Probable synonym of *Trochoidea pyramidata* (Draparnaud, 1805) (Gastropoda Geomitridae).

42. *Helix (Xerophila) Cumiae*, Calcara

Lampedusa, var. ex col: *vittata*, *punctata*, *interrupta*, *atra*, *albida*, *asteriscus*.

Morphological varieties of *Trochoidea cumiae* (Calcara, 1847) (Gastropoda Geomitridae) native species from Lampedusa Island (Cianfanelli, 2002) introduced in Calabria (Welter-Schultes, 2012) and Pantelleria Island (Bodon et al., 2021).

45. *Helix (Xerophila) acuta*, Müll.

Var. *pratensis*, Monts., Favignana and other Aegadian Islands, Ustica, Lipari, etc.

Var. *cochleaeformis*, Monts., Marettimo, Lampedusa, Agrigento, Palermo.

Var. *cochleolina*, Monts., Favignana; Malta; Candia Island; Sinope, Black Sea.

Var. *macella* Monts., Lampedusa.

Morphological varieties of *Cochlicella (Cochlicella) acuta* (Müller, 1774) (Gastropoda Geomitridae) (Alzona, 1971; Beckmann, 1992; Bank & Neubert, 2017).

On page 21 of his paper, Monterosato addresses the great variability of this group of Hygromiidae called *Xerophila* sensu lato and realizes how systematics was then inadequate. So, as briefly as possible, he says, he reorders, at the level of the entire Euro-Mediterranean range, all these species by describing 42 taxa of supra-generic level guided mainly by their geographical affinities. Many of these names are no longer used or have been

synonymized but several others are valid, at the genus or subgenus level, and of great utility in current systematics (see for example, Gittenberger, 1985; Manganelli & Giusti, 1988; Manganelli et al., 1997, 2001; Schileyko, 1991).

Valid taxa include, for example: *Xerosecta*, *Xeroplana*, *Xeroamanda*, *Xeroclausula*, *Xerotricha*, *Xerocrassa*, *Xerolenta*, *Xerocincta*, *Xeropicta*, and *Xeromunda*.

48. *Helix (Helicogena) aspersa* Mull.

Var. *putris* Monts. (= ? *minor*, auct.), Ustica, Pantelleria.

Var. *eutecta* Monts. Lampedusa, Pantelleria.

Taxa considered synonyms with *Cornu aspersum* (Müller, 1774) (Gastropoda Helicidae) (Alzona, 1971; Beckmann, 1992; Bank & Neubert, 2017).

Var. *insolida* Monts. Favignana? bought at the Trapani market from Monte S. Giuliano and Favignana.

Monterosato describes this taxon by attributing it to *Cornu aspersum*. Later (Monterosato, 1894), he realizes that it belongs to the cycle of forms of "*Helix*" *mazzullii* De Cristofori et Jan, 1832 and describes, for this group of species, a distinct section that he calls *Ercetella* from the ancient name of Monte Pellegrino. As reported by Colomba et al. (2011), *Ercetella* Monterosato 1894 is a genus rupicolous and saxicavous that includes three species from northwestern Sicily: *E. cephaloeditana* (Giannuzzi-Savelli, Oliva et Sparacio, 1986) from Rocca di Cefalù (Cefalù), *E. mazzullii* from the Palermo Mountains and *E. insolida* (Monterosato, 1892) from the Trapani Mountains, which is found fossilised in Favignana and Levanzo (De Gregorio, 1894; Fiorentino et al., 2004; Colomba et al., 2011).

Recently, a new species of *Ercetella* endemic to the island of Crete has been described: *E. cretense* Hausdorf, Bamberger et Walther, 2020 (Hausdorf et al., 2020).


50. *Buliminus (Mastus) pupa* Brug.

Var. *regularis* Monts., Favignana.

Var. *usticensis* Monts., Ustica.

Var. *ovoidea-minor* Monts., Lipari, Etna.

Synonyms of *Mastus pupa* (Linnaeus, 1758) (Gastropoda Enidae) (Alzona, 1971; Giusti, 1973; Bank & Neubert, 2017).



Figures 61-63. Type material of the Monterosato collection (Museum of Zoology of Rome, Italy). Fig. 61: *Murella* (*Murella*) *platychela florioi* from Favignana Island. Fig. 62: *Murella* (*Murella*) *muralis propemuralis* from Favignana Island. Fig. 62: *Cernuella* “*falsa*” from Levanzo Island (see text). Photos courtesy of M. Appolloni and C. Smriglio.

51. *Buliminus Lopadusae*, Monts.

“*Isola di Lampedusa. Vicino al B. carneolus di Costantinopoli. Forma subulata a labbro bianco, tagliente, ben rivoltato a base non rotonda. Si può riguardare anche come varietà del precedente (B. (M.) pupa) [Lampedusa Island. Close to B. carneolus from Constantinople. Subulata form with white, sharp, reflexed peristome and non-rounded base. May also be related as a variety of the previous (B. (M.) pupa)]*”.

As with the previous taxa, this is also considered synonyms with *Mastus pupa* (Linnaeus, 1758) (Alzona, 1971; Beckmann, 1992; Bank & Neubert, 2017).

52. *Ferussacia folliculus* Gron.

Var. *elongata* Monts., Favignana.

This taxon is a synonym of *Ferussacia (Ferussacia) folliculum* (Schröter, 1784) (Gastropoda Ferussaciidae) (Alzona, 1971; Bank & Neubert, 2017).

57. *Rumina decollata* L. (Fig. 44)

Var. *cylindrica* Monts., Lampedusa: “*Forma cilindrica, allungata (alta mm. 30, larga 10); 4 a 5 anfratti; biancastra [Cylindrical form, elongate (30 mm. high, 10 wide); 4 to 5 whorls; whitish]*”.

Var. *pellucida* Monts., Isola d’Ustica: “*Pellucida, fulva, corta, conica; 4 anfratti [Pellucid, reddish, short, conical; 4 whorls]*”.

Var. *solida* Monts., Lipari: “*Solida ed opaca; scultura fortemente increspata; 5 anfratti; dimensione ordinaria [Solid and opaque; sculpture strongly rippled; 5 whorls; ordinary size]*”.

Var. *cruda* Monts., Favignana.

All of these taxa are considered synonyms of *Rumina decollata* (Linnaeus, 1758) (Gastropoda Ruminidae) (Alzona, 1971; Bank & Neubert, 2017). The var. *solida* Monts. from Lipari Island also by Giusti (1973).

58. *Pupa (Torquilla) subulata*, Bivona fil.

Monterosato, on specimens found by Adami from Lampedusa, describes “*Torquilla Lopadusae*” also with the approval of Westerlund (*in litteris*) to whom he had it examined.

Synonym of *Granopupa granum* (Draparnaud,

1801) (Gastropoda Chondrinidae) according to Beckmann (1992) and Bank & Neubert (2017).

60. *Clausilia adelina* Benoit

Var. *subsolida* Monts. “*Più solida e più fortemente striata. Delle isole Egadi*”.

Synonym of *Siciliaria calcarae adelina* Küster, 1847 (Gastropoda Clausiliidae) in Alzona (1971) or of *S. calcarae calcarae* according to Bank & Neubert (2017).

62. *Clausilia (Papillifera) familiaris* Monts.

Type locality: Palermo and surrounding mountains

Var. *peculiaris* Monts., Favignana, abundant.

Var. *capillaris* Monts., Favignana, together with *peculiaris*.

Var. *aliena* Monts., “*Lipari e ... pendici dell’Etna. Forse anche d’Ustica, come C. papillaris (Calcara) [Lipari and ... slopes of Etna. Perhaps also from Ustica, like C. papillaris (Calcara)]*”.

Var. *Aegusina* Monts., Aegadian Islands along with *peculiaris*, abundant.

Following Bank & Neubert (2017), *Clausilia familiaris* from Monterosato is thought to be synonymous with *Papillifera papillaris affinis* (Philippi, 1836) (Gastropoda Clausiliidae), and the later varieties described especially for the circumsicilian islands synonyms with *P. papillaris papillaris* (Müller, 1774).

63. *Clausilia (Lopadusaria) Lopadusae*, Calc. Var. *solidula*, Monts.

Lampedusa Island.

Synonym of *Lampedusa (Lampedusa) lopadusae lopadusae* (Calcara, 1846) (Gastropoda Clausiliidae) in Alzona (1971), Beckmann (1992), and Bank & Neubert (2017). Other *Lampedusa* species are *L. (Imitatrix) imitatrix* (Boettger, 1879) and *L. (I.) melitensis* (Caruana Gatto, 1892a) (Fig. 64) from Maltese Islands.

64. *C. (Lopadusaria) nodulosa*, Monts.

Lampione Island (Giglioli, Paulucci).

Insular subspecies as *Lampedusa (Lampedusa) lopadusae nodulosa* (Monterosato, 1892) (Liberto et al., 2012; Bank & Neubert, 2017; Fiorentino et al., 2017; Colomba et al., 2019).

Monterosato, correctly, states that the two populations of Lampedusa and Lampione are a separate group, as also indicated by Boettger (1877). He introduces the genus name *Lopadusaria* which is a junior synonym of *Lampedusa*, described by Boettger (1877).

(a) *C. oscitans*, Charp.

Var. *doliolina*, Monts. Corpulenta

Var. *torcula*, Monts. With the screw press whorls

Var. *densa*, Monts. With numerous and dense ribs

V. *distans*, Monts. With few ribs

b) *C. scabrida*, Monts. In sched. 1881

Taxa of the island of Malta, considered synonyms of *Muticaria macrostoma macrostoma* (Cantraine, 1835) or *M. macrostoma oscitans* (Charpentier, 1852) (Gastropoda Clausiliidae) by Beckmann (1992), Giusti et al. (1995) and Bank & Neubert (2017).

Again, Monterosato understands the affinities between these Maltese-Sicilian populations,

“*formano un bel gruppo distinto* [they form a nice distinct group]”, and groups them in the genus *Lamellifera*. Unfortunately, it will be invalidated and replaced with *Muticaria* Lindholm, 1925.

f) *C. (Papillifera) circinata*, Paul.

g) *C. (Papillifera) Melitensis*, Monts. Mss.

Taxa of the island of Malta (Fig. 65) considered synonyms of *Papillifera papillaris* by Beckmann (1992) and Giusti et al. (1995). Bank & Neubert (2017) attribute these populations to *Papillifera papillaris circinata* (Paulucci, 1878) from south-eastern Sicily (= *melitensis* Monterosato, 1892).

h) *C. (Albinaria) De Gregorii*, Platania.

Monterosato, specifying how the *Albinaria* Vest, 1867 are species of the eastern Mediterranean, thinks that this population does not come from Malta. He notes that the type of this new species is the same as “*C. coerulea di Syra* [= *Albinaria caerulea* (Deshayes, 1835) from Syros, a Greek island in the Cyclades]” (see also Fig. 69).



Figures 64, 65. Type material of the Monterosato collection (Museum of Zoology of Rome, Italy). Fig. 64: *Lampedusa (Imitatrix) melitensis* from Malta Island. Fig. 65: *Papillifera papillaris* “*melitensis*” from Malta Island. Photos courtesy of M. Appolloni and C. Smriglio.

ENRICO PIRAJNO

Enrico Pirajno (Fig. 46), the only surviving son of Michelangelo, baron of Mandralisca, and Maria Carmela Cipolla, was born in Cefalù on 5.12.1809. In this town, he participates to the revolts of 1848 in the Provisional Committee of Cefalù and, then, in the new Sicilian Parliament, against the Borboni. For this, he would shortly stay in prison. After several cultural and governmental positions, Pirajno was elected in 1861, after the Unification of Italy, as a representative of the college of Cefalù, in the Chamber of Deputies of the Italian Parliament in Turin.

From the naturalistic point of view, he devoted himself to the study of marine and terrestrial molluscs and to the observation of birds, producing several scientific publications. Almost all his publications were of malacology, with several taxa described. Some are still valid, like *Murella*



Figure 66. Enrico Pirajno.

nebrodensis (Pirajno, 1842) (Gastropoda Helicidae) and *Oligolimax musignani* (Pirajno, 1842) (Gastropoda Vitrinidae) (Pirajno di Mandralisca, 1840, 1842). He made an important and impressive malacological collection, fruit of personal collections and exchanges with the whole world. It is preserved in the homonymous cultural and museum foundation, still present in Cefalù and founded by him.

All biographies or works on the person of Pirajno agree on his great cultural and human qualities and his remarkable political and entrepreneurial skills (see for example Marino, 2004; Pastena et al., 2009; Orlando, 1987).

Pirajno was also very interested in botany, providing findings and useful information to almost all of his botanists contemporaries. Of these, the greatest contacts were with Vincenzo Tineo with whom there were probably plans for future and more important collaborations (Lo Cascio, 2014).

Tineo (1855) published, in particular, a controversial new species received just from Pirajno and coming from Vulcano Island: *Kleinia mandraliscae* Tin. (Asteraceae) (Pasta, 2003; Domina, 2005). Also Todaro (1861) and Lojacono Pojero (1902) dedicated to him names of new plants. In our days, a his small herbarium has been examined by Domina & Mazzola (2005) and Lo Cascio (2014) with material from Mondello, Madonie and Aeolian Islands (see also Pusateri & Giannuzzi-Savelli, 1997).

For the circumsicilian islands, Pirajno devoted himself to the study of the Aeolian Islands, the native land of his wife (married at 17) Maria Francesca Parisi dei baroni di San Bartolomeo di Lipari.

He carried out archaeological, geological, botanical and zoological researches but, probably because of the age at which he died, at 54 years old in 1864, many works remained as important projects never realized or in the form of unpublished writings, partly appreciated after many years (Lo Cascio, 2001; Lo Cascio et al., 2010). Thus, some areas of his naturalistic collections are still the subject of studies such as those on malacology (Giannuzzi Savelli et al., 1986; 2012), paleontology (Bonfiglio, 1998), botany (Domina & Mazzola, 2005) or zoology (Peri, 1994). An overview of the Pirajno studies on the Aeolian islands is reported by Lo Cascio (2014).




Figure 67. Volcanic tuffs and siliceous limestones of Lipari by Gaudin & Pirajno (1860), plate 3: the drawings show some leaves of *Hedera helix* L. figures 1–5), *Chamaerops humilis* L. (figure 6), leaves of *Quercus ilex* L. (figures 7–11) and a plant “Robiniaeformis”, Leguminosae (figure 12).

Contributions a la flore fossile italienne. Cinquième mémoire. Tufts volcaniques de Lipari (with Gaudin C.T., 1860)

[*Contributions to the Italian fossil flora. Fifth memoir. Volcanic tufts of Lipari (with Gaudin C.T., 1860)*]

This is the only work of botany, as far as it deals with fossil findings, published by Pirajno, who also left an unpublished manuscript of agronomic type. The fossil flora found by Pirajno in the volcanic tufts of Lipari is here listed (Fig. 67) which had partly been described before by Gaudin (1858). In the preface, the collections of the Sicilian naturalist are framed in a wider context with further contributions never made. Among the species mentioned, a new species is described: *Leguminosites robiniaeformis* Gaudin et Pirajno by Mandralisca, 1860.

A further work on the fossil plant remains of Lipari Island, preserved in the Mandralisca collections, was then carried out by Bonfiglio (1998).

Coleotteri delle isole Eolie. Manoscritto inedito custodito presso l'Archivio Storico della Fondazione Mandralisca di Cefalù, sezione 2, serie 9, 45, 10/2, 4 pp. (ante 1864)

[*Coleoptera of the Aeolian Islands. Unpublished manuscript kept in the Historical Archives of the Mandralisca Foundation of Cefalù, section 2, series 9, 45, 10/2, 4 pp. (ante 1864)*]

This holographic manuscript, described and commented by Lo Cascio et al. (2010), consists of four pages, the first three of which are dedicated to the Coleoptera of the Aeolian Islands, while the last one concerns the "Frontal Hemiptera".

In the pages dedicated to Coleoptera are listed 47 specific taxa and 4 infraspecific taxa (varieties). The place of origin is not mentioned, but many of these findings should come from Lipari, where Pirajno stayed.

The last page of the manuscript contains a short list of Heteroptera, which includes 5 specific taxa and a genus (*Tetyra* Fabricius, 1803) reported in parentheses without further information.

Catalogo degli uccelli che si trovano stazionarii o di passaggio nelle Isole Eolie. Manoscritto

inedito custodito presso la Biblioteca della Fondazione Mandralisca di Cefalù, 336, II H 25 (ante 1864)

[*Catalog of the birds that are stationary or passing through the Aeolian Islands. Unpublished manuscript kept in the Library of the Mandralisca Foundation of Cefalù, 336, II H 25 (before 1864)*]

As described by Lo Cascio (2001), the manuscript consists of 15 unnumbered pages. The title page contains only the title "*Catalogo degli uccelli che si trovano stazionarii o di passaggio nelle Isole Eolie* [Catalog of the birds that are stationary or passing through the Aeolian Islands]" while from the first to the second page there is a list of "*Uccelli che abitano in Lipari, o vi sono di passaggio* [Birds that live in Lipari, or are passing through]". For each species is reported the scientific name, the Italian name and dialectal ones used in the Aeolian Islands and Sicily. The manuscript is dated as previous to the death of Pirajno, thus composed before 1864 and lists a total of 114 species.

Numerous are the ecological indications that can be drawn from this work (see also Lo Cascio & Navarra, 2008), such as the presence of many more species now linked to wetlands more abundant in the past than they are now or faunistic as those on the presence of the Partridge, *Alectoris graeca* (Meisner, 1804), in Lipari, Vulcano and Salina and now extinct in these islands.

GAETANO PLATANIA

Born in Acireale (Fig. 68) on January 17, 1867 by Mariano and Michela Platania (for this reason, in some articles he signed as Platania-Platania), since very young Gaetano Platania focuses on naturalistic researches realizing some articles on terrestrial molluscs (Platania, 1885). He enrolled at the Faculty of Natural Sciences at the University of Catania. Still a student, he held the role of extraordinary assistant to the chair of Mineralogy and Geology, but he would leave this role for obvious incompatibility. He graduates in 1893 and he devotes himself immediately to the teaching of "Natural History" at the R. Liceo of Acireale.

In this city he holds numerous positions at the Experimental Station of Fruits and Citrus, as president of the Comizio Agrario, City Councillor. In 1908, he obtains professorship in physical geography, he works at the R. Geodynamic Observatory of Catania, becoming Director in 1909 to replace the disappeared Prof. Annibale Riccò. In 1923, he receives the assignment for the teaching of “Geografia economica e commerciale e Storia del commercio” at the R. Superior Institute of Economic and Commercial Sciences of Catania.

Educated person, capable and generally appreciated, Gaetano Platania, who died on 1.10.1938, produced a hundred publications. Ventura (2012) lists 103 of them, on topics of malacology, geology, paleontology, agriculture, volcanology. Several excellent biographies have been dedicated to him, such as those of Starrabba (1939), Eredia (1943–1950), Filetti & Bella (1995), Ventura (2012).

Contribuzione alla fauna malacologia extramarina della Sicilia e delle isole adiacenti (1886)

[Contribution to the extramarine malacology fauna of Sicily and adjacent islands (1886)]

In the opening lines of this work, Platania (1886) declares to have made several researches in various localities of Sicily and the surrounding islands collecting abundant material that, at the time of writing, he had not yet had the opportunity to study completely. Therefore, he decided to publish this work with just the little material studied, hoping to complete the work in the future.

The work describes new taxa of Sicilian terrestrial mollusks, one of which was found in Malta.

***Clausilia (Albinaria) degregorii* Platania, 1886**

This new species was collected by Platania-Platania (1886: 87) in the village of Naxaro, situated in the interior of the island of Malta. The author points out that it is easily distinguished from other populations living on the island of Malta and is uncommon (Fig. 69).

Monterosato (1892) confirms that this taxon is an *Albinaria* species (see above) but thinks it does not come from Malta. This taxon is reported by Giusti et al. (1995) as “identity uncertain”.



Figure 68. Gaetano Platania (photo from Ventura, 2012).



Figure 69. “*Clausilia (Albinaria) degregorii*” from Monterosato collection (Museum of Zoology of Rome, Italy). Photos courtesy of M. Appolloni and C. Smriglio.

Stromboli e Vulcano nel settembre del 1889 (1889a)

[*Stromboli and Vulcano in September 1889 (1889a)*]

Sui proiettili squarciati di Vulcano (isole Eolie) nell'eruzione del 1888–1890 (1889b)

[*On the pyroclasts of Vulcano (Aeolian Islands) in the eruption of 1888–1890 (1889b)*]

Le interruzioni del cavo telegrafico Milazzo-Lipari e i fenomeni vulcanici sottomarini nel 1888–92 (1894)

[*The interruptions of the Milazzo-Lipari telegraph cable and the submarine volcanic phenomena in 1888–92 (1894)*]

Effetti magnetici del fulmine sulle lave di Stromboli (1905–1906a)

[*Magnetic effects of lightning on Stromboli lavas (1905–1906a)*]

Il terremoto calabrese dell'8 settembre 1905 a Stromboli (1905–1906b)

[*The Calabrian earthquake of 8 September 1905 in Stromboli (1905–1906b)*]

Stromboli (1906)

[*Stromboli (1906)*]

I fenomeni eruttivi dello Stromboli nella primavera del 1907 (1908)

[*The eruptive phenomena of Stromboli in the spring of 1907 (1908)*]

Fenomeni eruttivi dello Stromboli nel novembre 1915 (1916)

[*Eruptive phenomena of Stromboli in November 1915 (1916)*]

Attività dello Stromboli nel primo semestre del 1920 (1920)

[*Stromboli activities in the first half of 1920 (1920)*]

Fenomeni vulcanologici dello Stromboli durante il 1921 (1921)

[*Volcanological phenomena of Stromboli during 1921 (1921)*]

L'esplosione dello Stromboli del maggio 1919 (1922a)

[*The Stromboli explosion of May 1919 (1922a)*]

Fenomeni vulcanologici dello Stromboli (1922b)

[*Volcanological phenomena of Stromboli (1922b)*]

Per un rilievo a grande scala delle isole di Stromboli e Vulcano (1925)

[*For a large-scale survey of the islands of Stromboli and Vulcano (1925)*]

In the nineteenth century volcanic activity in Sicily and immediate surroundings area was intense (Figs. 70, 71). In the Aeolian islands, for example, in this period are reported several eruptive episodes, seismic and volcanic activity in general, especially for Stromboli and Vulcano, to which were devoted numerous studies such as those of Palmieri (1876), Mallet (1876), Tacchini (1889), Silvestri (1874, 1888, 1889a, b, 1890), Mercalli (1879a, b, 1881, 1886, 1888, 1889, 1891a, b, c), Mercalli & Picone (1882), Riccò & Mercalli (1892), Matteucci (1899–1900).

The most striking and long-lasting episode was the eruption occurred at Vulcano from 3 to 5 August 1888 which was followed by a second eruption on the 18th of the same month that ended on March 22, 1890 described above all by Mercalli & Silvestri (1891).

In this work, Orazio Silvestri (Professor of Geology and Mineralogy at the University of Catania) also made a detailed photographic documentation and Giuseppe Mercalli (at that time Professor of Volcanology and Seismology at the University of Naples) provided other photos and original drawings. Another photographic service was also realized by Chaix (1891). For a detailed summary of eruptions at Vulcano and the Aeolian Islands see Barbano et al. (2017).

Platania also studied these phenomena at Vulcano and Stromboli (Platania, 1889a, b) and continued to observe and study them in the Aeolian Islands with the above mentioned works until 1925. More generally, he will study the seismic activity in the territory of the Strait of Messina including the 1908 Messina seaquake–earthquake (Platania, 1908–1909).



Figures 70, 71. Vulcano Island, 4.II.1889 at 16.00 (Fig. 70) and 16.14 (Fig. 71). Photos by Silvestri (Mercalli & Silvestri, 1891).

ANTONIO DE GREGORIO

He was born in Messina on June 27, 1855 from Camillo, marquis of Parco Reale and Litteria Brunaccini princess of San Teodoro; he died in Palermo on 15.12.1930 (Fig. 72). He graduated in 1880 in Natural Sciences at the University of Palermo and for two years he was assistant of G. Pisati in the Physics cabinet, then of A. Todaro at the Botanical Garden and finally of G. Gemellaro in Geology for three years. After these experiences, De Gregorio left the university career but continued to study and publish on topics like paleontology, anthropology, geology, alpinism, agriculture, physics, zoology and meteorology. The works concerned mainly the Sicilian territory but he also studied the Tertiary lands of Malta and North Italy. Other important works included the discovery of a deposit of fossil vertebrates in Monte Pellegrino (De Gregorio, 1886) and the explanation of the illustrated plates of the work of Benoit (De Gregorio, 1895).



Figure 72. Antonio De Gregorio (photo courtesy of R. Poggi).

A man of vast culture, he also studied music, knew several languages, wrote carmi in Latin, books of verses in Italian, works in French and English, and made an addition to the Sicilian lexicons (Cipolla, 1931; Fatta Martinez Tagliavia, 2014). Member of numerous journals and cultural associations, De Gregorio also published works on the cultivation of grapefruit in Sicily - that in 1900 he was the first to introduce from America and of which he was a producer in the island - and on the action of ultraviolet light in the treatment of consumption. He realized a large paleontological collection with findings from all over the world that he donated to the Geological Museum of Palermo for testamentary disposition. Most of the scientific works, mainly paleontological, were published in a magazine he created and funded "Annales de Géologie et de Paleontologie" from 1886 to 1930. In the first volume, De Gregorio began with a stratigraphic study of the pre-Alpine region stretching from Lake Garda to the plateau of the Sette Comuni of Vicenza, with a comparative table of all the species of the Ghelpha fauna (Jan. 15, 1886, pp. 1-24). In 1909 he also took ownership of the journal "Il Naturalista siciliano" (Year XXI - new series, Vol. I) and formed the "Società Siciliana di Scienze Naturali". This experience ended in 1932, two years after the death of De Gregorio, with the failed attempt, by his son, Camillo, to publish the XXVIII Volume (Vol. VIII of the New Series) (Romano, 2004).

De Gregorio was one of the protagonists of the Sicilian scientific culture between the two centuries, witness of all the events and changes (not always pleasant) both of the society of that time (economic crisis and Great War: his second son, Francesco, died on the Carso Triestino and is buried in the military shrine of Redipuglia) and of the scientific world. His death officially ends many important initiatives that had animated the entire 1800 and the first decades of 1900, in the context of a changed and worsened social and cultural climate.

Appunti zoologici e Geologici sull'isola di Levanzo (Conchiglie terrestri viventi e fossili e avanzi paleontologici) (1894)

[Zoological and Geological notes on the island of Levanzo (Living land shells and fossils and leftovers paleoethnological) (1894)]




Figure 73. De Gregorio (1894): illustration of living land shells, fossils and paleoethnological findings from Levanzo Island.

De Gregorio, on the advice of Giglioli (1891), who had also visited Levanzo, sent to the island his technician Vittorio Meneguzzo to “*raccogliere tutto ciò che di interessante avesse potuto rinvenire* [collect everything interesting that he could find]”.

This work is based on the study of the material received and is divided into: 1) general considerations, 2) living terrestrial shells of the island of Levanzo, 3) fossil shells of the quaternary land of Levanzo (cave of Caciucavaddu), 4) quaternary leftovers of the cave of Caciucavaddu, 5) subfossil ossicles in the cave of Caciucavaddu, 6) secondary rocks of Levanzo (Fig. 73).

De Gregorio reports on all these topics in his own style, cultured and eclectic, describing and cataloging the fossil and subfossil bones, anthropological remains and rocks found.

He also provides a list of five fossil gastropods found in the cave of Caciucavaddu, including the “*Helix*” *mazzullii* (*Ercella insolida* Monterosato, 1892: Colomba et al., 2011) and a longer and more detailed list of 13 terrestrial molluscs living in Levanzo, after mentioning all the species until then reported for the Aegadian Islands by Benoit (1857–1862, 1875, 1882) and Monterosato (1892).

On this material, De Gregorio describes three new “varieties”:

Helix pyramidata var. *Varzica* (p. 6, Pl. 1, Figs. 3, 4).

Helix provincialis var. *Levanzicola* (p. 6, Pl. 1, Figs. 1, 2).

Clausilia proxima var. *Levanzensis* (p. 7, Pl. 1, Figs. 5, 6).

Taxa little known in the current malacological bibliography. They could be synonyms or valid names for the insular subspecies of *Trochoidea pyramidata* (Draparnaud, 1805) and *Siciliaria calcarae* (Philippi, 1844). *Helix provincialis* var. *levanzicola* is synonym with “*unicolor* Benoit 1857” (see before).

GIUSEPPE ZODDA

Giuseppe Zodda (Fig. 74) was born in Merì, in the province of Messina, from Giovanni and Angela

Gumina on March 9, 1877. He graduated in Natural Sciences at the University of Messina on November 23, 1899 with a thesis on the vegetation of Messina, which was later published.

Immediately after, on February 1, 1900, he was appointed assistant to the chair of Botany at the University of Messina and remained there until December 28, 1908, the day of the earthquake that destroyed the area of the Strait. Zodda, miraculously saved, continued his work in the Botanical Institute of the University of Catania, for a few months. In October 1909 he returned to Messina leaving the University and continuing to teach as a professor at the Technical School and Technical Institute.

He briefly studied entomology (Zodda, 1902) but was, above all, a botanist. In the study of the circumsicilian islands he devoted himself mainly to the Aeolian Islands (Zodda, 1903a, b, 1904; Bottini, 1903) but he also collected materials in the islands of the Strait of Sicily (Zodda, 1908).

The last phase of his scholarly activity was carried out in Teramo, where he concluded teaching in 1947. He died in May 1968.

Sulla flora di Lipari (1903)

[*On the flora of Lipari (1903)*]

This is the lecture held at the National Botanical Congress held in Palermo in 1902 of the journey made by Zodda in the Aeolian Islands. These studies would later become their own work (Zodda, 1904).

Una visita al cratere di Vulcano nell'aprile 1902 (1903)

[*A visit to the crater of Vulcano in April 1902 (1903)*]

Referring to the trip made in the Aeolian Islands, Zodda reports his excursion to the crater of Vulcano.

Una gita alle isole Eolie (1904)

[*A trip to the Aeolian islands (1904)*]

The trip to the Aeolian Islands was made in the spring of 1902 and lasted for twenty-two days. After a brief introduction, follows the list of cryptogams divided into “liverworts”,



Figure 74. Giuseppe Zodda (photo courtesy of R. Poggi).

determined by C. Massalongo and lichens, determined by A. Jatta (Merlo, 1995). The mosses collected by Zodda will instead be published by Bottini (1903).

He follows the list of phanerogams in which he makes continuous references and comparisons with the work of Lojacono Pojero (1878a, b, c). He finds quite common the Myrtle (*Myrtus communis* L.) considered rare by Lojacono Pojero, reports *Cytisus aeolicus* and the dwarf palm, does not find the *Isoëtes durieui* Bory reported by Lojacono Pojero.

The discovery in Lipari in the Pliocene underwater tuffs of leaves that can be attributed to different arboreal plants, including needle-like leaves of conifers, allows Zodda to observe how the Aeolian Islands were characterized in the past by a tree cover greater than the current one, that disappeared due to the action of man.

The work continues with a detailed list of all the cryptogams collected in the different islands and of the phanerogams limited to the 83 new reports.

CONCLUSIONS

As stated above, the great contribution of the Sicilian naturalists of 1800 to the knowledge of the circumsicilian islands is evident.

They provided the most useful information for all the further studies on these islands by reporting on their main geological, botanical and zoological characteristics and by describing numerous new species, including some of the most representative island endemics.

On the other hand, as said at the beginning of this work, the Sicilian scientific environment of 1800 already had the preparation and the fundamental knowledge to conduct any kind of study, succeeding in realizing a cultural movement which involved the Sicilian society at every level for about a century.

All this began to slow down in the last decades of 1800 until it disappeared in the first decades of 1900.

Various hypotheses have been reported, such as the diminished interest in taxonomic studies, to try to understand what happened but the reasons are, most likely, of a more general nature and external to the scientific environment.

The reunification of the Kingdom of Italy, for example, which failed to respond adequately to the real social needs of the southern regions, with long-awaited reforms never realized, and the heavy contribution in human lives, especially among young people, that these populations paid during the First World War, helped to promote this decline.

Almost all the Sicilian naturalists of 1800 lived in extreme difficulty, social or economic, the last years of their life, as told.

Ragusa and many others, after a wealthy life, had economic problems. Failla Tedaldi, at sixty years, wanted to emigrate to America. Monterosato who had bought malacological collections all his life was forced to sell his, at 80 years, etc. De Gregorio, who maintained a certain economic well-being, lost his first-born son during World War I in the Karst of Trieste.

Many Sicilian naturalistic collections went to Italian or European museums, but others were destroyed.

When the carelessness and indifference of man was lacking, nature took over, with the tidal wave-

earthquake of Messina of 1908 that, besides destroying the city and causing serious human losses, caused the disappearance of important naturalistic collections like those of Francesco Vitale, Luigi Benoit and Seguenza.

Thus, the cultural vacuum that was created in those years continued, with few exceptions, throughout the 20th century, aggravated, after the end of World War II, by the lack of adequate regional policies, as well as national, in terms of protection and conservation of nature, museum activities, environmental education, causing a general impoverishment of scientific and naturalistic culture in Sicily.

Only towards the end of the 20th century has there been a consistent resumption of naturalistic studies, consolidated and increased in recent years.

There has also been an important recovery of the existing Sicilian collections with numerous museum initiatives in various Sicilian municipalities, at university level and by private citizens (for example, the intense museum activity of V.E. Orlando: Massa, 2014; Sparacio, 2014b; Di Simone, 2016).

However, there is still a lack of greater awareness of civil society and, above all, a valid naturalistic and regional museum policy that allows to give a perspective of continuity and stability to all existing museum activities and to promote others. We risk losing what has been achieved so far and not being able to adequately preserve the huge naturalistic collections that have been created in recent decades.

Unfortunately, this our historical period also appears to be characterized by a deep ethical and cultural crisis of the current model of modern society even outside the regional and national borders, all over the world.

If it were possible, in Sicily, to achieve this last and most difficult step - linking the new humanistic and scientific knowledge to the cultural renewal and civil growth of our entire society - it would be necessary to hope that this time too, Sicily could truly be the (positive) metaphor of the world (Sciascia, 1979).

APPENDIX. OTHER WORKS ON THE CIRCUM-SICILIAN ISLANDS DURING THE 19TH CENTURY

Below are other works on the circumsicilian islands equally useful to the knowledge of these localities and also made by non-Sicilian authors.

The period of reference remains the whole 1800, except for some works published in the early 1900 and reported here for continuity of study.

Anderson J. & Johnston-Lavis H.J., 1888. Notes on the late eruption in the Island of Vulcano.

Amari E., 1843. Un progetto di colonizzazione che meglio potrebbe convenire nella isola di Lampedusa e sue adiacenze.

Arcidiacono S. & Silvestri O., 1890. Etna, Sicilia ed isole vulcaniche adiacenti sotto il punto di vista dei fenomeni eruttivi e geodinamici avvenuti durante l'anno 1889.

Arietti A., 1875. Memoria sull'isola di Ustica scritta da Michele Russo e preceduta da una introduzione.

Avogadro Vigliano de E., 1880. Lampedusa. Appunti di un comandante di distaccamento.

Bäckström H., 1896. Ueber leucitführende Gesteine von den liparischen Inseln.

Baratta M., 1892a. Sulle bombe ardenti dell'eruzione sottomarina di Pantelleria.

Baratta M., 1892b. Gli odierni fenomeni endogeni di Pantelleria.

Baroni E., 1902. A proposito della scoperta della *Kochia saxicola* a Strombolicchio.

Barsali 1908. Epatiche di Sicilia, isole Eolie e Pelagie.

Bergeat A., 1896. Der Stromboli als Wetterprophet.

Bergeat A., 1897. Mineralogische Mittheilungen über den Stromboli.

- Bergeat A., 1899. Die äolischen Inseln (Stromboli, Panaria, Salina, Lipari, Vulcano, Filicudi und Alicudi).
- Bertarelli L.V., 1909. Escursione alle Isole Eolie.
- Boeris G., 1889. Di alcuni Ragni d'Ustica.
- Boid E., 1827. Travels Through Sicily and the Lipari Islands, in the Month of December, 1824: By a Naval Officer.
- Borzi A., 1888. *Filago eriocephala* Guss. in Lipari.
- Bottini A. 1903. I primi muschi delle Isole Eolie.
- Bourquelot F. & Reclus E., 1873. La Sicilia con prefazione e note al T. Navarro della Miraglia illustrato da 43 incisioni 2 carte geografiche e le piante dell'Etna e di Vulcano.
- Bucca L., 1885. Le Andesiti dell'Isola di Lipari.
- Butler G.W., 1892. The Eruptions of Vulcano (August, 3, 1888, to March 22, 1890).
- Butler G.W. & Perry G.H., 1891. On the matter thrown up during the submarine eruption north-west of Pantelleria.
- Calcagno M., 1879. Dell'Agricoltura dell'isola di Lampedusa.
- Chaix É., 1888. The past History of Vulcano.
- Chaix É., 1891. Album de 19 phot., été 1890 sur l'Etna et à l'île Vulcano (îles Lipari)
- Cockburn J.P., 1815. A voyage to Cadiz and Gibraltar, up the Mediterranean to Sicily and Malta, in 1810 & II, including a description of Sicily and the Lipari Islands, and an excursion in Portugal.
- Cole G.A.J. & Butler G.W., 1892. On the lithophyses in the obsidian of the Rocche Rosse, Lipari.
- Colomba L., 1900. Sui deposito d'una fumarola silicea alla fossa delle Roche Rosse (Lipari).
- Colucci S., 1823. Delle isole Pelagie ed in particolare di quella nominata Lampedusa, relativamente al progetto di convertirla per luogo di deportazione.
- Cortese C., 1888. Appunto sull'eruzione dell'isola di Vulcano veduta nel settembre 1888.
- Cortese E. & Sabbadini V., 1892. Descrizione geologico petrografica delle isole Eolie.
- Cossa A., 1898. Sulla presenza del tellurio nei prodotti del cratere dell'isola Vulcano (Lipari).
- Costa O.G., 1829. Osservazioni zoologiche intorno ai Testacei dell'isola di Pantelleria.
- D'Albertis E., 1878. Crociera del Violante comandato dal Capitano-Armatore Enrico D'Albertis durante l'anno 1876. I. Parte narrativa (con prefazione di Arturo Issel).
- De Quatrefages J.L.A., 1857. Souvenirs d'un naturaliste (les côtes de la Sicilie).
- De Rossi M.S., 1882a. Corrispondenza, Cronaca dei vulcani delle Isole Eolie.
- De Rossi M.S., 1882b. Fatti di Stromboli, Vulcano e Panaria.
- De Rossi M.S., 1882c. Stromboli 19 novembre 1882.
- Derselbe, 1888. The Islands of Volcano and Stromboli.
- Derselbe, 1890. The Eruption of Volcano Island.
- De Stefani C., 1900. Le acque atmosferiche nelle fumarole: a proposito di Vulcano e di Stromboli.
- Doderlein P., 1872. Sul passaggio autunnale di alcune specie nordiche di Uccelli per l'isola d'Ustica.
- Doderlein P., 1875a. Osservazioni geologiche, zoologiche ed industriali sull'Isola di Pantelleria.
- Doderlein P., 1875b. Cenni sulla costituzione geologica dell'isola di Ustica.
- Dolomieu D., 1783. Voyage aux îles de Lipari, fait

- en 1781 ou Notice sur les îles Aeoliennes, pour servir à l'histoire des volcans.
- Dubrony A., 1878. Crociera del Violante comandato dal Capitano-Armatore Enrico D'Albertis durante l'anno 1876. II. Risultati zoologici. Catalogo degli Ortoteri.
- Escherich K., 1893. Eine Excursion auf die Insel Linosa.
- Ferrara F., 1810. I Campi Flegrei della Sicilia e delle isole che le sono intorno e descrizione fisica e mineralogica di queste isole. Messina, 424 pp.
- Ferrara A.F., 1845. Vulcanologia geologica della Sicilia e delle isole che le sono intorno.
- Ferrari P.M., 1884. Materiali per lo studio della fauna tunisina raccolti da G. e L. Doria. V. Rincoti.
- Foerstner H., 1881a. Nota preliminare sulla geologia dell'Isola di Pantelleria secondo gli studi fatti negli anni 1874 e 1881.
- Foerstner H., 1881b. Über Natronorthoklas von Pantelleria.
- Foerstner H., 1883. Das Gestein der Insel Ferdinanda (1831) und seine Beziehungen zu den jüngsten Laven Pantellerias und des Aetnas.
- Foerstner H., 1884a. IX. Ueber die Feldspäthe von Pantelleria.
- Foerstner H., 1884b. XIX. Ueber künstliche physikalische Veränderungen der Feldspäthe von Pantelleria
- Foerstner H., 1891a. XXXIX. Ueber die Feldspäthe von Pantelleria.
- Foerstner H., 1891b. Das Gestein der 1891 bei Pantelleria entstandenen Vulkaninsel und seine Beziehungen zu den jüngsten Eruptivgesteinen der Nachbarschaft.
- Fulcher L.W., 1890. Vulcano and Stromboli.
- Furia B., 1863. Memorie sulla posizione agraria, silvana e commerciale dell'isola di Pantelleria e sulla possibilità di costruirsi un porto.
- Genovesi F., 1879. Notizie sulle acque termo-minerali e sulla grotta o stufa di S. Calogero in Lipari.
- Giglioli H.E., 1884. 2° Campagna del piroscampo Washington.
- Giglioli H.E., 1891. Relazione sulla pesca delle spugne a Lampedusa.
- Giglioli H.E., 1891. Intorno ad una caverna abitata da gente preistorica nell'isola di Levanzo, Egadi, Sicilia.
- Giusti A., 1883. Le ultime crociere del Violante comandato dal Capitano-Armatore Enrico D'Albertis.
- Gregorio R. (de), 1840. Descrizione delle principali isole adjacenti alla Sicilia del canonico.
- Gregorio R. (de), 1853. Descrizione di Ustica.
- Gussone G., 1832–1834. Supplementum ad Florae Siculae Prodromum, quod et specimen florae insularum Siciliae ulteriori adjacentium. Fasciculus secundus.
- Gussone J., 1839. Notizie sulle isole di Linosa, Lampedusa e Lampedusa e descrizione di una nuova specie di "*Stapelia*" che trovasi in questa ultima.
- Gussone G., 1843–1845. Florae Siculae Synopsis exhibens plantas vasculares in Sicilia insulisque adjacentibus hucusque detectas secundum systema Linneanum dispositas.
- Habsburg Lothringen L.S., 1893–1896. Die Liparischen Inseln.
- Habsburg Lothringen L.S., 1898. Ustica. H. Mercy, Praha, 132 pp., 2 Pls.
- Hoffmann F., 1832. Ueber die geognostische Beschaffenheit der Liparischen Inseln.
- Houël J.P.L., 1782–1787. Voyage pittoresque des

- isles de Sicile, de Malte et de Lipari, Où l'on traite des Antiquités qui s'y trouvent encore; des principaux Phénomènes que la Nature y offre; du Costume des Habitans, et de quelques Usages.
- Hovey E.O., 1897. The Volcanic Condition of Stromboli.
- Iddings J.P. & Penfield S.L., 1890. Fayalite in the obsidian of Lipari.
- Imbornone F., 1817. Relazione del tremuoto accaduto nelle città di Sciacca in Sicilia nella fine di dicembre 1817, e porzione del gennaio 1817, diretta al Console generale austriaco per la Sicilia a Palermo, barone Massimiliano Noyatzky, dal sig. Francesco Imbornone, agente consolare austriaco in quella città.
- Issel A., 1878. Crociera del Violante comandato dal Capitano-Armatore Enrico D'Albertis durante l'anno 1876. II. Risultati zoologici. Testacei.
- Issel A., 1880. Crociera del Violante comandato dal Capitano-Armatore Enrico D'Albertis durante l'anno 1877. I. Parte narrativa.
- Jatta A., 1891. Su di alcuni licheni di Sicilia e di Pantelleria.
- Johnston-Lavis H.J., 1888a. The recent eruption at Vulcano.
- Johnston-Lavis H.J., 1888b. Further notes on the late eruption at Vulcano Island.
- Johnston-Lavis H.J., 1890. The Eruption of Vulcano Island.
- Johnston-Lavis H.J., 1893. Stromboli.
- Johnston-Lavis H.J., 1894. Enclosures of quartz in lava of Stromboli and changes in composition produced by them.
- Judd J.W. & Butler G.W., 1891. The October Eruption North-West of Pantelleria.
- Lagenbach G., 1873. Die Meeresalgen der Inseln Sizilien und Pantelleria.
- La Rosa G., 1784. Pyrologia Topostoriografica dell'isola di Lipari seu Lipari sacro. Parte quarta.
- Lavis H.J.J., 1888. The Islands of Vulcano and Stromboli.
- Levi-Moreno D., 1891. Notizie sull'eruzione marina a Pantelleria.
- Lo Re A., 1885. Le condizioni economiche agrarie delle isole di Lampedusa, Linosa e le proposte per migliorarle.
- Lyndley J., 1856. *Cytisus aeolicus*.
- Mallet Robert M.A., F.R.S., 1876. Il meccanismo del vulcano attivo Stromboli.
- Maravigna C., 1837. Sulla Jalite del Basalte della Motta, e sulla tremolite dell'isola dei Ciclopi, sullo idroclorato di Ammoniaca della eruzione di Bronte anno 1832.
- Marzolla B., 1831. Descrizione dell'Isola Ferdinanda al mezzogiorno della Sicilia.
- Matteucci R.V., 1899–1900. Sull'attività dei vulcani Vesuvio, Etna, Vulcano, Stromboli e Santorino nell'autunno 1898.
- Mercalli G., 1879a. Recenti eruzioni dello Stromboli.
- Mercalli G., 1879b. Contribuzioni alla geologia delle Isole Lipari.
- Mercalli G., 1881. Natura nelle eruzioni dello Stromboli ed in generale dell'attività sismo-vulcanica delle Isole Eolie.
- Mercalli G., 1886. La Fossa di Vulcano e lo Stromboli dal 1884 al 1886.
- Mercalli G., 1888. L'isola di Vulcano e lo Stromboli dal 1886 al 1888.
- Mercalli G., 1889. Le eruzioni dell'isola di Vulcano.
- Mercalli G., 1891a. Cenni topografici-geologici dell'Isola di Vulcano e storia delle sue eruzioni.

- Mercalli G., 1891b. Sopra alcune lave antiche e moderne dello Stromboli.
- Mercalli G., 1891c. Osservazioni fatte allo Stromboli nel settembre 1888 e nel febbraio-marzo 1889.
- Mercalli G. & Picone A., 1882. Eruzioni di Stromboli al 18 Ottobre.
- Mercalli G. & Silvestri O., 1891. Le eruzioni dell'Isola di Vulcano incominciate il 3 agosto 1888 e terminate il 22 marzo 1890.
- Micheletti L., 1893. Una gita a Lipari.
- Monticelli T., 1845. Del Trattamento Delle Api In Favignana Isoletta All'Ovest Della Sicilia.
- Mortillaro V., 1835. Ragguaglio intorno alla costituzione geognostica delle isole Lipari, e di alcune parti della Sicilia.
- Palmieri L., 1876. Intorno ad una recente eruzione dell'isola di Vulcano ed alla continuazione del terremoto di Corleone.
- Pavesi P., 1876. Le prime crociere del Violante comandato dal Capitano-Armatore Enrico D'Albertis. Risultati aracnologici.
- Pavesi P., 1878. Crociera del Violante comandato dal Capitano-Armatore Enrico D'Albertis durante l'anno 1876. II. Risultati zoologici. Aracnidi, aggiunto un catalogo sistematico delle specie di Grecia.
- Piccone A., 1883. Risultati algologici delle crociere del "Violante".
- Pirotta R., 1878. Crociera del Violante comandato dal Capitano-Armatore Enrico D'Albertis durante l'anno 1876. II. Risultati zoologici. Mirmiapodi.
- Ponte S.C., 1891. Fine del periodo eruttivo di Vulcano e stato attuale del cratere: contribuzione alla vulcanologia.
- Prévost C., 1831. L'exploration de l'île de Julia.
- Reinhardt O., 1886. Einige Landschnecken vor, welche Herr Ross, Assistant am Museum der hiesigen landwirthschaftlichen Hochschule, während botanischen Reise i.J. 1884 auf der Insel Lampedusa gesammelt hat.
- Ricciardi L., 1888. Confronti tra le rocce degli Eugeanei, del monte Amiata e della Pantelleria.
- Riccò A., 1891. Tremblements de terre, soulèvement et eruption sous-marine à Pantelleria.
- Ricco' A., 1892. Terremoti, sollevamenti ed eruzione sottomarina a Pantelleria nella seconda metà dell'ottobre 1891.
- Riccò A. & Mercalli G., 1892. Sopra il periodo eruttivo dello Stromboli cominciato il 24 giugno 1891.
- Rodriguez C., 1853. Breve cenno sullo stato dell'agricoltura nell'isola di Lipari.
- Rodriguez F., 1856. Storia delle malattie endemiche ed epidemiche dell'Isola di Lipari. Con appendice sulle piante spontanee che vegetano in Lipari.
- Rodwell G.F., 1880. The Lipari Islands.
- Ross H., 1884. Eine botanische Excursion nach den Insel Lampedusa und Linosa.
- Ross H., 1906. Contribuzioni alla conoscenza della flora sicula. II. Isola di Pantelleria.
- Russo Farruggia S., 1831. Storia dell'isola Ferdinanda sorta nella costa meridionale della Sicilia.
- Sainte-Claire Deville C., 1858. Note sur la nature des éruptions actuelles du volcan de Stromboli.
- Salino F., 1874. Le isole di Lipari.
- Sambon L., 1891. Notes on the Eolian Islands and on pumice stone.
- Sansivente B., 1849. L'isola di Lampedusa eretta a colonia dal munificentissimo nostro Sovrano Ferdinando II, descritta dal Cav. B. Sansivente, capitano di fregata e governatore della mede-

- sima. Con un cenno sulle minori isole di Linosa e Lampedusa.
- Schirò G., 1854. Memoria VI. Sull'attualità e l'avvenire delle isole di Lampedusa e Linosa per servire di base all'accantonamento dei boschi, all'assegnamento delle case e delle terre ai coloni ed alla imposizione dei rispettivi canoni.
- Schmidt J.F.J., 1874. Vulkanstudien Santorin 1866 bis 1872, Vesuv, Bajae, Stromboli, Aetna 1870 von Dr. JF Julius Schmidt.
- Scinà D., 1832. Breve ragguaglio al novello vulcano apparso nel mare di Sciacca.
- Silvestri O., 1874. Fenomeni eruttivi dell'isola di Vulcano e Stromboli nel 1874.
- Silvestri O., 1888. Etna, Sicilia ed isole vulcaniche adiacenti sotto il punto di vista dei fenomeni eruttivi e geodinamici avvenuti durante l'anno 1887.
- Silvestri O., 1889a. Etna, Sicilia ed Isole Vulcaniche Adiacenti sotto il punto di vista dei fenomeni eruttivi e geodinamici avvenuti durante l'anno 1888.
- Silvestri O., 1889b. L'isola di Vulcano e l'attuale suo risveglio eruttivo.
- Silvestri O., 1890. Etna, Sicilia ed isole vulcaniche adiacenti sotto il punto di vista dei fenomeni eruttivi e geodinamici avvenuti durante l'anno 1889.
- Silvestri O., Consiglio Ponte S. & Silvestri A., 1889. Sulla attuale eruzione scoppiata il dì 3 agosto 1888 alla isola Vulcano nell'Arcipelago Eolio.
- Smyth W.H., 1824. Memoir descriptive of the resources, inhabitants and hydrography of the Sicily and its islands, interspersed with antiquarian and other notices.
- Solla R.F., 1884. Phytobiologische Beobachtung auf einer Excursion nach Lampedusa und Linosa.
- Solla R.F., 1885. Auf einer Excursion nach den pelagischen Inseln, April 1884, gesammelte Meeresalgen.
- Sommier S., 1905. Piante inedite di Lampedusa e Linosa.
- Sommier S., 1906. Le Isole Pelagie: Lampedusa, Linosa, Lampedusa e la loro Flora.
- Sommier S., 1907. Materiali per una florula di Pantelleria.
- Sommier S., 1908. A proposito della flora delle isole Pelagie.
- Sommier S., 1922. Flora dell'isola di Pantelleria.
- Spallanzani L., 1792. Viaggi alle due Sicilie e in alcune parti dell'Appennino.
- Speciale S., 1884. Le isole Pelagie con la Carta geologica dell'isola di Linosa, 1:25.000. Roma.
- Streng A., 1887. Über die geologischen Verhältnisse der Inseln Lipari und Vulcano (XXV Bericht der Oberhessischen Gesell. für Natur- und Heilkunde).
- Tacchini P., 1889. Sulle attuali eruzioni di Vulcano e Stromboli.
- Trabucco G., 1890a. L'isola di Lampedusa. Studio geo-paleontologico.
- Trabucco G., 1890b. Carta geologica di Lampedusa, 1:50.000. Roma.
- Trabucco G., 1891. L'isola di Linosa: studio geologico, nota preliminare.
- Trabucco G., 1899a. L'isola di Linosa. Studio geofisico.
- Trabucco G., 1899b. Carta geologica di Linosa, 1:25:000.
- Tranchina G., 1885. L'isola di Ustica dal 1760 sino

ai giorni nostri. Cenni storici compilati dal Parroco Giuseppe Tranchina.

Washington H.S., 1908. Linosa and its rocks.

ACKNOWLEDGEMENTS

For the constant help shown in the various stages of this work, I want to thank Valerio Agnesi, Carolina Di Patti and Carolina D'Arpa (Museo paleontologico e geologico "Gaetano Giorgio Gemmellaro", University of Palermo, Italy), Massimo Appolloni and Carlo Smriglio (Museo civico di Zoologia di Roma, Italy), Marcello Arnone (Palermo, Italy), Giuliano Cerasa, Gianniantonio Domina, Tommaso La Mantia, Bruno Massa, Salvatore Surdo and Angelo Troia (University of Palermo, Italy), Simone Cianfanelli (Museo di Storia Naturale, La Specola, Firenze, Italy), Ketty Giannilivigni (Biblioteca centrale della Regione Siciliana "Alberto Bombace", Palermo, Italy), Maria Rita Inguì (Biblioteca del Dipartimento di Scienze della Terra e del Mare, Palermo, Italy), Fabio Liberto (Cefalù, Italy), Sabrina Lo Brutto and Enrico Bellia (Museo Universitario di Zoologia "Pietro Doderlein", Palermo, Italy), Salvatore Giacobbe (University of Messina, Italy), Marcello Romano (Capaci, Italy), Giorgio Sabella and Fabio Vignalisi (Museo di Zoologia University of Catania, Italy), Francesco Toscano (Museo Naturalistico Francesco Minà Palumbo, Castelbuono, Italy), Alberto Villari (Messina, Italy).

In particular, I would like to thank Pietro Lo Cascio (Ass. Nesos, Lipari, Italy), Roberto Poggi (Museo civico di storia naturale di Genova, Italy), and Giorgio Sparacio (Edizioni Danaus, Palermo, Italy).

REFERENCES

- Aghababyan M., Greuter W., Mazzola P. & Raimondo F.M., 2008. Typification of names of Compositae taxa described from Sicily by Michele Lojacono Pojero. *Flora Mediterranea*, 18: 513–528.
- Aghababyan M., Greuter W. & Raimondo F.M., 2012. Michele Lojacono Pojero's Centuriae in the herbaria and archives in Geneva. *Boccone*, 24: 177–193.
- Agnesi V., 2018. Gaetano Giorgio Gemmellaro, il padre della geologia siciliana. Palermo, 42 pp.
- Agnesi V., Macaluso T., Orrù P. & Ulzega A., 1993. Paleogeografia dell'Arcipelago delle Egadi (Sicilia) nel Pleistocene sup.-Olocene. *Il Naturalista siciliano*, 17: 3–22.
- Alberghina M., 2005. L'Accademia Gioenia: 180 anni di cultura scientifica (1824–2004): protagonisti, luoghi e vicende di un circolo di dotti. G. Maimone editore, 189 pp.
- Alfonso F., 1899. Necrologio. *Nuovi Annali dell'Agricoltura Siciliana*, 10: 132–134.
- Aliquò V. & Soldati F., 2010. Coleotteri Tenebrionidae di Sicilia (Insecta: Coleoptera, Tenebrionidae). *Monografie Naturalistiche*, 1. Edizioni Danaus, Palermo, 176 pp.
- Aloi A., 1899. Per il dott. Minà Palumbo. *Agricoltore Calabro Siculo*, 24: 121.
- Alzona C., 1971. Malacofauna italiana. Catalogo e bibliografia dei molluschi viventi, terrestri e d'acqua dolce. *Atti della Società Italiana di Scienze Naturali e del Museo Civico di Storia Naturale di Milano*, 111: 1–433.
- Amari E., 1843. Un progetto di colonizzazione che meglio potrebbe convenire nella isola di Lampedusa e sue adiacenze. *Giornale di Statistica compilato dagli impiegati della direzione Centrale di Statistica di Sicilia*, 6: 65–96.
- Amenta G., 1894. Nota biografica sul Cav. L. Benoit. *Il Naturalista siciliano*, 13: 105–107.
- Anderson J. & Johnston-Lavis H.J., 1888. Notes on the late eruption in the Island of Vulcano. *Report of the British Association for the Advancement of Science*, p. 664.
- Appolloni M., Smriglio C., Amati B., Lugliè L., Nofroni I., Tringali L.P., Mariottini P. & Oliverio M., 2018. Catalogue of the primary types of marine molluscan taxa described by Tommaso Allery Di Maria, Marquis of Monterosato, deposited in the Museo Civico di Zoologia, Roma. *Zootaxa*, 4477 (1): 1–138.
- Aradas A., 1844–1850. Prospetto della storia della Zoologia di Sicilia del secolo XIX, movendo da quello del chiarissimo sig. bar. Andrea Bivona, per Andrea Aradas. *Atti dell'Accademia Gioenia di Scienze Naturali Catania*, s. 2, 1 (1844): 365–398; 2 (1845): 163–199; 5 (1848): 55–90, 269–287; 6 (1850): 17–37, 83–105.
- Aradas A., 1850–1853. Monografia degli Echinidi viventi e fossili della Sicilia. *Atti dell'Accademia Gioenia di Scienze Naturali Catania*, s. 2, vol. 7–8.
- Aradas A., 1870. Elogio accademico del Prof. cav. Carlo Gemmellaro letto all'Accademia Gioenia di scienze naturali nella seduta straordinaria del di 2. dicembre 1868. *Atti dell'Accademia Gioenia in Catania*, s. 3, 2: 117–303.

- Aradas A. & Benoit L., 1871. Osservazioni sopra alcune specie malacologiche pertinenti al genere *Tritonium*. Atti dell'Accademia Gioenia di Scienze Naturali (3) 5: 85–95.
- Aradas A. & Benoit L., 1872–1876 ["1870"]. Conchigliologia vivente marina della Sicilia e delle isole che la circondano. Atti dell'Accademia Gioenia di Scienze Naturali, ser. 3, 6: 1–113, pls 1–2 [1872]; 113–226, pls 3–4 [1874]; 227–324, pl. 5 [1876].
- Aradas A. & G. Maggiore G., 1839–43. Catalogo ragionato delle conchiglie viventi e fossili di Sicilia (pubbl. in 4 parti in Atti dell'Accademia Gioenia di Scienze Naturali Catania, s.1, voll. XV–XX[1839–43]).
- Arcidiacono S. & Silvestri O., 1890. Etna, Sicilia ed isole vulcaniche adiacenti sotto il punto di vista dei fenomeni eruttivi e geodinamici avvenuti durante l'anno 1889. Bollettino della Accademia Gioenia di Scienze Naturali, Catania, 2: 230–232.
- Arietti A., 1875. Memoria sull'isola di Ustica scritta da Michele Russo e preceduta da una introduzione. Nuove Effemeridi di Sicilia, serie 3°, 1 (1).
- Arnone M. & Romano M., 1995. Hymenoptera Mutillidae, Apterogynidae Arthropoda di Lampedusa, Linosa e Pantelleria (Canale di Sicilia, Mar Mediterraneo). Il Naturalista siciliano, 19 (Suppl.): 739–752.
- Avogadro Vigliano de E., 1880. Lampedusa. Appunti di un comandante di distaccamento. Napoli.
- Baccetti B., Massa B. & Poggi R., 1985. L'esplorazione naturalistica a Lampedusa, Linosa e Pantelleria. Arthropoda di Lampedusa, Linosa e Pantelleria (Canale di Sicilia, Mar Mediterraneo). Il Naturalista siciliano, 19 (Suppl.): 23–37.
- Bäckström H., 1896. Ueber leucitführende Gesteine von den liparischen Inseln. Geologiska Föreningen i Stockholm Förhandlingar, 18: 3, 155–164.
<http://dx.doi.org/10.1080/11035899609444324>
- Baldacci L., 1886. Descrizione geologica dell'Isola di Sicilia. Memorie Descrittive della Carta Geologica d'Italia, 1: pp. 408, 37 figg., 10 tavv., 1 carta geol., Roma.
- Bank R.A. & Neubert E., 2017. Checklist of the land and freshwater Gastropoda of Europe. Last update: July 16th, 2017.
- Baratta M., 1892a. Sulle bombe ardenti dell'eruzione sottomarina di Pantelleria. Regio Ufficio Centrale di Meteorologia e Geodinamica, s2, 11, Roma.
- Baratta M., 1892b. Gli odierni fenomeni endogeni di Pantelleria. Milano, Voghera tipografia F. Baratta.
- Barbano M.S., Castelli V. & Pirrotta C., 2017. Materiali per un catalogo di eruzioni di Vulcano e di terremoti delle isole Eolie e della Sicilianord-orientale (secc. XV–XIX). Quaderni di Geofisica, 143: 1–235.
- Baroni E., 1902. A proposito della scoperta della *Kochia saxicola* a Strombolicchio. Bollettino della Società Botanica italiana, Unico (1902), p. 127
- Barsali E., 1908. Epatiche di Sicilia, isole Eolie e Pelagie. Rivista italiana di scienze naturali e Bollettino del naturalista collettore, allevatore, coltivatore, 28: 4–27; 29–32.
- Bartolucci F., Peruzzi L., Galasso G., Albano A., Alessandrini A., Ardenghi N. M. G., Astuti G., Bacchetta G., Ballelli S., Banfi E., Barberis G., Bernardo L., Bouvet D., Bovio M., Cecchi L., Di Pietro R., Domina G., Fascetti S., Fenu G., Festi F., Foggi B., Gallo L., Gottschlich G., Gubellini L., Iamónico D., Iberite M., Jiménez-Mejías P., Lattanzi E., Marchetti D., Martinetto E., Masin R. R., Medagli P., Passalacqua N. G., Peccenini S., Pennesi R., Pierini B., Poldini L., Prosser F., Raimondo F. M., Roma-Marzio F., Rosati L., Santangelo A., Scoppola A., Scortegagna S., Selvaggi A., Selvi F., Soldano A., Stinca A., Wagensommer R. P., Wilhalm T. & Conti F., 2018. An updated checklist of the vascular flora native to Italy. Plant Biosystems, 152 (2): 179–303.
<https://doi.org/10.1080/11263504.2017.1419996>
- Beckmann K.-H., 1987. Land- und Süßwassermollusken der Maltesischen Inseln. Heldia, 1: 1–38.
- Beckmann K.-H., 1992. Catalogue and Bibliography of the Land- and Freshwater Molluscs of the Maltese Islands, the Pelagi Islands and the isle of Pantelleria. Heldia, 2: 1–60.
- Beckmann K.-H., 2001. A bibliographic addition to the complete works of Tommaso Di Maria Marchese di Monterosato (1841–1927). Schriften zur Malakozoologie aus dem Haus der Natur, Cismar, 17: 44.
- Bellier de la Chavignerie J.E., 1860. Observations sur la faune entomologique de la Sicile. Lépidoptères de Sicile. Annales de la Société entomologique de France, Ser. 3, 8: 667–713.
- Benoit L., 1857–1862. Illustrazione sistematica critica iconografica de' testacei estramarini della Sicilia Ulteriore e delle isole circostanti. Gaetano Nobile, Napoli, 248 pp., 8 pls. [Quaderno 1.o: pp. i–xvi, 1–52, pls.1–2 (1857); Quaderno 2.o: pp. 53–116, pls. 3–4 (1857); Quaderno 3.o: pp. 117–180, pls. 5–6 (1859); Quaderno 4.o: pp. 181–248, pls. 7–8 (1862). The publication date of three additional plates, 9, 11 and 12, is unknown.].
- Benoit L., 1875. Catalogo delle conchiglie terrestri e fluviatili della Sicilia e delle Isole circostanti. Bollettino della Società Malacologica Italiana, 1: 129–163.
- Benoit L., 1882. Nuovo catalogo delle conchiglie terrestri e fluviatili della Sicilia o continuazione alla illustrazione sistematica critica iconografica de' testacei estramarini della Sicilia Ulteriore e delle isole circostanti. Tipografia D'Amico, Messina, 176 pp.

- Benoit L. & Gulia G., 1872. Fauna maltese. Indice dei Molluschi Terrestri ed Acquatici. Il Barth (Malta), 1: 198–20.
- Bentivegna G., 1989. Appunti per l'edizione dell'epistolario di Carlo Gemmellaro (con lettere inedite). Il Naturalista siciliano, 13: 131–151.
- Bergeat A., 1896. Der Stromboli als Wetterprophet. Zeitschrift der deutschen geologischen Gesellschaft, 153 pp.
- Bergeat A., 1897. Mineralogische Mittheilungen über den Stromboli. Neues Jahrbuch für Geologie und Paläontologie, 2: 109–123.
- Bergeat A., 1899. Die äolischen Inseln (Stromboli, Panaria, Salina, Lipari, Vulcano, Filicudi und Alicudi). Geologisch beschrieben. Abhandlungen bayer. Akad. Wissenschaften, 20: 1–320.
https://www.zobodat.at/pdf/Abhandlungen-Akademie-Bayern_20_0001-0274.pdf
- Bertarelli L.V., 1909. Escursione alle Isole Eolie. Rivista mensile Touring Club Italiano, agosto 1909, pp. 340–342.
- Bodon M., Cianfanelli S. & Nardi G., 2021. Mollusca (terrestrial and inland water species). In: Bologna M.A., Zapparoli M., Oliverio M., Minelli A., Bonato L., Cianferoni F. & Stoch F. (Eds.), Checklist of the Italian Fauna. Version 1.0. Last update: 2021-05-31. <https://www.lifewatchitaly.eu/en/initiatives/checklist-fauna-italia-en/checklist/>.
- Boeris G., 1889. Di alcuni Ragni d'Ustica. Il Naturalista Siciliano, 8: 237–239.
- Boettger O., 1877. Clausilienstudien. Palaeontographica (Neue Folge) Supplement 3: [1–2], 1–222, Taf. I–IV [= 1–4]. Cassel.
- Boid E., 1827. Travels Through Sicily and the Lipari Islands, in the Month of December, 1824. A Naval Officer, Edward Boid, 408 pp.
- Bonfiglio L., 1998. I resti fossili vegetali dell'Isola di Lipari conservati nelle collezioni Mandralisca. In: Mastelloni M.A. & Spigo U. (Eds.), Agli albori della ricerca archeologica nelle Eolie. Scavi e scoperte a Lipari nel XIX secolo. Assessorato Regionali ai Beni culturali e Ambientali Pubblica Istruzione, Palermo, pp. 33–34.
- Borzi A., 1888. *Filago eriocephala* Guss. in Lipari. Malpighia, 2: 172.
- Bottini A., 1903. I primi muschi delle Isole Eolie. Bollettino della Società Botanica italiana, 9: 294–299.
- Bourquelot F. & Reclus E., 1873. La Sicilia con prefazione e note al T. Navarro della Miraglia illustrato da 43 incisioni 2 carte geografiche e le piante dell'Etna e di Vulcano. Milano.
- Brancaleone S., 1866. Biografia di Carlo Gemmellaro. Giornale del Gabinetto Letterario dell' Accademia Gioenia in Catania, N. S., 4.
- Brullo C. & Brullo S., 2020. Flora endemica illustrata della Sicilia. Laruffa Editore, Reggio Calabria, 442 pp.
- Bucca L., 1885. Le andesiti dell'isola di Lipari: studio micrografico.
- Butler G.W., 1892. The Eruptions of Vulcano (August, 3, 1888, to March 22, 1890). Nature, 46: 117–119.
- Butler G.W. & Perry G.H., 1891. On the matter thrown up during the submarine eruption north-west of Pantelleria. Nature, 45: 251–252.
- Buttitta A., 1987. Relazione introduttiva. In: Liotta G. (a cura di), Atti del Convegno I Naturalisti e la Cultura Scientifica Siciliana nell'800, Palermo, 5–7 dicembre 1984, pp. 23–29.
- Calcagno M., 1879. Dell'Agricoltura dell'isola di Lampedusa. L'Agricoltore Calabro-siculo, in: Giornale d'agricoltura pratica, 4: 89–92; 155–157; 188–190.
- Calcara P., 1839. Alcune nuove specie di conchiglie appartenenti a diversi generi del sig. De Lamarck ritrovate e descritte dal dottor Pietro Calcara. L'Oreteo, Palermo 3–4 [reprint & 6 p., 1 pl, stamperia G. Pedone, Palermo]
- Calcara P., 1842. Descrizione dell'isola di Ustica. Palermo, 64 pp, 1 map. Palermo.
- Calcara P., 1843. Descrizione di alcune nuove specie di conchiglie della Sicilia. L'Occhio 5: 142–143.
- Calcara P., 1844. Osservazioni critiche al catalogo ornitologico del Gruppo di Malta, ed al Quadro geografico ornitologico di Ant. Schembri, stampato nel 1843 in Malta. Gazzetta de' saloni, 1 (4).
- Calcara P., 1845. Esposizione dei molluschi terrestri e fluviatili dei dintorni di Palermo. Atti della Accademia di Scienze e Lettere di Palermo (Nuova Serie) 1 (3): 1–46, Tav. 1.
- Calcara P., 1846a. Rapporto del viaggio scientifico eseguito nelle isole di Lampedusa, Linosa e Pantelleria, ed in altri punti della Sicilia. Il Contemporaneo (Palermo), 7(13): 97–99; ibidem, 7 (14): 105–108.
- Calcara P., 1846b. Notizie sul Catalogo manoscritto dei Molluschi terrestri e fluviatili della Sicilia e descrizione di *Helix Frivaldsky*, *Helix Linosae*, *Clausilia Lopedusae* Calcara. Atti ottava Riunione Scienziati Italiani tenutosi in Genova dal 14 al 29 settembre 1846, pp. 523–524.
- Calcara P., 1847a. Descrizione dell'isola di Lampedusa. Pagano, Palermo, 45 pp.
- Calcara P., 1847b. Carta geologica di Lampedusa, 1:50.000, Palermo.
- Calcara P., 1848a. Applicazioni ed usi delle piante spontanee di Lampedusa. Calendario Agricolo, Palermo.
- Calcara P., 1848b. Sulle condizioni geognostiche dell'isola di Ustica. Giornale di scienze, lettere ed arti per la Sicilia, Palermo.

- Calcara P., 1851a. Descrizione dell'isola di Linosa. Morvillo, Palermo, 31 pp., 1 map.
- Calcara P., 1851b. Carta geologica di Linosa, 1:35.000. Palermo.
- Calcara P., 1853. Descrizione dell'isola di Pantelleria. Atti dell'Accademia di Scienze, Lettere e Arti di Palermo, 2: 1–44.
- Calcara P., 1853–1854. Breve cenno sulla geognosia ed agricoltura dell'isola di Pantelleria. Giornale della Commissione d'Agricoltura e Pastorizia in Sicilia, 2 (2, 1853): 154–163; (4, 1854) 270–281.
- Caldarella O., La Rosa A., Pasta S. & Di Dio V., 2010. La flora vascolare della Riserva Naturale Orientata, Isola delle Femmine (Sicilia nord-occidentale): Aggiornamento della check-list e commento del turnover. Il Naturalista siciliano, 34: 421–476.
- Caleca V. & Mineo G., 1985. Profilo di un entomologo siciliano: Teodosio De Stefani-Perez (1853–1935). Atti XIV Congresso nazionale italiano di Entomologia, Palermo, Erice, Bagheria 28 maggio–1 giugno 1985, 17–29.
- Caleca V. & Mineo G., 1988. Aggiornamento e correzioni degli elenchi dei lavori pubblicati da Teodosio De Stefani-Perez. Il Naturalista siciliano, 12: 127–142.
- Carapezza A., 1987. Luigi Failla Tedaldi, entomologo. In: Liotta G. (a cura di), Atti del Convegno I Naturalisti e la Cultura Scientifica Siciliana nell'800, Palermo, 5–7 dicembre 1984, pp. 437–446.
- Carapezza A., 1995. Heteroptera. Arthropoda di Lampedusa, Linosa e Pantelleria (Canale di Sicilia, Mar Mediterraneo). Il Naturalista siciliano, 19 (Suppl.): 199–278.
- Carapezza A., 2020. The Heteropterological Exploration of Sicily, pp. 125–150. In: La Mantia T., Badalamenti E., Carapezza A., Lo Cascio P. & Troia A. (Eds.), Life on Islands. Biodiversity in Sicily and surrounding islands. Studies dedicated to Bruno Massa. Edizioni Danaus, Palermo.
- Carapezza M., 1988. La geologia siciliana nel XIX secolo. In: Nastasi P. (Ed.), Il Meridione e le scienze dal XVI al XIX secolo. Tipografia Luxograph (Istituto Gramsci Siciliano, Acta 1), Palermo, pp. 97–110.
- Caruso G., 1899. Francesco Minà Palumbo. Agricoltura italiana, 3, 5: 135.
- Casini P., 1985. I silenzi di Clio. In: Nastasi P. (a cura di), Atti del Convegno Il Meridione e le Scienze (secoli XVI–XIX). Palermo 14–16 maggio 1985, pp. 15–26.
- Cattaneo-Vietti R. & Russo G.F., 2019. A brief history of the Italian marine biology. The European Zoological Journal, 86: 294–315.
<https://doi.org/10.1080/24750263.2019.1651911>
- Chaix É., 1888. The past History of Vulcano. Bulletin of the American Geographical Society of New York, 20: 463–469.
- Chaix É., 1891. Album de 19 phot., été 1890 sur l'Etna et à l'île Vulcano (îles Lipari) par Emile Chaix, donateur en 1891 (Bibliothèque nationale de France).
- Cianfanelli S., 2002. Molluschi non marini, pp. 59–67. In: Corti C., Lo Cascio P., Masseti M. & Pasta S., 2002. Storia Naturale delle Isole Pelagie. L'Epos, Palermo, 189 pp.
- Cipolla F., 1928. Il Marchese di Monterosato. Giornale di Scienze Naturali ed Economiche di Palermo, 35: 1–12.
- Cipolla F., 1931. De Gregorio, necrologio con elenco delle pubblicazioni. Bollettino della Società geologica italiana, 50: 137–149.
- Cockburn J.P., 1815. A voyage to Cadiz and Gibraltar, up the Mediterranean to Sicily and Malta, in 1810 & II, including a description of Sicily and the Lipari Islands, and an excursion in Portugal. Vol. 2, London, 363 pp.
- Cole G.A.J. & Butler G.W., 1892. On the lithophyses in the obsidian of the Rocche Rosse, Lipari. Quarterly Journal of the Geological Society, 48: 438–443.
- Colomba L., 1900. Sui depositi d'una fumarola silicea alla fossa delle Rocche Rosse (Lipari). Bollettino della società geologica italiana, 19: 521–534.
- Colomba M.S., Gregorini A., Liberto F., Reitano A., Giglio S. & Sparacio I., 2011. Monographic revision of the endemic *Cornu mazzullii* (De Cristofori et Jan, 1832) complex from Sicily and re-introduction of the genus *Ercetella* Monterosato, 1894 (Pulmonata, Stylommatophora, Helicidae). Zootaxa, 3134: 1–42.
- Colomba M.S., Gregorini A., Cilia D.P., Liberto F., Reitano A. & Sparacio I., 2019. Molecular studies on the genus *Muticaria* Lindholm, 1925 (Pulmonata Clausiliidae) from the Maltese Islands. Biodiversity Journal, 10: 517–526.
- Colucci S., 1823. Delle isole Pelagie ed in particolare di quella nominata Lampedusa, relativamente al progetto di convertirla per luogo di deportazione. Manoscritto.
- Conti F., Abbate G., Alessandrini A. & Blasi C. (Eds.), 2005. An annotated Checklist of the Italian Vascular Flora. Palombi Editori, Roma, 420 pp.
- Corsi P., 2000. Gemmellaro Carlo, Dizionario Biografico degli Italiani, 53 volume, Roma, www.treccani.it
- Cortese C., 1888. Appunto sull'eruzione dell'isola di Vulcano veduta nel settembre 1888. Bollettino del R. Comitato Geologico d'Italia, Ser. IIa, 9: 214–222.
- Cortese E. & Sabbadini V., 1892. Descrizione geologico petrografica delle isole Eolie. Memorie descrittive della carta geologica d'Italia, 7: 74–131.
- Corti C., Lo Cascio P., Vannini S., Turrise G.F., Vaccaro A. 1998. Amphibians and Reptiles of the circumsicilian islands: new data and some considerations. Bollettino del Museo Regionale di Scienze Naturali di Torino, 15: 179–211.

- Cossa A., 1898. Sulla presenza del tellurio nei prodotti del cratere dell'isola Vulcano (Lipari). *Rassegna Mineraria* 17: 25–38.
- Costa O.G., 1829. Osservazioni zoologiche intorno ai Testacei dell'isola di Pantelleria. Lettera del dottor Oronzio-Gabriele Costa al chiarissimo signor D. Giovanni Gussone. Tipografia della Minerva, Napoli, 12 pp.
- Council of Europe, 1979. CETS No.104. Convention on the Conservation of European Wildlife and Natural Habitats. Bern, 19.IX.1979. European Treaty Series, 104, 1–26.
- Cristofolini R., 1987. Carlo Gemmellaro, geologo e vulcanologo. *Bollettino dell'Accademia Gioenia di Scienze Naturali in Catania*, 20: 75–90.
- Cristofolini R., 2005. Carlo Gemmellaro, geologo e vulcanologo. In: Alberghina M. (Curatore), *L'Accademia Gioenia: 180 anni di cultura scientifica (1824–2004)*. Protagonisti, luoghi e vicende di un circolo di dotti. G. Maimone ed., Catania, pp. 131–135.
- Cristofolini R., 2017. Un ricordo di Carlo Gemmellaro. *Bollettino dell'Accademia Gioenia di Scienze Naturali in Catania*, 50: 417–431.
- Cucuzza Silvestri S., 1989. Carlo Gemmellaro: cenni bibliografici e storici, in C. Gemmellaro, 1858 - La vulcanologia dell'Etna, ristampa, G. Maimone ed., Catania, pp. 9–50.
- Darwin C., 1859. On the origin of species by means of natural selection, or the preservation of favoured races in the struggle for life. J. Murray, London.
- Dautzenberg P., 1928. Nécrologie. Marquis de Monterosato. *Journal de Conchyliologie*, 72: 69–73.
- D'Albertis E., 1878. Crociera del Violante comandato dal Capitano-Armatore Enrico D'Albertis durante l'anno 1876. I. Parte narrativa (con prefazione di Arturo Issel). *Annali del Museo civico di Storia naturale di Genova*, 11: 7-324, 4 figg., 24 figg. f.t. e 1 carta.
- Delaharpe J., 1860. Contributions a la Faune de la Sicilie. Lépidoptères. *Bulletin de la Société vaudoise des sciences naturelles*, 47: 386–418.
- De Gregorio A., 1886. Intorno a un deposito di roditori e di carnivori sulla vetta di Monte Pellegrino con uno schizzo sincronografico del calcare postpliocenico della vallata di Palermo. *Atti della Società Toscana di Scienze Naturali*, 8: 1–39.
- De Gregorio A., 1894. Appunti zoologici e Geologici sull'isola di Levanzo (Conchiglie terrestri viventi e fossili e avanzi paleontologici). *Annales de Géologie et de Paleontologie*, 16, 14 pp.
- De Gregorio A., 1895. Appunti su talune Conchiglie estramarine di Sicilia viventi e fossili con la spiegazione delle tavole dell'opera di Benoit. *Il Naturalista Siciliano*, 14: 183–212.
- De Gregorio A., 1923. Necrologie - Michele Lojacono. *Naturalista Sicil.* 24: 31–32.
- De Gregorio A., 1927. Il Marchese di Monterosato. *Il Naturalista siciliano*, 26: 6–11.
- Denon D.V., 1788. *Voyage en Sicile*. Paris, 248 pp.
- De Quatrefages J.L.A., 1857. *Souvenirs d'un naturaliste (les côtes de la Sicilie)*. 2 vol., Paris, Charpentier, 549 pp.
- De Rossi M.S., 1882a. Corrispondenza, Cronaca dei vulcani delle Isole Eolie. *Bollettino del Vulcanismo Italiano*, 9: 200–203.
- De Rossi M.S., 1882b. Fatti di Stromboli, Vulcano e Panaria. *Bollettino del Vulcanismo Italiano*, 9: 142–143.
- De Rossi M.S., 1882c. Stromboli 19 novembre 1882. *Bollettino del Vulcanismo Italiano*, 9: 202–203.
- Derselbe, 1888. The Islands of Vulcano and Stromboli. *Nature*, 38: 13–14.
- Derselbe, 1890. The Eruption of Vulcano Island. *Nature*, 42: 78–79.
- De Stefani C., 1900. Le acque atmosferiche nelle fumarole: a proposito di Vulcano e di Stromboli. *Bollettino della Società geologica italiana*, 19: 295–320.
- De Stefani-Perez T., 1918. Giuseppe Riggio. *Giornale di Scienze naturali ed Economiche*, 31: 55–56.
- De Stefani-Perez T. & Riggio G., 1882. *Catalogo dei Coleotteri Siciliani raccolti ed ordinati da T. de Stefani Perez e G. Riggio, ed esistenti nella Collezione Entomologica del Museo Zoologico-Zootomico della R. Università di Palermo*. Tip. Giorn. Sicilia, Palermo, 27 pp.
- Dia M.G., 1987. L'opera di Michele Lojacono-Pojero per la illustrazione della Flora Sicula. In: Liotta G. (a cura di), *Atti del Convegno I Naturalisti e la Cultura Scientifica Siciliana nell'800*, Palermo, 5–7 dicembre 1984, pp. 495–503.
- Di Dio V., 2011. La Riserva Naturale Orientata Isola delle Femmine, pp. 25–29. In: AA.VV. (a cura di), *L'educazione Ambientale per la sostenibilità dello sviluppo*. *Gazzetta Ambiente*, 17(4).
- Di Franco S., 1933. I primi geologi siciliani e i Gemmellaro. *Archivio storico per la Sicilia orientale*, 24: 102–108.
- Di Simone V., 2016. Vittorio Emanuele Orlando - una biografia quasi un romanzo. Edizioni Danaus, Palermo, 296 pp.
- Doderlein P., 1869–1874. Avifauna del Modenese e della Sicilia. *Giornale di Scienze Naturali ed Economiche*, 5: 137–195; 6: 187–236; 7: 9–72; 8: 40–124; 9: 28–93; 10: 35–71 e 133–148.
- Doderlein P., 1872. Sul passaggio autunnale di alcune specie nordiche di Uccelli per l'isola d'Ustica. *Giornale Ufficiale di Sicilia*, 5 dicembre 1872.
- Doderlein P., 1875a. Osservazioni geologiche, zoologiche ed industriali sull'Isola di Pantelleria. Memoria letta alla Società di Scienze Naturali ed Economiche di Palermo nella tornata del 24 maggio 1874, e riprodotta in estratto nel *Giornale ufficiale di Sicilia* del

- 27 maggio suddetto n. 120, indi nel Giornale ufficiale d'Italia del successivo mese di giugno 1874.
- Doderlein P., 1875b. Cenni sulla costituzione geologica dell'isola di Ustica. Articolo facente parte della memoria su quella isola redatta dal Sig. Capitano Arieti, ed inserita nelle Nuove Effemeridi siciliane edite in Palermo 1875, ser. 3, fasc. 1, pag. 74.
- Dolomieu de D., 1783. Voyage aux îles de Lipari fait en 1781, ou Notices sur les Îles Æoliennes, pour servir a l'Histoire des Volcans; Suivi d'un Mémoire sur une espèce de Volcan d'air, & d'un autre sur la Température du climat de Malthe, & sur la différence de la Chaleur réelle & de la Chaleur sensible. Rue et Hôtel Serpente [Impr. Chardon], Paris, pp. VIII+208.
- Domina G., 2005. Typification of the name *Kleinia mandraliscae* Tineo (Asteraceae). *Flora Mediterranea*, 15: 5-7.
- Domina G. & Mazzola P., 2005. Su un frammento d'erbario di Enrico Pirajno di Mandralisca. *Il Naturalista siciliano*, 29: 3-17.
- Domina G. & Mazzola P., 2007. The genus *Orobanche* in Sicily. Taxa described by V. Tineo and M. Lojaccono Pojero. *Bocconea*, 21: 223-232.
- Domina G., Greuter W., Mazzola P. & Raimondo F.M., 2014a. La ricerca dei tipi di Michele Lojaccono Pojero nell' "Herbarium Mediterraneum Panormitanum". *Museologia Scientifica, Memorie*, 11: 81-84.
- Domina G., Greuter W., Mazzola P. & Raimondo F.M., 2014b. Names of Italian vascular plants published by Michele Lojaccono Pojero. *Flora Mediterranea*, 24: 215-232. <https://doi.org/10.7320/FIMedit24.215>
- Domina G., Bazan G., Campisi P. & Greuter W., 2015. Taxonomy and conservation in Higher Plants and Bryophytes in the Mediterranean Area. *Biodiversity Journal*, 6: 197-204.
- Donato G., 2013. L'Isola che non c'era. Edizioni Danaus, Palermo, 128 pp.
- Dörfler I., 1909. Botaniker-Adressbuch, ed. 3. Herausgeber, Wien, 268 pp.
- Draparnaud J.P.R., 1801. Tableau des mollusques terrestres et fluviatiles de la France. Paris, 116 pp.
- Dubrony A., 1878. Crociera del Violante comandato dal Capitano-Armatore Enrico D'Albertis durante l'anno 1876. II. Risultati zoologici. Catalogo degli Ortotteri. *Annali del Museo Civico di Storia Naturale di Genova*, 11: 327-333.
- Dufour L., 1992. Atlante storico della Sicilia. A. Lombardi editore, Palermo, 503 pp.
- D'Urso V. & Guglielmino A., 1995. Homoptera Auchenorhyncha. Arthropoda di Lampedusa, Linosa e Pantelleria (Canale di Sicilia, Mar Mediterraneo). *Il Naturalista siciliano*, 19 (Suppl.): 279-301.
- Eredia F., 1943-1950. In memoria di Gaetano Platania. Accademia di Scienze Lettere e Belle Arti degli Zelandi e dei Dafnici di Acireale, 1: 3-23.
- Escherich K., 1893. Eine Excursion auf die Insel Linosa. Beitrag zur Fauna dieser Insel. *Il Naturalista siciliano*, 12: 244-249, 271-276.
- Espinosa F., Rivera-Ingraham G.A., Maestre M., González A.R., Bazairi H. & García-Gómez J.C., 2014. Updated global distribution of the threatened marine limpet *Patella ferruginea* (Gastropoda: Patellidae): an example of biodiversity loss in the Mediterranean. *Oryx*, 48: 266 - 275. <https://doi.org/10.1017/S0030605312000580>
- Evenhuis N.L., 2003. Publication and dating of the journals forming the Annals and Magazine of Natural History and the Journal of Natural History. *Zootaxa*, 385 (1), 1-68. <https://doi.org/10.11646/zootaxa.385.1.1>
- European Community, 1999. Council Decision of 22 October 1999 on concluding the Protocol concerning specially protected areas and biological diversity in the Mediterranean, and on accepting the annexes to that Protocol (Barcelona Convention). *Official Journal of the European Communities*, L 322, 1-17.
- Fabiani R., 1933. Primo centenario della nascita di Gaetano Giorgio Gemmellaro. *Il Naturalista siciliano*, 28: 97-99.
- Failla M., Messina A. & Nobile V., 1973. Blattoidei, Mantoidei, Fasmoidi, Ortotteri e Dermatteri delle Isole Eolie e Ustica. *Lavori Società italiana di Biogeografia*, 3: 591-608.
- Failla Tedaldi L., 1882. Insetti commestibili, sacri, medicinali, industriali e d'ornamento. *Il Naturalista siciliano*, 1: 232-240, 2: 64-68.
- Failla Tedaldi L., 1887. Escursione entomologica all'isola di Lampedusa. *Il Naturalista siciliano*, 6: 53-56; 69-73; 102-104; 157-162.
- Failla Tedaldi L., 1891a. Insetti luminosi. *Il Naturalista siciliano*, 10: 84-86.
- Failla Tedaldi L., 1891b. Scoperta di una necropoli preistorica nel comune d'Isnello (Grotta del Fico). *Rivista italiana di Scienze Naturali e Bollettino del Naturalista*, 11: 81-83.
- Failla Tedaldi L., 1896. Scoperta di un'altra grotta preistorica nelle Nebrodi (Grotta della Chiusilla). *Rivista Italiana di Scienze Naturali*. XVI.
- Failla Tedaldi L., 1899. Per il Dott. F. Minà Palumbo. *Il Naturalista siciliano*, 3: 26-28.
- Failla Tedaldi L., 1900. Glossario entomologico. Tip. e lit. Sordo-Muti di L. Lazzeri, Siena, 186 pp. Estr. da "Bollettino del naturalista", Siena.
- Fatta Martinez Tagliavia V., 2014. Marchese Don Antonio de Gregorio Brunaccini P.pe di S.Teodoro. www.martinez-tagliavia.com/introduzione/storia/virginia-fatta-fratta/de-gregorio/antonio-de-gregorio/
- Ferrara F., 1810. I Campi Flegrei della Sicilia e delle isole che le sono intorno e descrizione fisica e mineralogica di queste isole. Messina, 424 pp.

- Ferrara F., 1813. Storia Naturale della Sicilia che comprende la mineralogia. vol. VI. Dalla Tipografia dell'Università per Francesco Pastore, Catania, LXV + 160 pp.
- Ferrara A.F., 1845. Vulcanologia geologica della Sicilia e delle isole che le sono intorno. Atti Accademia Gioenia di Scienze Naturali Catania, serie 2°, 2: 229–319.
- Ferrari P.M., 1884. Materiali per lo studio della fauna tunisina raccolti da G. e L. Doria. V. Rincoti. Annali del Museo civico di storia naturale Giacomo Doria, (2), 1: 439–522.
- Ferro G., 1995. Coleoptera Palpicornia di Pantelleria. Arthropoda di Lampedusa, Linosa e Pantelleria (Canale di Sicilia, Mar Mediterraneo). Il Naturalista siciliano, 19 (Suppl.): 427–428.
- Filetti G. & Bella G., 1995. Gaetano Platania: un geologo “d'altri tempi”. Logos, 3 (Luglio–Settembre 1995).
- Fiorentino V., Cianfanelli S., Manganelli G. & Giusti F., 2004. I molluschi non marini delle isole Egadi (Canale di Sicilia): biodiversità e conservazione. Società Italiana di Ecologia, XIV Congresso nazionale, Siena, 4–6 ottobre 2004, Poster.
- Fiorentino V., Manganelli G., Giusti F., 2008a. Multiple scale patterns of shell and anatomy variability in land snails: the case of the Sicilian Marmorana (Gastropoda: Pulmonata, Helicidae). Biological Journal of the Linnean Society London, 93, 359–370.
- Fiorentino V., Salomone N., Manganelli G., Giusti F., 2008b. Phylogeography and morphological variability in land snails: the Sicilian Marmorana (Pulmonata, Helicidae). Biological Journal of the Linnean Society London, 94, 809–823.
- Fiorentino V., Nicola Salomone N., Manganelli G. & Giusti F., 2010. Historical biogeography of Tyrrhenian land snails: The *Marmorana*–*Tyrrheniberus* radiation (Pulmonata, Helicidae). Molecular Phylogenetics and Evolution, 55: 26–37.
<https://doi.org/10.1016/j.ympev.2009.11.024>
- Fiorentino V., Salomone N., Schembri P.J., Manganelli G., Giusti F., 2017. The radiation of alopiine clausiliids in the Sicilian Channel (Central Mediterranean): phylogeny, patterns of morphological diversification and implications for taxonomy and conservation of *Muticaria* and *Lampedusa*. bioRxiv preprint first posted online Oct. 26, 2017. <http://dx.doi.org/10.1101/208348>
- Fischer-Piette E., 1937. Dates de publication du “Journal de Conchyliologie” de 1861 a 1900. Journal de Conchyliologie, 81: 88–92.
- Fischer L.H., 1853. Orthoptera Europaea. Engelmann, Lipsiae, 20 + 454 pp., 18 tavv.
- Foerstner H., 1881a. Nota preliminare sulla geologia dell'Isola di Pantelleria secondo gli studi fatti negli anni 1874 e 1881. Bollettino del R. Comitato Geologico d'Italia, 12: 523–556.
- Foerstner H., 1881b. Über Natronorthoklas von Pantelleria. Zeitschrift für Kristallographie und Mineralogie, 1: 547–561.
- Foerstner H., 1883. Das Gestein der Insel Ferdinandea (1831) und seine Beziehungen zu den jüngsten Laven Pantellerias und des Aetnas. Zeitschrift für Kristallographie, Mineralogie und Petrographie, 5: 388–396.
- Foerstner H., 1884a. IX. Ueber die Feldspäthe von Pantelleria. Zeitschrift für Kristallographie - Crystalline Materials, 8: 125–202.
<https://doi.org/10.1524/zkri.1884.8.1.125>
- Foerstner H., 1884b. XIX. Ueber künstliche physikalische Veränderungen der Feldspäthe von Pantelleria. Zeitschrift für Kristallographie - Crystalline Materials, 9: 333–352.
- Foerstner H., 1891a. XXXIX. Ueber die Feldspäthe von Pantelleria. Zeitschrift für Kristallographie - Crystalline Materials, 19: 560–570.
<https://doi.org/10.1524/zkri.1891.19.1.560>
- Foerstner H., 1891b. Das Gestein der 1891 bei Pantelleria entstandenen Vulkaninsel und seine Beziehungen zu den jüngsten Eruptivgesteinen der Nachbarschaft. Tschermarks mineralogische und petrographische Mitteilungen, 12: 510–521
- Fulcher L.W., 1890. Vulcano and Stromboli. Geologie Magazine, 7: 347–353.
- Furia B., 1863. Memorie sulla posizione agraria, silvana e commerciale dell'isola di Pantelleria e sulla possibilità di costruirsi un porto. Palermo, Stamperia Sociale Macoclin Carini e Caronna, 26 pp. + 1 mappa.
- Gaudin C.T., 1858. Sur les flores fossils d'Italie. Bulletin de la Société Vaudoise des Sciences Naturelles, 43: 6–11.
- Gaudin C.T. & Pirajno di Mandralisca E., 1860. Contributions a la flore fossile italienne. Cinquième mémoire. Tufs volcaniques de Lipari. Mémoires de la Société Helvétique des Sciences Naturelles, 18: 3–11.
- Gemmellaro C., 1831a. Sopra l'isola vulcanica di Pantelleria e sopra le osservazioni ivi fatte dal socio corrispondente Conte F. Beffa Negrini. Atti dell'Accademia Gioenia di Scienze Naturali in Catania, 5: 209–223.
- Gemmellaro C., 1831b. Relazione dei fenomeni del nuovo vulcano sorto dal mare fra la costa di Sicilia e l'isola di Pantelleria nel mese di luglio 1831. Ne' Torchi della Regia Università, Carmelo Pastore impresse, Catania.
- Gemmellaro C., 1833a. Descrizione di una nuova carta geologica di Sicilia. Giornale di Scienze Lettere e Arti di Sicilia, 134.
- Gemmellaro C., 1833b. Sopra le origini e i progressi delle scienze in Sicilia: prolusione all'anno scolastico

- 1832 e 1833 nella R. Università degli studi in Catania. Da' Torchi della R. Università, Catania, 55 pp.
- Gemmellaro C., 1833c. Cenno sopra le conchiglie fossili dell'argilla terziaria di Cifali presso Catania. Atti dell'Accademia Gioenia in Catania, 7: 243–253.
- Gemmellaro C., 1834. Relazione dei fenomeni del nuovo vulcano sorto dal mare fra la costa di Sicilia e l'isola di Pantelleria nel mese di luglio 1831. Atti dell'Accademia Gioenia di Scienze Naturali, 8: 271–298.
- Gemmellaro C., 1835a. Brevi cenni sulla topografia dell'antico Porto di Ulisse del dott. Carlo Gemmellaro, Torchi dei f.lli Sciuto, Catania, 20 pp.
- Gemmellaro C., 1835b. Della Zoologia del Golfo di Catania: Memoria 1°. Topografia zoologica. Seduta ordinaria 23.7.1935. Atti Accademia Gioenia di Catania, ser. 1°, 12: 59.
- Gemmellaro C., 1836. De vallis de bove in monte Aetna geognostica constitutione. Oratio habita in generali physicorum Germanicorum concione... Atti dell'Accademia Gioenia in Catania, 11: 351–360.
- Gemmellaro C., 1837. Sulla costituzione fisica della Valle del Bove: memoria. Atti dell'Accademia Gioenia in Catania, 12: 163–182.
- Gemmellaro C., 1840. Elementi di Geologia ad uso della Regia Università degli studi di Catania, Tipogr. R. Università Studi, 432 pp.
- Gemmellaro C., 1845. Sul basalto decomposto dell'isola dei Ciclopi. Memoria letta al settimo Congresso degli scienziati italiani in Napoli il 29 sett. 1845. Atti Accademia Gioenia di Scienze Naturali Catania, serie 2°, 2: 309–319.
- Gemmellaro C., 1857. Sul diluvio. Prove geologiche. Atti dell'Accademia Gioenia in Catania, s. 2, 14: 253–278.
- Gemmellaro C., 1858. La vulcanologia dell'Etna, Tipogr. C. Galàtola, Catania, 267 pp.
- Gemmellaro C., 1859–1860. La vulcanologia dell'Etna, che comprende la topografia, la geologia, la storia delle sue eruzioni... Atti dell'Accademia Gioenia in Catania, s. 2, 14: 183–350; 15: 27–140.
- Gemmellaro C., 1865. Un addio al maggior vulcano d'Europa, Tipografia Metitiero, Catania, 24 pp.
- Genchi M., 2012. Bibliografia dei lavori di Francesco Minà Palumbo. Erre20 srl, Biblioteca centrale della Regione Siciliana "Alberto Bombace", Palermo, 213 pp.
- Genovesi F., 1879. Notizie sulle acque termo-minerali e sulla grotta o stufa di S. Calogero in Lipari. Gazzetta di Messina, 24 aprile 1879, pp. 59–61.
- Giannuzzi Savelli R. (Ed.), 1982–1989. Tommaso Di Maria Marchese di Monterosato, Opera Omnia. 4 Vols. Società Italiana di Malacologia, Palermo, pp. i–xvi + 1–1792.
- Ghiliani F., 1842. Insetti di Sicilia determinati dal Sig. F. Ghiliani nel suo viaggio in questa isola. Anno 1839. Atti dell'Accademia Gioenia di Scienze Naturali in Catania, 19: 19–48.
- Giannuzzi Savelli R., Sparacio I. & Oliva N., 1986. I Tipi di Molluschi terrestri della collezione Pirajno del Museo Mandralisca di Cefalù. Atti del 1° Congresso Soc. ital. malacologia, Palermo, pp. 195–208.
- Giannuzzi Savelli R., Sparacio I. & Oliva N., 2012. Nomenclatural observations on the Ercetella Monterosato, 1894 species (Gastropoda, Helicidae) from the "Rocca" of Cefalù (Italy, Sicily). Biodiversity Journal, 3: 107–110.
- Giglioli H.E., 1884. 2° Campagna del piroscampo Washington. In: Giglioli H.E. & Issel A., Pelagos: saggi sulla vita e prodotti del mare.
- Giglioli H.E., 1891. Relazione sulla pesca delle spugne a Lampedusa. Atti Comm. e Cons. Pesca, 106 pp.
- Giglioli H.E., 1891. Intorno ad una caverna abitata da gente preistorica nell'isola di Levanzo, Egadi, Sicilia. Archivio per l'Antropologia e la Etnologia, 21: 49–52.
- Gittenberger E., 1985. The taxonomic status of *Xeroplexa* Monterosato, 1892 (Pulmonata: Helicidae: Helicellinae), a surprise. Iberus 5: 59–62.
- Giusti A., 1883. Le ultime crociere del Violante comandato dal Capitano-Armatore Enrico D'Albertis. Tip. R. Ist. Sordo-Muti, Genova. 85 pp., 4 figg., 4 tavv.
- Giusti F., 1973. I Molluschi terrestri e salmastri delle Isole Eolie. Notulae Malacologicae XVIII. Biogeographia, 3: 113–306.
- Giusti F. & Manganelli G., 1984. Relationships between geological land evolution and present distribution of terrestrial gastropods in the western Mediterranean area. In: Solem A. & Bruggen A.C. Van (Eds.), World-wide snails. Biogeographical studies on non-marine Mollusca, Backhuys, Leiden, 290, pp 70–92.
- Giusti F., Manganelli G. & Schembri P.J. 1995. The non-marine molluscs of the Maltese Islands. Monografie Museo Regionale Scienze Naturali, Torino, 15: 1–607.
- Gregorio R. (de), 1840. Descrizione delle principali isole adjacenti alla Sicilia del canonico Rosario de Gregorio. In: Memorie su la Sicilia tratte dalle più celebri accademie e da distinti libri di Società letterarie e valentuomini nazionali e stranieri con aggiunte e note per Guglielmo Capozzo. Vol. 1, pp. 171–182. Palermo, Tipografia di Bernardo Virzi.
- Gregorio R. (de), 1853. Descrizione di Ustica. Palermo.
- Gussone G., 1832–1834. Supplementum ad Florae Siciliae Prodromum, quod et specimen florae insularum Siciliae ulteriori adjacentium. Fasciculus secundus. Neapoli, ex Regia Typographia.
- Gussone G., 1839. Notizie sulle isole di Linosa, Lampedusa e descrizione di una nuova specie

- di “*Stapelia*” che trovasi in questa ultima. Atti della Reale Accademia delle Scienze, Sezione della Società Reale Borbonica, 4: 74–97.
- Gussone G., 1843–1845. *Florae Siculae Synopsis exhibens plantas vasculares in Sicilia insulisque adjacentibus hucusque detectas secundum systema Linneanum dispositas*. Neapoli Typogr. Tramater, Vol. I [1843], v + 575 pp., vol. 2 [1845], iii + 920 pp.
- Gussone G., 1855. *Enumeratio plantarum vascularium in Insula Inarime sponte provenientium, vel oeconomico uso passim culturam*. Neapoli, ex Vanni Typographico, XIX + 433 pp.
- Habsburg Lothringen L.S., 1893–1896. *Die Liparischen Inseln*. Erstes Heft: Vulcano. H. Mercy, Praha. Vol. 1 (Vulcano) XII+95 pp. [1893]; vol. 2 (Salina) IX+72 pp. [1893]; vol. 3 (Lipari), 158 pp. [1894]; vol. 4 (Algemeiner theil), X+159 pp. [1894]; vol. 5 (Panaria), VIII+30 pp. [1895]; vol. 6 (Filicuri), VIII+30 pp. [1895]; vol. 7 (Alicuri), V+29 pp [1896]; vol. 8 (Stromboli), V+51 pp. [1896].
- Habsburg Lothringen L.S., 1898. *Ustica*. H. Mercy, Praha, 132 pp., 2 Pls.
- Hausdorf B., Bamberger S. & Walther F., 2020. A Sicilian Cretan biogeographical disjunction in the land snail genus *Cornu* (Gastropoda: Helicidae). *Zoological Journal of the Linnean Society*, 20: 1–16.
- Hoffmann F., 1832. Ueber die geognostische Beschaffenheit der Liparischen Inseln. Schreiben an Herrn Leopold von Buch, Mitglied der Kgl. Akademie der Wissenschaften zu Berlin. *Annalen der Physik und Chemie*, 26: 1–89.
- Hovey E., 1897. The Volcanic Condition of Stromboli. *Nature*, 57: 100. <https://doi.org/10.1038/057100c0>.
- Houël J.P.L., 1782–1787. *Voyage pittoresque des isles de Sicile, de Malte et de Lipari, Où l'on traite des Antiquités qui s'y trouvent encore; des principaux Phénomènes que la Nature y offre; du Costume des Habitans, et de quelques Usages*. Vol. 1–4. Imprimerie de monsieur, Paris, 124 pp.
- Korell A. & Cassola F., 1987. Ueber die Sandlaufkafer-Arten Tunisiens (Coleoptera, Cicindelidae). *Mitteilungen der Münchner Entomologischen Gesellschaft*, 77: 85–101.
- Kuban V., 2006. In: *Catalogue of Palaearctic Coleoptera*, Vol. 3: Scarabaeoidea - Scirtoidea - Dascilloidea - Buprestoidea - Byrrhoidea I. Löbl & A. Smetana, Apollo Books, Stenstrup.
- Küster H.C., 1847–1862. Die Schliessschnecken und die verwandten Gattungen (*Clausilia*, *Balea*, *Cylindrella*, *Megaspira*). In *Abbildungen nach der Natur mit Beschreibungen*. Systematisches Conchylien-Cabinet von Martini und Chemnitz, 14: 1–355, Pls. 1–38.
- Iddings J.P. & Penfield S.L., 1890. Fayalite in the obsidian of Lipari. *American Journal of Science*, s. 3–40 (235): 75–78.
- Ientile R. & Massa B., 2008. Uccelli (Aves). In: Autori Vari, *Atlante della Biodiversità della Sicilia*. Studi e Ricerche, 6, Arpa Sicilia, Palermo, pp. 115–212.
- Imbornone F., 1817. Relazione del terremoto accaduto nelle città di Sciacca in Sicilia nella fine di dicembre 1817, e porzione del gennaio 1817, diretta al Console generale austriaco per la Sicilia a Palermo, barone Massimiliano Noyatzky, dal sig. Francesco Imbornone, agente consolare austriaco in quella città. *Biblioteca Italiana ossia giornale di letteratura, scienze et arti*, 8, 350–352.
- Ingraiti G., 1987. Le influenze dei Naturalisti nella cultura universitaria palermitana dell'Ottocento. Atti del Convegno I Naturalisti e la Cultura Scientifica Siciliana nell'800, Palermo, 5–7 dicembre 1984: 149–160.
- Issel A., 1878. Crociera del Violante comandato dal Capitano-Armatore Enrico D'Albertis durante l'anno 1876. II. Risultati zoologici. Testacei. *Annali Museo civico di Storia Naturale di Genova*, 11: 411–456.
- Issel A., 1880. Crociera del Violante comandato dal Capitano-Armatore Enrico D'Albertis durante l'anno 1887. I. Parte narrativa. *Annali Museo civico di Storia Naturale di Genova*, 15, 199–236, 5 figg., 4 tavv.
- Jatta A., 1891. Su di alcuni licheni di Sicilia e di Pantelleria. *Nuovo Giornale Botanico Italiano*, 23: 353–355.
- Johnston-Lavis H.J., 1888a. The Recent Eruption at Vulcano. *Nature*, 39: 173. <https://doi.org/10.1038/039173b0>
- Johnston-Lavis H.J., 1888b. Further notes on the late eruption at Vulcano Island. *Nature*, 39: 109–111. <https://doi.org/10.1038/039109a0>.
- Johnston-Lavis H.J., 1890. The Eruption of Vulcano Island. *Nature*, 42: 78–79. <https://doi.org/10.1038/042078b0>.
- Johnston-Lavis H.J., 1893. Stromboli. *Nature*, 47: 453.
- Johnston-Lavis H.J., 1894. Enclosures of quartz in lava of Stromboli and changes in composition produced by them. *Quarterly Journal of Geological Society*, 50 (Proceedings of the Geological Society of London, p. 2).
- Judd J.W. & Butler G.W., 1891. The October Eruption North-West of Pantelleria. *Nature*, 45 (1155): 154.
- La Billardièrre J.J. Houton (marquis de) 1791–1812. *Icones plantarum Syriae rariorum: descriptionibus et observationibus illustratae*. Decc. I–II: Typ. Circ. Gallicae Comoediae Parisiis; Decc. III–V: Typ. D. Huzard.
- La Duca R., 1975. *Cartografia generale della città di Palermo e antiche carte della Sicilia*. Edizioni Scientifiche Italiane, 307 pp.
- Lagenbach G., 1873. *Die Meeresalgen der Inseln Sizilien und Pantelleria*. Berlin, 23 pp.

- La Mantia T., 2001. L'estinzione della damigella di Numidia *Anthropoides virgo* (L.) (Aves, Gruiformes) a Lampedusa: un esempio di rarefazione della fauna mediterranea. *Il Naturalista siciliano*, 25: 255–259.
- La Mantia T., 2015. L'agricoltura a Lampedusa: da un travagliato passato ad un incerto avvenire. In: *Lampedusa, Memoria e storia del Paesaggio*, pp. 34–45.
- La Mesa G. & Tunesi L., 2019. *Patella ferruginea* (Gmelin, 1791) (*Patella ferruginea*), pp. 23–24. In: La Mesa G., Paglialonga A., Tunesi L. (Eds.), *Manuali per il monitoraggio di specie e habitat di interesse comunitario (Direttiva 92/43/CEE e Direttiva 09/147/CE) in Italia: ambiente marino*. ISPRA, Serie Manuali e linee guida, 190/2019.
- Lancia F., 1854. Elogio di Pietro Calcara (letto nella tornata del 19 novembre 1854). *Atti della Reale Accademia di Scienze, Lettere e Arti di Palermo (N.S.)*, 2: 1–18.
- La Rosa G., 1784. *Pyrologia Topostoriografica dell'isole di Lipari seu Lipari sacro. Parte quarta*. Unpublished manuscript, kept at the Bishop's Archive of Lipari.
- Lavis H.J.J., 1888. The Islands of Vulcano and Stromboli. *Nature*, 38: 13–14.
- Lefebvre A., 1827. Description des diverses Insectes inédites recuillis en Sicile. *Annales de la Société Linéenne de Paris*, 6: 94–108.
- Levi-Morenos D., 1891. Notizie sull'eruzione marina a Pantelleria. *Neptunia*, 1: 431–436.
- Liberto G., Giglio S., Colomba M.S. & Sparacio I., 2012. New and little known land snails from Sicily (Mollusca Gastropoda). *Biodiversity Journal*, 3: 201–228.
- Liberto F., Colomba M.S., Reitano A., Giglio S. & Sparacio I., 2015. The endemic door snail of Marettimo (Egadi Islands, Sicily, Italy): *Siciliaria (Siciliaria) scarificata* (L. Pfeiffer, 1856) (Pulmonata Clausiliidae). *Biodiversity Journal*, 6: 481–490.
- Liotta G., 1985. Entomologi dell'800 in Sicilia. *Atti XIV Congresso nazionale italiano di entomologia*, Palermo, pp. 31–38.
- Liotta G., 1987a. Presentazione. In: Liotta G. (a cura di), *Atti del Convegno I Naturalisti e la Cultura Scientifica Siciliana nell'800*, Palermo, 5–7 dicembre 1984, pp. 3–5.
- Liotta G., 1987b. Enrico Ragusa e il Naturalista Siciliano. In: Liotta G. (a cura di), *Atti del Convegno I Naturalisti e la Cultura Scientifica Siciliana nell'800*, Palermo, 5–7 dicembre 1984, pp. 141–148.
- Liotta G., 1987 (Ed.). *Atti del Convegno I Naturalisti e la Cultura Scientifica Siciliana nell'800*, Palermo, 5–7 dicembre 1984: 3–5.
- Lo Cascio P., 2001. Le ricerche di Enrico Pirajno di Mandralisca sull'avifauna dell'Arcipelago Eoliano. *Il Naturalista siciliano*, 25: 217–226.
- Lo Cascio P., 2014. Cose diverse dalle vulcaniche. Le Eolie dell'Ottocento esplorate da Mandralisca e altri naturalisti. *Pungitopo Editrice, Gioiosa Marea*, 170 pp.
- Lo Cascio P., 2017. *Luoghi e Natura di Sicilia I: Le Isole Eolie*. Edizioni Danaus, Palermo, 318 pp.
- Lo Cascio P. & Navarra E., 2003. Michele Lojacono Pojero: trent'anni di indagini botaniche. In: *Guida naturalistica alle Isole Eolie*. Edizioni L'Epos, Palermo, 261 pp.
- Lo Cascio P. & Navarra E., 2008. Studio dell'avifauna stanziale e migratoria delle Isole Eolie. Regione Siciliana, Assessorato Agricoltura e Foreste, Dipartimento interventi strutturali, Servizio XI, Faunistico-Venatorio, U.O. 61, Ripartizione Faunistico-Venatoria e Ambientale, 38 pp.
- Lo Cascio P., Grita F. & Massa B., 2010. Uno studio inedito di Enrico Pirajno di Mandralisca sull'entomofauna delle Isole Eolie. *Il Naturalista siciliano*, 34: 173–186.
- Lojacono Pojero M., 1878a. Contributi alla flora di Sicilia. Palermo.
- Lojacono Pojero M., 1878b. Monografia dei trifogli di Sicilia, prodromi di una revisione del genere. Palermo.
- Lojacono Pojero M., 1878c. Tentamen monographiae Trifoliorum; sive generis Trifolii species recognitae ac systemtice enumeratae. Palermo.
- Lojacono Pojero M., 1878d. Le isole Eolie e la loro vegetazione con enumerazione delle piante spontanee vascolari. *Atti della Società di acclimatazione e di agricoltura in Sicilia*, 17: 177–328 (ristampa Editore Forni di Bologna, 1987, 140 pp.)
- Lojacono Pojero M., 1881–1883. Criterii sui caratteri delle *Orobanche* ed enumerazione delle nuove specie rinvenute in Sicilia. *Naturalista Sicil.*, 1: 45–48, 53–56, 90–93, 131–136, 162–165, 169–175, 198–202, 209–216, 255–258; 2: 11–15, 37–41, 59–64, 80–84, 105–110, 132–136; 3: 45–48.
- Lojacono Pojero M., 1882. Due nuove specie di *Erodium* in Sicilia. *Naturalista Sicil.*, 1: 105–109.
- Lojacono Pojero M., 1883. Studii su piante critiche, rare o nuove della flora di Sicilia. *Il Naturalista siciliano*, 2: 293–298.
- Lojacono Pojero M., 1883–1884. Una escursione botanica in Lampedusa. *Il Naturalista siciliano*, 3: 339–343. 4: 40–44; 63–68; 92–96; 105–109; 133–139.
- Lojacono Pojero M., 1885a. Ancora sull'Isola di Lampedusa. *Giornale Comizio*; n.s., 17: 104–110.
- Lojacono Pojero M., 1885b. Un'ultima parola su Lampedusa. *Giornale Comizio*; n.s., 17: 334–335.
- Lojacono Pojero M., 1886–1887. Alcune osservazioni alle *Orobanche* della Flora Italiana del Caruel. *Il Naturalista siciliano*, 6: 56–58, 79–82, 104–106, 130–133.

- Lojacono Pojero M., 1888–1909. *Flora Sicula*, 1–3. Palermo.
- Lojacono Pojero M., 1902. *Kochia saxicola* Guss. Bollettino della Società Botanica Italiana, 9: 119–125.
- Lojacono Pojero M., 1904. Otto giorni alle Eolie. *Sicula*, Rivista bimestrale del Club Alpino Siciliano, 9: 11–18.
- Lojacono Pojero M., 1906a. Alicudi e Filicuri (Divagazione su temi eolici). *Sicula*, Rivista bimestrale del Club Alpino Siciliano, 11: 1–23.
- Lojacono Pojero M., 1906b. Addenda et emendanda ad *Floram Siculam*. *Malpighia*, 20: 37–48, 95–119, 180–218, 290–300.
- Lo Re A., 1885. Le condizioni economiche agrarie delle isole di Lampedusa, Linosa e le proposte per migliorarle. Relazione a S.E. il Ministro di Agricoltura, Industria e Commercio. *Sicilia Agricola*, 3: 108–114; (11): 203–210.
- Lyndley J., 1856. *Cytisus aeolicus*. *Edward's Botanical Register*, n.s., 9: t. 1902.
- Mallet Robert M.A., F.R.S., 1876. Il meccanismo del vulcano attivo Stromboli. Traduzione a cura del Prof. Orazio Silvestri (con tavola). *Bollettino del Vulcanismo Italiano*, 3: 52–79.
- Manganelli G. & F. Giusti, 1988. Notulae Malacologicae, XXXVIII. A new Hygromiidae from the Italian Apennines and notes on the genus *Cerneuella* and related taxa (Pulmonata: Helicoidea) *Bollettino Malacologico*, 23: 327–379.
- Manganelli G. & Cianfanelli S., 2001. The dates of publication of *Bollettino Malacologico Italiano* (1868–1875) and *Bollettino della Società Malacologica Italiana* (1875–1899). *Archives of Natural History*, 28: 337–346.
<https://doi.org/10.3366/anh.2001.28.3.337>
- Manganelli G., Sparacio I. & Giusti F., 1989. Notulae Malacologicae, XLI. New Data on the systematics of two Sicilian land snails, *Helix parlatoris* Bivona, 1839 and *Helix reinae*, L. Pfeiffer, 1856 and description of *Schileykiella* n. gen. (Pulmonata: Hygromiidae). *Journal of Conchology*, 33: 141–156.
- Manganelli G., Favilli L. & Giusti F., 1997. A Revision of Three Maghrebien Hygromiid Genera: *Numidia* Issel, 1885, *Xerofalsa* Monterosato, 1892, and *Xeroplana* Monterosato, 1892 (Pulmonata: Helicoidea). *The Veliger* 40: 55–66.
- Manganelli G., Oliverio O., Sparacio I. & Giusti F., 2001. Morphological and molecular analysis of the status and relationships of the land snail “*Cerneuella*” *usticensis* (Calcare, 1842) (Stylomatophora: Helicoidea). *Journal of Molluscan Studies*, 67: 447–462.
- Mann J., 1859. Verzeichniss der im Jahre 1858 in Sicilien gesammelten Schmetterlinge. *Wiener Entom. Monatschrift*, 3: 78–106, 161–178.
- Marafon Pecoraro M., 2019. Un nuovo vulcano sorto dal mare. Testimonianze scientifiche, cartografiche e artistiche dell'Isola Ferdinandea. Published Online: Jan 2019 <https://doi.org/10.7767/wjk.2018.65.1.95>
- Maravigna C., 1837. Sulla Jalite del Basalte della Motta, e sulla tremolite dell'isola dei Ciclopi, sullo idroclocrato di Ammoniaca della eruzione di Bronte anno 1832. *Atti Accademia Gioenia di Scienze Naturali Catania*, 12: 81–88.
- Mariani M., 1951. Un entomologo siciliano: Teodosio De Stefani-Perez (1853–1935). *Plinia*, 3: 1–13.
- Marino N., 2004. La vita e le opere di Enrico Piraino Barone di Mandralisca. *Archeoclub d'Italia*, Cefalù, 98 pp.
- Marzolla B., 1831. Descrizione dell'Isola Ferdinandea al mezzogiorno della Sicilia. *Zeitschrift fur Vulcanologie*, Band V, Vulkanische Ereignisse und Bibliographie, 40–50, 8 tt.
- Massa B., 2009. 1809–2009: duecento anni di evoluzionismo. *Il Naturalista siciliano*, 33: 399–433.
- Massa B., 2014. Necrologia. Vittorio Emanuele Orlando (Palermo 9 febbraio 1928 - Terrasini 21 settembre 2014). *Il Naturalista siciliano*, 38: 393–397.
- Massa B., Cerasa G., Bellia E. & Lo Brutto S. 2018. In ricordo di Pietro Doderlein (2 febbraio 1809 – 28 marzo 1895). *Il Naturalista siciliano*, 42: 195–236
- Massa B., Fontana P., Buzzetti F.M., Kleukers R. & Odé B. 2012. Orthoptera. *Fauna d'Italia*, XLVIII. Calderini, Milano, 563 pp + CD.
- Masseti M., 2002a. Le testuggini terrestri di Lampedusa. In: Corti C., Lo Cascio P., Masseti M. & Pasta S. (a cura di), *Storia naturale delle isole Pelagie*. L'epos, Palermo, pp. 85–87.
- Masseti M., 2002b. Le gru perdute di Lampedusa. In: Corti C., Lo Cascio P., Masseti M. & Pasta S. (a cura di), *Storia naturale delle isole Pelagie*. L'epos, Palermo, pp. 107–110.
- Masseti M., 2016a. The lost cranes of the island of Lampedusa (Italy). *Rivista Italiana di Ornitologia - Research in Ornithology*, 86: 49–54.
<https://doi.org/10.4081/rio.2016.305>
- Masseti M., 2016b. *Zoologia della Sicilia araba e normanna (827–1194)*. Edizioni Danaus, Palermo, 344 pp.
- Masseti M. & Zava B., 2002. I Cervi di Lampedusa. In: Corti C., Lo Cascio P., Masseti M. & Pasta S. (a cura di), *Storia naturale delle isole Pelagie*. L'epos, Palermo, pp. 117–121.
- Matteucci R.V., 1899–1900. Sull'attività dei vulcani Vesuvio, Etna, Vulcano, Stromboli e Santorino nell'autunno 1898. *Bollettino della Società Sismologica Italiana*, 5: 132–144.
- Mattia M., Bonaccorso A. & Guglielmino F., 2007. Ground deformations in the Island of Pantelleria (Italy): Insights into the dynamic of the current in-

- terruptive period. *Journal of Geophysical Research*, 112: B11406, <https://doi.org/10.1029/2006JB004781>, 2007M.
- Mazzarella S., 1984. Dell'isola Ferdinandea e di altre cose. Sellerio editore, Palermo, 142 pp.
- Mazzola P., 1997. Francesco Minà Palumbo e il suo contributo alla conoscenza della Storia naturale in Sicilia. Atti del Convegno I Naturalisti e la Cultura Scientifica Siciliana nell'800, Palermo, 5–7 dicembre 1984: 339–348.
- Mercalli G., 1879a. Recenti eruzioni dello Stromboli. *Bullettino del Vulcanismo Italiano*, 6: 96–97.
- Mercalli G., 1879b. Contribuzioni alla geologia delle Isole Lipari. Atti della Società italiana di scienze naturali, 22: 367.
- Mercalli G., 1881. Natura nelle eruzioni dello Stromboli ed in generale dell'attività sismo-vulcanica delle Isole Eolie. Atti della Società Italiana di Scienze Naturali, 24: 105–134.
- Mercalli G., 1886. La Fossa di Vulcano e lo Stromboli dal 1884 al 1886. Atti della Società Italiana di Scienze Naturali, 29: 352–361.
- Mercalli G., 1888. L'isola di Vulcano e lo Stromboli dal 1886 al 1888. Atti della Società Italiana di Scienze Naturali, 31: 407–419.
- Mercalli G., 1889. Le eruzioni dell'isola di Vulcano. Firenze, 18 pp.
- Mercalli G., 1891a. Cenni topografici-geologici dell'Isola di Vulcano e storia delle sue eruzioni. *Annali dell'ufficio Centrale di Meteorologia e Geodinamica*, 10: 7–50.
- Mercalli G., 1891b. Sopra alcune lave antiche e moderne dello Stromboli. *Giornale di Mineralogia, Cristallografia e Petrografia*, 2: 165–176.
- Mercalli G., 1891c. Osservazioni fatte allo Stromboli nel settembre 1888 e nel febbraio-marzo 1889. *Annali dell'Ufficio Centrale di Meteorologia e Geodinamica* 10: 177–186.
- Mercalli G. & Picone A., 1882. Eruzioni di Stromboli al 18 Ottobre. *Bullettino del Vulcanismo Italiano*, 9: 25–26.
- Mercalli G. & Silvestri O., 1891. Le eruzioni dell'Isola di Vulcano incominciate il 3 agosto 1888 e terminate il 22 marzo 1890. Relazione scientifica della Commissione incaricata degli studi dal R° Governo. *Annali dell'ufficio Centrale di Meteorologia e Geodinamica*, 10: 71–281.
- Merlo F., 1995. Licheni di Giuseppe Zodda nell'Erbario dell'Orto Botanico di Palermo. *Il Naturalista siciliano*, 19: 207–227.
- Micheletti L., 1893. Una gita a Lipari. *Bullettino della Società Botanica italiana*. [1893]: 537–539.
- Migliorato E., 1896. Osservazioni relative alla Flora Napolitana. *Bullettino della Società Botanica Italiana*, 7: 168–171.
- Minà Palumbo F., 1851. Cenno topografico delle isole adiacenti alla Sicilia. L'Empedocle. *Giornale di Agricoltura ed Economia Pubblica per la Sicilia*, 1: 419–434; 465–492.
- Minà Palumbo F. & Failla Tebaldi L., 1887–1889. Materiali per la fauna lepidotterologica della Sicilia. *Il Naturalista siciliano*, 6: 229–236; 7: 10–21, 46–53, 65–72, 81–87, 133–139, 153–156, 201–205, 225–233, 269–272; 8: 1–10, 29–36, 57–62, 81–89, 105–115, 129–140, 153–164, 181–194, 200–202.
- Mogavero Fina A., 1968. Luigi Failla Tedaldi. *Rivista Le Madonie*.
- MolluscaBase, 2021. MolluscaBase. Accessed at <http://www.molluscabase.org> on 2020–08–18
- Monterosato T. Di Maria, 1869. Description d'un *Dolium* méditerranéen nouveau. *Journal de Conchyliologie*, 17: 228–230.
- Monterosato T. Di Maria, 1874a. Recherches Conchyliologiques effectuées au cap Santo Vito en Sicile. *Journal de Conchyliologie*, 22: 243–282.
- Monterosato T. Di Maria, 1874b. Recherches Conchyliologiques effectuées au cap Santo Vito en Sicile. Supplément. *Journal de Conchyliologie*, 22: 359–364.
- Monterosato T. Di Maria, 1875. Nuova rivista delle Conchiglie Mediterranee. Atti della Accademia di Palermo di scienze, Lettere ed Arti, Sez. II, 5: 1–50.
- Monterosato T. Di Maria, 1892. Molluschi terrestri delle isole adiacenti alla Sicilia. Atti della Reale Accademia di Scienze, Lettere ed Arti, 3° serie, 34 pp.
- Monterosato T. di Maria di, 1894. Conchiglie terrestri viventi e fossili di Monte Pellegrino. *Il Naturalista siciliano*, 13: 165–173.
- Monticelli T., 1845. Del Trattamento Delle Api In Favignana Isoletta all'Ovest Della Sicilia. Tipografia Silvestri, Milano, 216 pp.
- Mortillaro V., 1835. Ragguaglio intorno alla costituzione geognostica delle isole Lipari, e di alcune parti della Sicilia, estratto dal *Bullettino della Società Geologica di Francia*, Parigi 1834, 5: 324–328. *Giornale di Scienze, Lettere ed Arti per la Sicilia*, 51: 81–86.
- Mienis H.K., 2012. Giorgio S. Coen (1873–1951) and his mollusc collection. *Haasiana*, 6: 11–37.
- Murbeck S.S., 1898. Contributions à la connaissance de la flore du nord-ouest de l'Afrique et plus spécialement de la Tunisie. *Acta Universitatis Lundensis*, 34: 2.
- Nardi E., 1988. La botanica sistematica italiana negli ultimi cento anni (1888–1988). In: Pedrotti F. (Ed.), 100 anni di ricerche botaniche in Italia (1888–1988). Firenze, pp. 483–518.
- Nastasi P. (Ed.), 1985. Atti del Convegno Il Meridione e le Scienze (secoli XVI–XIX). Palermo 14–16 maggio 1985, 622 pp.
- Nastasi P., 1987. Domenico Scinà e il dibattito scientifico, appunti di una ricerca. Atti del

- Convegno I Naturalisti e la Cultura Scientifica Siciliana nell'800, Palermo, 5–7 dicembre 1984, pp. 93–113.
- Necrologio di Andrea Aradas, 1882–1883. In: Annuario dell'Università di Catania per l'anno 1882–1883.
- Nordsieck H., 2007. Worldwide Door Snails (Clausiliidae), recent and fossil. Conch Books, Hackenheim, 214 pp.
- Ogniben L., 1967. Il centenario di Carlo Gemmellaro (1787–1866) e l'evoluzione degli studi geologici. Atti dell'Accademia Gioenia di Scienze Naturali, s. 6, 19: 241–267.
- Olmi M., 2005. A revision of the world Sclerogibbidae (Hymenoptera Chrysidoidea). Frustula Entomologica, 26–27 (2003–2004): 46–193.
- Okyar Z. & Mironov V., 2008. Checklist of the Geometridae of European Turkey, with new records (Lepidoptera). Zootaxa 1789: 1–56.
- Orlando V.E., 1987. Enrico Pirajno di Mandralisca (1809–1864). In: Liotta G. (a cura di), Atti del Convegno I Naturalisti e la Cultura Scientifica Siciliana nell'800, Palermo, 5–7 dicembre 1984, pp. 473–480.
- Osella G. & Riti M., 1995. Coleoptera Attelabidae, Apionidae, Brachyceridae e Curculionidae. Arthropoda di Lampedusa, Linosa e Pantelleria (Canale di Sicilia, Mar Mediterraneo). Il Naturalista siciliano, 19 (Suppl.): 597–665.
- Otonello D., 1987. Il ruolo di Vincenzo Tineo e Agostino Todaro nello sviluppo della botanica a Palermo. In: Liotta G. (a cura di), Atti del Convegno I Naturalisti e la Cultura Scientifica Siciliana nell'800, Palermo, 5–7 dicembre 1984, pp. 295–310.
- Palmieri L., 1876. Intorno ad una recente eruzione dell'isola di Vulcano ed alla continuazione del terremoto di Corleone. Reale Accademia delle Scienze di Napoli, 15: 1–123.
- Pasta S., 2001. Contributi alla conoscenza botanica delle isole minori circumsiciliane. I. Sintesi aggiornata delle conoscenze botaniche sull'Isola di Lampedusa finalizzata alla conservazione delle sue emergenze floristico-vegetazionali. Il Naturalista siciliano, 25 (suppl.): 19–70.
- Pasta S., 2003. Note su *Kleinia mandraliscae* Tin. (Asteraceae), pianta succulenta descritta come endemica delle Isole Eolie (Tirreno meridionale, Italia). Webbia, 58: 451–457.
- Pasta S., 2009. Charles Darwin, i naturalisti europei e la Sicilia: retrospettiva e nuove prospettive. Il Naturalista siciliano, 33: 435–480.
- Pastena C., Catalisano A. & Oliva C. (Eds.), 2009. Enrico Pirajno, nobile esploratore. Un contributo alla conoscenza della natura in Sicilia. Bicentenario della nascita (1809–2009). Soprintendenza BB.CC.AA. di Palermo, Palermo, 93 pp.
- Paulucci M., 1879. Comunicazioni malacologiche. Articolo secondo. Descrizione di alcune nuove specie del genere *Pomatias*. Bollettino della Società Malacologica Italiana, 5: 13–21.
- Pavesi P., 1876. Le prime crociere del “Violante” comandato dal Capitano-Armatore Enrico D'Albertis. Risultati aracnologici. Annali del Museo civico di Storia Naturale di Genova, 8: 407–451.
- Pavesi P., 1878. Crociera del Violante comandato dal Capitano-Armatore Enrico D'Albertis durante l'anno 1876. II. Risultati zoologici. Aracnidi, aggiunto un catalogo sistematico delle specie di Grecia. Annali Museo civico di Storia Naturale di Genova, 11: 337–396.
- Pavesi M. & Utzeri C., 1995. Odonata. Arthropoda di Lampedusa, Linosa e Pantelleria (Canale di Sicilia, Mar Mediterraneo). Il Naturalista siciliano, 19 (Suppl.): 151–162.
- Pavon D. & Abbes I., 2014. Observations malacologiques sur l'île de la Galite (Tunisie septentrionale). Folia conchyliologica: 26, 9–18.
- Peri M., 1994. La collezione ornitologica del Museo Mandralisca, Palermo.
- Pesarini C., 1995. Araneae. Arthropoda di Lampedusa, Linosa e Pantelleria (Canale di Sicilia, Mar Mediterraneo). Il Naturalista siciliano, 19 (Suppl.): 51–62.
- Petersen B., 1988. The Palaearctic Mutillidae of I.C. Fabricius and some related material (Insecta, Hymenoptera, Aculeata). Steenstrupia, 14: 129–224.
- Pfeiffer L., 1856. Bericht über weitere Mittheilungen des Herrn Zelebor. Malakozoologische Blätter. Cassel (Theodor Fischer), 3: 175–186 [Oktober 1856].
- Pfeiffer L., 1859. Monographia Heliceorum viventium. Sistens descriptiones systematicas et criticas omnium huius familiae generum et specierum hodie cognitatum. Lipsiae, 5: xii + 565 pp.
- Pfeiffer K.L., 1931. Die Murellen Westsiziliens. Archiv für Molluskenkunde, 63: 93–116.
- Piani P., 1981. Bibliografia cronologica degli scritti malacologici di Monterosato. Bollettino malacologico, 17: 201–204.
- Piani P., 1984. Della “Collezione Monterosato” di G.S. Coen e di altre cose ancora. Bollettino Malacologico, 19 (1983): 273–278.
- Piccone A., 1883. Risultati algologici delle crociere del “Violante”. pp. [1]–39 ([106]–142). Genova: Tipografia del R. Istituto Sordo-muti.
- Pignatti S., Guarino R. & La Rosa M., 2017–2019. Flora d'Italia, II ed. Edagricole, Bologna.
- Pigonati A., 1762. Topografia dell'Isola di Ustica ed antica abitazione di essa. In: Opuscoli di Autori Siciliani, VII, pp. 251–280.
- Pirajno di Mandralisca E., 1840. Catalogo dei molluschi terrestri e fluviatili delle Madonie e luoghi adiacenti. Stamperia Oreete, Palermo, 41 pp.

- Pirajno di Mandralisca E., 1842. Nota di talune specie di molluschi terrestri e fluviatili di Sicilia. *Giornale Letterario*, 230: 1–10.
- Pirajno di Mandralisca E., ante 1864. Coleotteri delle isole Eolie. Unpublished manuscript kept on the “Archivio Storico della Fondazione Mandralisca di Cefalù, sezione 2, serie 9, 45, 10/2”, 4 pp.
- Pirajno di Mandralisca E., ante 1864. Catalogo degli uccelli che si trovano stazionarii o di passaggio nelle Isole Eolie. Unpublished manuscript kept on the “Biblioteca della Fondazione Mandralisca di Cefalù”.
- Pirotta R., 1878. Crociera del Violante comandato dal Capitano-Armatore Enrico D’Albertis durante l’anno 1876. II. Risultati zoologici. Miriapodi. *Annali del Museo Civico di Storia Naturale di Genova*, 11: 397–410.
- Platania G., 1885. *Enumeratio molluscorum in Sicilia delectorum*. Acireale, Tipografia Donzuso, 25 pp.
- Platania G., 1886. Contribuzione alla fauna malacologia extramarina della Sicilia e delle isole adiacenti. *Bollettino della Società malacologica italiana*, 12: 83–88.
- Platania G., 1889a. Stromboli e Vulcano nel settembre del 1889. *Bollettino dell’Osservatorio meteorologico del R. Istituto nautico di Riposto*, 15: 9–12.
- Platania G., 1889a. Sui proiettili squarciati di Vulcano (isole Eolie) nell’eruzione del 1888–1890. *Annali dell’Ufficio Centrale di Meteorologia e Geodinamica*, (2) 10: 1–7.
- Platania G., 1894. Le interruzioni del cavo telegrafico Milazzo-Lipari e i fenomeni vulcanici sottomarini nel 1888–92. *Atti dell’Accademia Gioenia di Scienze Naturali* (4) 7: 1–16.
- Platania G., 1905–1906a. Effetti magnetici del fulmine sulle lave dello Stromboli, *Memorie della Classe di Scienze della R. Accademia degli Zelanti*, (3) 5: 163–167.
- Platania G., 1905–1906b. Il terremoto calabrese dell’8 settembre 1905 a Stromboli. *Memorie della Classe di Scienze della R. Accademia degli Zelanti di Acireale*, (3) 5: 79–87.
- Platania G., 1906. Stromboli. *Memorie della Classe di Scienze della R. Accademia degli Zelanti*, (3) 5 : 1–11.
- Platania G., 1908. I fenomeni eruttivi dello Stromboli nella primavera del 1907. *Annali dell’Ufficio centrale di Meteorologia e Geodinamica* (1908), 30: 3–27 (the publication date of this volume was 1910).
- Platania G., 1908–1909. Il maremoto dello Stretto di Messina del 28 dicembre 1908. *Bollettino della Società Sismologica Italiana*, 13: 369–458.
- Platania G., 1916. Fenomeni eruttivi dello Stromboli nel novembre 1915. *Rendiconti della R. Accademia dei Lincei*, s. V, 25: 317–321.
- Platania G., 1920. Attività dello Stromboli nel primo semestre del 1920 R. Osservatorio geodinamico e meteorico di Catania. Servizio geodinamico per la Sicilia e le isole adiacenti, fasc. 1–2.
- Platania G., 1921. Fenomeni vulcanologici dello Stromboli durante il 1921. R. Osservatorio geodinamico e meteorico di Catania. Servizio geodinamico per la Sicilia e le isole adiacenti, fasc. 1–4.
- Platania G., 1922a. L’esplosione dello Stromboli del maggio 1919. *Bollettino della Accademia Gioenia di Scienze Naturali*, (2) 50: 1–17.
- Platania G., 1922b. Fenomeni vulcanologici dello Stromboli. R. Osservatorio geodinamico e meteorico di Catania. Servizio geodinamico per la Sicilia e le isole adiacenti, fasc. 3–4.
- Platania G., 1925. Per un rilievo a grande scala delle isole di Stromboli e Vulcano. *Atti IX Congresso Geografico Italiano*, vol. 1, Genova.
- Pollonera C., 1893. Studi sulla *Xerophila*. I. Le *X. cespitum* e *Terveri* e forme intermedie. *Bollettino della Società malacologica Italiana*, 18: 7–46.
- Ponte S.C., 1891. Fine del periodo eruttivo di Vulcano e stato attuale del cratere: contribuzione alla vulcanologia. *Atti dell’Accademia Gioenia di Scienze Naturali in Catania*, serie 4, 3.
- Poggi R., 1995. Coleoptera Pselaphidae. Arthropoda di Lampedusa, Linosa e Pantelleria (Canale di Sicilia, Mar Mediterraneo). *Il Naturalista siciliano*, 19 (Suppl.): 437–446.
- Power J., 1842. Guida per la Sicilia. Stabilimento Poligrafico di F. Cirelli, Napoli, 382 pp.
- Prestandrea A. & Calcara P., 1853. Breve cenno sulla geognosia ed agricoltura delle isole di Lipari e Vulcano. *Giornale della Commissione d’Agricoltura e Pastorizia per la Sicilia*, 5: 28 pp.
- Prévost C., 1831. L’exploration de l’île de Julia. *Bulletin de la Société géologique de France*, 2: 32–36.
- Pusateri F. & Giannuzzi-Savelli R., 1997. Enrico Pirajno naturalista. IN: Enrico Pirajno di Mandralisca. Umanità, scienza e cultura in una grande collezione siciliana. *Publiscula*, Palermo, pp. 114–118.
- Rafinesque Schmaltz C.S., 1810. Animali e piante della Sicilia. *Accademia Nazionale di Scienze Lettere e Arti*, Palermo. Anastatic reprint, 1995 with presentation by F.M. Raimondo and introduction by C. Violani, pp. XXVII + 105, 20 Tav.
- Ragusa E., 1871. Breve escursione entomologica fatta sulle Madonie e ne’ boschi di Caronia. *Bullettino della Società entomologica italiana*, 3: 366–380.
- Ragusa E., 1873. Escursioni fatte sul Monte Pellegrino presso Palermo. *Bullettino della Società entomologica Italiana*, 5: 170–179.
- Ragusa E., 1874. Calendario coleotterologico per Pa-

- lermo e dintorni. *Bollettino della Società entomologica Italiana*, 6: 302–312.
- Ragusa E., 1875. Gita entomologica all'Isola di Pantelleria. *Bollettino della Società entomologica italiana*, 7: 238–256.
- Ragusa E., 1882. Coleotteri nuovi o poco conosciuti della Sicilia. *Bollettino della Società entomologica italiana*, 7: 238–256.
- Ragusa E., 1883–1912. Catalogo ragionato dei Coleotteri di Sicilia. *Il Naturalista siciliano*.
- Ragusa E., 1885. Catalogo ragionato dei Coleotteri di Sicilia (Carabidae). *Il Naturalista siciliano*, 4: 281–285.
- Ragusa E., 1887. Catalogo ragionato dei Coleotteri di Sicilia (Carabidae). *Il Naturalista siciliano*, 6: 139–142.
- Ragusa E., 1892. Breve gita entomologica all'Isola di Lampedusa. *Il Naturalista siciliano*, 11: 234–238.
- Ragusa E., 1897. Catalogo ragionato dei Coleotteri di Sicilia. *Il Naturalista siciliano*, 2: 197–237.
- Ragusa E., 1905. Catalogo dei Lepidotteri di Sicilia esistenti nella collezione di Enrico Ragusa. *Il Naturalista siciliano*, 17: 145–164; 18: 10–24.
- Ragusa E., 1907. Catalogo degli Emitteri della Sicilia. *Il Naturalista siciliano*, 19: 209–237.
- Ragusa E., 1908. Due giorni di caccia entomologica sulle Madonie. *Il Naturalista siciliano*, 20: 129–134.
- Ragusa E., 1924. I Cerambycidae della Sicilia. *Bollettino R. Accademia di Scienze e Lettere di Palermo*, 33 pp.
- Rapisarda C., 1995. Homoptera Psylloidea di Pantelleria. *Arthropoda di Lampedusa, Linosa e Pantelleria (Canale di Sicilia, Mar Mediterraneo)*. *Il Naturalista siciliano*, 19 (Suppl.): 303–320.
- Reinhardt O., 1886. Einige Landschnecken vor, welche Herr Ross, Assistant am Museum der hiesigen landwirthschaftlichen Hochschule, während botanischen Reise i.J. 1884 auf der Insel Lampedusa gesammelt hat. *Sitzungs-Berichte der Gesellschaft Naturforschender Freunde zu Berlin*: 55–56.
- Reitano A., Liberto F., Colomba M.S., Sparacio I. & Sanfilippo R., 2019. Notes on some interesting species of Mollusca Gastropoda of the Monterosato collection from the Museum of Paleontology (Catania University, Italy). *Biodiversity Journal*, 10: 499–516.
<https://doi.org/10.31396/Biodiv.Jour.2019.10.4.499.516>
- Ricciardi L., 1888. Confronti tra le rocce degli Euganei, del monte Amiata e della Pantelleria. *Gazzetta Chimica Italiana*, 18: 32–43.
- Ricciardi M., Nazzaro R., Caputo G., De Natale A. & Vallariello G., 2004. La flora dell'isola di Ischia (Golfo di Napoli). *Webbia*, 59: 1–113.
- Riccò A., 1891. Tremblements de terre, soulèvement et eruption sous-marine à Pantelleria. *Comptes rendus de l'Académie des Sciences*, 113: 753–755.
- Riccò A., 1892. Terremoti, sollevamenti ed eruzione sottomarina a Pantelleria nella seconda metà dell'ottobre 1891. *Annali dell'Ufficio Centrale Meteorologico Italiano*, 2: 5–23.
- Riccò A. & Mercalli G., 1892. Sopra il periodo eruttivo dello Stromboli cominciato il 24 giugno 1891. *Annali dell'Ufficio centrale di meteorologia e geodinamica*, (2) 3: 1–37.
- Riedel A., 1973. Die Gruppen *Hyalocornea* Monterosato and *Hyalofusca* Monterosato der Gattung *Oxychilus* Fitzinger (Gastr., Zonitidae). *Annakles Zoologici Warszawa*, 30: 1–31.
- Riedel A., 1980. Genera Zonitidarum. Diagnosen supra-spezifischer Taxa der Familie. Zonitidae (Gastropoda, Stylommatophora). Dr. Backhuys, Rotterdam, 197 pp.
- Riggio G., 1884. Contribuzione alla fauna lepidotterologica della Sicilia. *Il Naturalista siciliano*, 4: 49–54.
- Riggio G., 1885–1889. Materiali per una fauna entomologica dell'isola di Ustica. Prima contribuzione. *Il Naturalista siciliano*, 5: 25–31; 52–56; 5 (1886): 85–91.
- Riggio G., 1887–1891. Appunti e note di Ortoterologia siciliana. *Il Naturalista siciliano*, 7: 28–33, 54–59, 73–74, 95–101, 110–113, 308–311; 8: 69–71; 11: 1–6.
- Riggio G., 1888–1889. Materiali per una fauna entomologica dell'isola di Ustica. Seconda contribuzione. *Il Naturalista siciliano*, 7: 292–298; 8: 20–22; 8 (1889): 115–121.
- Riggio G., 1889. Alcune notizie sui progressi attuali dell'entomologia in Sicilia. Considerazioni sull'ordine degli Ortoteri e scoperta di alquante specie novelle di quest'ordine in Sicilia. *Atti della Reale Accademia di Scienze, Lettere e Belle Arti, Palermo*, 10 (1887–88): 41 pp.
- Riggio G., 1891. Appunti e note di Ortoterologia siciliana. V. Sopra alcuni Ortoteri nuovi o rari per la Sicilia. VII. Ortoteri di Lipari. *Il Naturalista siciliano*, 11: 1–6.
- Riggio G. & De Stefani-Perez T., 1888. Sopra alcuni imenotteri dell'Isola di Ustica (tav. I, figg. 3–5). *Il Naturalista siciliano*, 7: 145–150.
- Riggio G. & Pajno F., 1886–87. Primo saggio di un Catalogo metodico degli Ortoteri sin'ora osservati in Sicilia. *Il Naturalista siciliano*, 6: 23–27; 43–46; 47–50; 63–69.
- Riggio S. 1987. I De Stefani (o Di Stefano) una famiglia di naturalisti della seconda metà dell'Ottocento. In: Liotta G. (a cura di), *Atti del Convegno I Naturalisti e la Cultura Scientifica Siciliana nell'800*, Palermo, 5–7 dicembre 1984, pp. 447–464.
- Rizzo F., 2021. The distribution of Pteridophytes (ferns

- and lycophytes) in Sicily. *Biodiversity Journal*, 12: 91–120.
<https://doi.org/10.31396/Biodiv.Jour.2021.12.1.91.120>
- Rodriguez C., 1853. Breve cenno sullo stato dell'agricoltura nell'isola di Lipari. L'Empedocle, Giornale di Agricoltura ed Economia Pubblica per la Sicilia, 3: 24–38.
- Rodriguez F., 1856. Storia delle malattie endemiche ed epidemiche dell'Isola di Lipari. Con appendice sulle piante spontanee che vegetano in Lipari. Stamperia P. Morvillo, Palermo, 34 pp.
- Rodwell G.F., 1880. The Lipari Islands. *Nature*, 21: 400–402.
- Romano M., 2004. Cenni storici sulla Società Siciliana di Scienze Naturali e su "Il Naturalista siciliano". *Il Naturalista siciliano*, 28: 823–859.
- Romano M., 2006. La ricerca entomologica in Sicilia: protagonisti, cultori e collezioni a cavallo di tre secoli. *Il Naturalista siciliano*, 30: 151–226
- Romano F.P. & Romano M., 1995. Lepidoptera. Arthropoda di Lampedusa, Linosa e Pantelleria (Canale di Sicilia, Mar Mediterraneo). *Il Naturalista siciliano*, 19 (Suppl.): 693–722.
- Ross H., 1884. Eine botanische Excursion nach den Insel Lampedusa und Linosa. *Berichte Deutsch. Bot. Gesell.*, 344–349.
- Ross H., 1906. Contribuzioni alla conoscenza della flora sicula. II. Isola di Pantelleria. *Bollettino della Società Botanica Italiana*, (3–4): 38–45.
- Rossitto M., 1984. Saggio bibliografico sul contributo dei siciliani alla cultura scientifica dell'800. *I Naturalisti e la Cultura scientifica Siciliana nell'800*, Palermo, 5–7 dicembre 1984. Tipografia STASS, Palermo, 72 pp.
- Rottenberger A.L., 1870. Beiträge zur Coleopteren. Fauna von Sicilien, I. *Berliner Entomologische Zeitschrift*, 14: 11–40.
- Russo Farruggia S., 1831. Storia dell'isola Ferdinanda sorta nella costa meridionale della Sicilia. Trapani
- Russo G.F., Fasulo G., Toscano A. & Toscano F., 1990. On the presence of Triton species (*Charonia* spp.) (Mollusca: Gastropoda) in the Mediterranean Sea: Ecological considerations. *Bollettino malacologico*, 26: 91–104.
- Ryolo L. & Palazzi S., 2008. Tommaso Di Maria, Marchese di Monterosato. Documenti inediti sulla sua vita e sulla sua opera. DVD available through the Società Italiana di Malacologia web site. Available from: http://www.societaitalianadimalacologia.it/index.php?option=com_content&view=article&id=342&Itemid=56
- Sainte-Claire Deville C., 1858. Note sur la nature des éruptions actuelles du volcan de Stromboli. *Bulletin de la Société géologique de France*, 15: 345–361.
- Salino F., 1874. Le isole di Lipari. *Bollettino del Club Alpino Italiano*, 8: 135–181.
- Sambon L., 1891. Notes on the Eolian Islands and on pumice stone, pp. 59–71. In: Johnston-Lavis H.J. (Ed.), *The South Italian Volcanoes...* F. Furchheim, Naples.
- Sansivente B., 1849. L'isola di Lampedusa eretta a colonia dal munificentissimo nostro Sovrano Ferdinando II, descritta dal Cav. B. Sansivente, capitano di fregata e governatore della medesima. Con un cenno sulle minori isole di Linosa e Lampione. Napoli.
- Santangelo A., 2011. Relazione tecnico-scientifica del progetto "Individuazione e valutazione dello stato di conservazione delle specie vegetali rare del Parco Nazionale del Cilento e Vallo di Diano". *Parco Nazionale del Cilento e Vallo di Diano*. 1–44 pp.
- Santangelo A., Croce A., Lo Cascio P., Pasta S., Strumia S. & Troia A., 2012 Schede per una Lista Rossa della Flora vascolare e crittogamica Italiana *Eokochia saxicola* (Guss.) Freitag et G. Kadereit. *Informatore Botanico Italiano*, 44: 405–474.
- Sayve A. (de), 1822. Voyage en Sicile fait en 1820 et 1821, tome II, Paris, 339 pp.
- Scaramozzino P., 1995. Hymenoptera Ichneumonidae. In: Minelli A., Ruffo S. & La Pasta S. (Eds.), *Check list delle specie della fauna italiana*, 94. Calderini, Bologna.
- Schembri A., 1843. Catalogo ornitologico del gruppo di Malta. Tipografia Anglo-Maltese, Malta, 140 pp.
- Schileyko A.A., 1991. Taxonomic status, phylogenetic relations and system of the Helicoidea sensu lato (Pulmonata). *Archiv für Molluskenkunde*, 120: 187–236.
- Schmidt J.F.J., 1874. Vulkanstudien Santorin 1866 bis 1872, Vesuv, Bajae, Stromboli, Aetna 1870. von Dr. JF Julius Schmidt, 258 pp.
- Schirò G., 1854. Sull'attualità e l'avvenire delle isole di Lampedusa e Linosa per servire di base all'accantonamento dei boschi, all'assegnamento delle case e delle terre ai coloni ed alla imposizione dei rispettivi canoni. Palermo. Memoria VI. Palermo 130 pp.
- Sciascia L., 1979. La Sicilia come metafora. Intervista di Marcelle Padovani. A. Mondadori editore, Milano, 134 pp.
- Scinà D., 1832. Breve ragguaglio al novello vulcano apparso nel mare di Sciacca. *Effemeridi scientifiche e letterarie per la Sicilia*, 1: 136–165.
- Seidlitz G.C.M. von, 1896. Tenebrionidae. In: Kiesenwetter H. von & Seidlitz G.C.M. von: *Naturgeschichte der Insecten Deutschlands*. Begonnen von Dr. W. F. Erichson, fortgesetzt von Prof. Dr. H. Schaum, Dr. G. Kraatz, H. v. Kiesenwetter, Julius

- Weise, Edm. Reitter und Dr. G. Seidlitz. Erste Abteilung Coleoptera. Fünfter Band. Erste Hälfte. Nicolaische Verlags-Buchhandlung, Berlin, pp. 609–800.
- Sestini D., 1776. Descrizione del Museo d'Antiquaria e del Gabinetto d'Istoria Naturale di Sua Eccellenza il Sig.re Principe di Biscari Ignazio Paternò Castello Patrizio catanese. Firenze, 108 pp. Anastatic reprint by Ed. G. Maimone, Catania, 2001.
- Sichel G., 1987. Lo sviluppo del pensiero naturalistico in Sicilia tra idéologues e darwiniani. In: Liotta G. (a cura di), Atti del Convegno I Naturalisti e la Cultura Scientifica Siciliana nell'800, Palermo, 5–7 dicembre 1984, pp. 31–54.
- Silvestri O., 1874. Fenomeni eruttivi dell'isola di Vulcano e Stromboli nel 1874. Bollettino Vulcanologico Italiano, pp. 9–10.
- Silvestri O., 1888. Etna, Sicilia ed isole vulcaniche adiacenti sotto il punto di vista dei fenomeni eruttivi e geodinamici avvenuti durante l'anno 1887. Annali Meteorologici Italiani, 3: 309.
- Silvestri O., 1889a. Etna Sicilia ed Isole Vulcaniche Adiacenti sotto il punto di vista dei fenomeni eruttivi e geodinamici avvenuti durante l'anno 1888. Atti dell'Accademia Gioenia di Scienze Naturali in Catania, (4) 1: 1–41.
- Silvestri O., 1889b. L'isola di Vulcano e l'attuale suo risveglio eruttivo. Nuova Antologia, 16: 1–10.
- Silvestri O., 1890. Etna, Sicilia ed isole vulcaniche adiacenti sotto il punto di vista dei fenomeni eruttivi e geodinamici avvenuti durante l'anno 1889. Bollettino dell'Accademia Gioenia di Scienze Naturali in Catania, 2: 230–3232.
- Silvestri O., Consiglio Ponte S. & Silvestri A., 1889. Sulla attuale eruzione scoppiata il di 3 agosto 1888 alla isola Vulcano nell'Arcipelago Eolio.
- Smyth W.H., 1824. Memoir descriptive of the Resources, Inhabitants and Hydrography of the Sicily and its islands interspersed with Antiquarian and othe notices. J. Murray, London, 229 pp. [Italian edition by Mazzarella S., La Sicilia e le sue isole - risorse, abitanti e idrografia, con cenni di archeologia ed altri appunti. Edizioni Giada per Sicilcassa, Palermo, 1989].
- Solla R.F., 1884. Phytobiologische Beobachtung auf einer Excursion nach Lampedusa und Linosa. Verhandlungen der kaiserlich-königlichen zoologisch-botanischen Gesellschaft in Wien, 34: 465–480.
- Solla R.F., 1885. Auf einer Excursion nach den pelagischen Inseln, April 1884, gesammelte Meeresalgen. Österreichische Botanische Zeitschrift, 35: 48–53.
- Sommier S., 1905. Piante inedite di Lampedusa e Linosa. Bollettino della Società Botanica Italiana [1907]: 245–247.
- Sommier S., 1906. Le isole Pelagie, Lampedusa, Linosa, Lampione e la loro flora con un elenco completo delle piante di Pantelleria. Bollettino del Reale Orto Botanico e Giardino Coloniale di Palermo, 5, 6, 9, appendice (ristampa: 1908, Tipografia L. Chiti, Firenze, 344 pp.).
- Sommier S., 1907. Materiali per una florula di Pantelleria. Bollettino della Società Botanica Italiana [1907]: 48–60;
- Sommier S., 1908. A proposito della flora delle isole Pelagie Bollettino della Società Botanica Italiana [1908]: 137–140.
- Sommier S., 1922. Flora dell'isola di Pantelleria. Tip. Ricci, Firenze, 10 pp.
- Spallanzani L., 1792–1795. Viaggi alle due Sicilie e in alcune parti dell'Appennino. Baldassare Comino, Pavia, 5 vol.
- Spampinato S., Ursino A., Barbano M.S., Pirrotta C., Rapisarda S., Larocca G. & Platania P.R., 2017. A Reappraisal of Seismicity and Eruptions of Pantelleria Island and the Sicily Channel (Italy). Pure and Applied Geophysics, 174: 2475–2493.
<https://doi.org/10.1007/s00024-017-1550-x>
- Spannocchi T., 1596. Descripción de las Marinas de todo el Reino de Sicilia. Ms 788 Biblioteca Nacional de Madrid.
- Sparacio I., 1995. Coleotteri di Sicilia. Parte I. L'Epos, Palermo, 260 pp.
- Sparacio I., 2014a. Taxonomic notes on the genus *Pseudoapterogyna* Escalera, 1914 (Coleoptera Scarabaeoidea Melolonthidae) in Sicily. Biodiversity Journal, 5: 359–366.
- Sparacio I., 2014b. In memoriam Vittorio Emanuele Orlando (9 febbraio 1928–21 settembre 2014). Notiziario S.I.M., 32: 2–4.
- Sparacio I. & Ratti E., 1995. Coleoptera Buprestidae. Arthropoda di Lampedusa, Linosa e Pantelleria (Canale di Sicilia, Mar Mediterraneo). Il Naturalista siciliano, 19 (Suppl.): 471–476
- Sparacio I., Colomba M.S., Liberto F., Gregorini A. & Giglio S. 2011. Luigi Failla Tedaldi: entomologo siciliano. Poster Congresso S.E.I., Genova, VI.2011.
- Sparacio I., Bellavista M. & Cerasa G., 2020. Two unpublished documents on the scientific works of Teodosio De Stefani, pp. 257–275. In: La Mantia T., Badalamenti E., Carapezza A., Lo Cascio P. & Troia A. (Eds.), Life on Islands. Biodiversity in Sicily and surrounding islands. Studies dedicated to Bruno Massa. Edizioni Danaus, Palermo.
- Sparacio I., Surdo S., Viviano R., Liberto F. & Reitano A., 2021. Land molluscs from the Isola delle Femmine Nature Reserve (north-western Sicily, Italy) (Gastropoda Architaenioglossa Pulmonata). Biodiversity Journal, 12: 589–624.
<https://doi.org/10.31396/Biodiv.Jour.2021.12.3.589.624>

- Speciale S., 1884. Le isole Pelagie con la Carta geologica dell'isola di Linosa, 1:25.000. Bollettino del R. Comitato geologico d'Italia, ser. 2, 5, 5-6, 161–166.
- Stafleu F.A. & Cowan R.S., 1981. Taxonomic literature, ed. 2, 3. Regnum Veg. 105.
- Stagno S.F., 1759. Ragionamento sopra il nascimento dell'Isola di Vulcano. Opuscoli di Autori Siciliani, II, Palermo, pp. 93–121.
- Starrabba S., 1939. Gaetano Platania. Necrologio. Bollettino della Società geologica italiana, 58: 34–44.
- Steck T., 1887. Entomologische Ergebnisse einer Excursion nach Sicilien. Mittheilungen der Naturforschenden Gesellschaft in Bern, 178–188.
- Streng A., 1887. Über die geologischen Verhältnisse der Inseln Lipari und Vulcano. Bericht der Oberhessischen Gesell. für Natur- und Heilkunde, 25.
- Tacchini P., 1889. Sulle attuali eruzioni di Vulcano e Stromboli. Atti della reale Accademia Nazionale dei Lincei, 5: 327–329.
- Tineo V., 1846. Plantarum Rariorum Siciliae minus cognitum. Tipografia Barbavecchia, Palermo.
- Tineo V., 1855. Nuova specie di *Kleinia*. Annali di Agricoltura siciliana, 3: 315–317.
- Todaro A., 1842. Orchideae siculae, sive enumeratio Orchidearum in Sicilia hucusque detectarum. Ex Empedoclea officina, Palermo, 135 pp.
- Todaro A., 1861. Nuovi generi e nuove specie di piante coltivate nel Real Orto botanico di Palermo. Palermo, fasc. 3.
- Todaro A., 1866. Synopsis plantarum acotyledonearum vascularium sponte provenientium in Sicilia insulisque adjacentibus (Filices). Giornale di Scienze Naturali ed Economiche di Palermo, 1: 208–254.
- Todaro A., 1876–1878, 1879–1892. Hortus Botanicus Panormitanus, sive plantae novae vel criticae quae in Horto Botanico Panormitano coluntur descriptae et iconibus illustrate. 1: tav. 24; 2 (1–8): tav. 16. Palermo.
- Todaro A., 1887. Memorando ossia Reclamo del Real Orto Botanico a S.E. il Ministro dell'Interno contro il Piano Regolatore della Città di Palermo. Tipografia Domenico Maccarone, Palermo.
- Tomlin J.R. le B., 1930. Obituary notice: Marchese di Monterosato. Journal of Conchology, 19: 37–40.
- Trabucco G., 1890a. L'isola di Lampedusa. Studio geopaleontologico. Bollettino della Società geologica italiana, 9: 573–608.
- Trabucco G., 1890b. Carta geologica di Lampedusa, 1:50.000. Roma.
- Trabucco G., 1891. L'isola di Linosa: studio geologico, nota preliminare. Rass. Società geologica italiana, Roma, 1, 23–25.
- Trabucco G., 1899a. L'isola di Linosa. Studio geo-fisico. Atti III Congresso geogr. Italia. Firenze 12–17 aprile 1898, 2, pp. 148–162. [Ristampato in: Rivista geogr. Ital., 6, 1899].
- Trabucco G., 1899b. Carta geologica di Linosa, 1:25:000. Firenze.
- Tranchina G., 1885. L'isola di Ustica dal 1760 sino ai giorni nostri. Cenni storici compilati dal Parroco Giuseppe Tranchina. Tipografia dello Statuto, Palermo (Ristampato nel 1982 da Linee d'Arte Giada s.r.l., Palermo).
- Troia A. & Raimondo F.M., 2007. Note biografiche e bibliografiche su Michele Lojacono-Pojero. In: 102° Congr. S.B.I. riass.: 106, Palermo 26–29 settembre 2007, p. 304.
- Valsecchi F., 1886. Due nuove specie del genere *Genista* L. nel Mediterraneo. Bollettino della Società Sarda di Scienze Naturali, 25: 143–147.
- van Noort S., 2020. WaspWeb: Hymenoptera of the Afrotropical region. URL: www.waspweb.org (accessed on <day/month/year>)
- Ventura D., 2012. Gaetano Platania, un geologo acese nel R. Istituto Superiore di Scienze Economiche e Commerciali di Catania (1923–30). Memorie e Rendiconti della Accademia di Scienze Lettere e Belle Arti degli Zelanti e dei Dafnici di Acireale, 1: 121–144.
- Vienna P., 1995. Coleoptera Hysteridae. Arthropoda di Lampedusa, Linosa e Pantelleria (Canale di Sicilia, Mar Mediterraneo). Il Naturalista siciliano, 19 (Suppl.): 429–435.
- Viglioglia V., Carpaneto G.M. & Massa B., 2020. First records of *Brachycrotaphus tryxalicerus* (Fischer, 1854) in the Italian Peninsula (Orthoptera: Acrididae). Fragmenta entomologica, 52: 387–390.
- Vigna Taglianti A., 1995. Coleoptera Carabidae. Arthropoda di Lampedusa, Linosa e Pantelleria (Canale di Sicilia, Mar Mediterraneo). Il Naturalista siciliano, 19 (Suppl.): 357–421.
- Vitale F., 1908. Notizie su alcuni insetti rari del Messinese. Il Naturalista siciliano, 20: 84–92.
- Washington H.S., 1908. Linosa and its rocks. Journal of the Geology, 16: 1–35.
- Welter-Schultes F.W., 2012. European non-marine molluscs, a guide for species identification. Planet Poster, 679 pp.
- Westerlund C.A., 1886. Fauna der in der Palaearctischen Region (...) lebenden Binnen-conchylien. I. Fam. Testacellidae, Glandinidae, Vitrinidae & Leucochoinae. Lund, 88+7 pp.
- WoRMS Editorial Board, 2021). World Register of Marine Species. Available from <https://www.marine-species.org> at VLIZ. Accessed 2021-11-5. doi:10.14284/170
- Zodda G., 1902. Proposta per un catalogo descrittivo dei Coleotteri italiani. Bollettino del naturalista collettore, allevatore, coltivatore (suppl. a Rivista italiana di scienze naturali), Siena, 22: 13–14.

- Zodda G., 1903a. Sulla flora di Lipari. Rendiconto Congresso Botanico, Palermo, Maggio 1902, pp. 131–133.
- Zodda G., 1903b. Una visita al cratere di Vulcano nell’aprile 1902. Atti e Rendiconti dell’Accademia Dafnica di Scienze, Lettere e Arti, 9: 1–8.
- Zodda G., 1904. Una gita alle isole Eolie. Atti della Reale Accademia Peloritana, 19: 73–108.
- Zodda G., 1908. Entità nuove o importanti della flora sicula. Rendiconti e Memorie Accademia di Scienze Lettere e Arti degli Zelanti di Acireale, s. 3, 5 (232–234) (1906–1907): 97–162.